



The border in front of the East wing of the Curvilinear range contains collections of South African genera such as *Agapanthus*, *Crinum*, *Dierama* and *Kniphofia*. These genera are exceptionally species rich in S. Africa. The cape region of South Africa (about half the size of Ireland) contains 7,000 species of plants.

- Agapanthus africanus* (ALLIACEAE)
- Agapanthus caulescens* subsp. *angustifolius* (ALLIACEAE)
- Agapanthus dyeri* (ALLIACEAE)
- Agapanthus giganteus ardernei* (ALLIACEAE)
- Agapanthus praecox* subsp. *praecox* (ALLIACEAE)
- Albuca nelsonii* (HYACINTHACEAE)
- X*Amarcrinum memoria-corsii* (AMARYLLIDACEAE)
- Amaryllis belladonna* (AMARYLLIDACEAE)
- Amaryllis belladonna* 'Blanda' (AMARYLLIDACEAE)
- Berkheya* sp. (ASTERACEAE)
- Chasmanthe aethiopica* (IRIDACEAE)
- Chasmanthe bicolor* (IRIDACEAE)
- Chasmanthe floribunda* (IRIDACEAE)
- Chasmanthe floribunda* var. *duckittii* (IRIDACEAE)
- Chasmanthe floribunda* var. *floribunda* (IRIDACEAE)
- Crinum* × *powellii* (AMARYLLIDACEAE)
- Crinum* × *powellii* 'Alba' (AMARYLLIDACEAE)
- Crinum longifolium* (AMARYLLIDACEAE)

- Crinum moorei* (AMARYLLIDACEAE)
- Dais cotinifolia* (THYMELAEACEAE)
- Dianthus basuticus* (CARYOPHYLLACEAE)
- Dierama* cf. *robustum* (IRIDACEAE)
- Dierama cooperi* (IRIDACEAE)
- Dierama dracomontanum* (IRIDACEAE)
- Dierama pendulum* (IRIDACEAE)
- Dierama pulcherrimum* (IRIDACEAE)
- Dierama pulcherrimum* 'Donard' (IRIDACEAE)
- Dierama pulcherrimum* var. *album* (IRIDACEAE)
- Dierama reynoldsii* (IRIDACEAE)
- Dierama robustum* (IRIDACEAE)
- Dietes grandiflora* (IRIDACEAE)
- Dietes iridioides* (IRIDACEAE)
- Eucomis bicolor* (HYACINTHACEAE)
- Eucomis bicolor* 'Alba' (HYACINTHACEAE)
- Eucomis comosa* (HYACINTHACEAE)
- Galtonia candicans* (HYACINTHACEAE)
- Galtonia princeps* (HYACINTHACEAE)
- Galtonia regalis* (HYACINTHACEAE)
- Galtonia viridifolia* (HYACINTHACEAE)
- Geranium incanum* (GERANIACEAE)
- Kniphofia brachystachya* (ASPHODELACEAE)
- Kniphofia caulescens* (ASPHODELACEAE)
- Kniphofia* 'Corallina' (ASPHODELACEAE)
- Kniphofia linearifolia* (ASPHODELACEAE)
- Kniphofia multiflora* (ASPHODELACEAE)
- Kniphofia natalensis* (ASPHODELACEAE)
- Kniphofia nelsoni* (ASPHODELACEAE)
- Kniphofia northiae* (ASPHODELACEAE)
- Kniphofia pumila* (ASPHODELACEAE)
- Kniphofia rooperi* (ASPHODELACEAE)
- Kniphofia thomsonii* var. *snowdenii* (ASPHODELACEAE)
- Kniphofia triangularis* (ASPHODELACEAE)
- Kniphofia tuckii* (ASPHODELACEAE)
- Lampranthus tegens* (AIZOACEAE)
- Melianthus major* (MELIANTHACEAE)
- Nerine bowdenii* (AMARYLLIDACEAE)
- Psoralea affinis* (FABACEAE(P))
- Schizostylis coccinea* (IRIDACEAE)
- Silene undulata* (CARYOPHYLLACEAE)
- Trachycarpus fortunei* (ARECACEAE)

