

Calamagrostis brachytricha (2002.1091 - AB), **Calanthe** bicolor (2006.0024 - OH), **Calanthe** biloba (2006.0025 - OH), **Calanthe** Fuji (2006.0026 - OH), **Calanthe** herbacea (2011.1377 - OH), **Calanthe** Ishizuki (2006.0027 - OH), **Calanthe** Princess Alexandra (2006.0028 - OH), **Calanthe** rollinsonii (2006.0029 - OH), **Calanthe** triplicata (2006.0030 - OH), **Calceolaria** adscendens (1994.1153 - AY-B11), **Calceolaria** helianthemoides (1996.0808 - AY-B10), **Calceolaria** integrifolia (1999.3689 - AY-B10; 2003.2116 - Fam3; 1999.3689 - RRG(w)), **Calceolaria** pixifolia (1996.0911 - AY-B14), **Calceolaria** tenella (1996.1050 - AY-B04, AY-B08), **Calibanus** hookeri (2010.0055 - CC), **Callianthemum** altavicum (1996.0914 - AY-T3), **Callicarpa** americana (XX.010082 - CT-north), **Callicarpa** bodinieri var. giraldii (1995.1305 - SL; 1916.005866 - VB-w), **Callicarpa** dichotoma (2008.2247 - P6-c; 2008.2248 - RRG; 1995.1315 - SL), **Callicarpa** giraldii (2004.1715 - ES; 2003.2132 - RRJ), **Callicarpa** japonica var. angustata (1903.005906 - VB-w), **Callicarpa** longifolia (2000.3501 - NZ-W), **Callistemon** salignus (2000.2913 - RRG; 1977.1548 - RRL), **Callistemon** salignus 'Viridiflorus' (2000.3500 - NZ-S), **Callistemon** semperflorens (XX.008409 - CLE-D, CLE-D), **Callistemon** viminalis (1978.2007 - NZ-E), **Calluna** vulgaris 'Alicia' (2014.1179 - M1-H), **Calluna** vulgaris 'Anette' (2014.1180 - M1-H), **Calluna** vulgaris 'Aphrodite' (2006.4038 - M1-H; 2014.1181 - M1-H), **Calluna** vulgaris 'Bettina' (2015.0648 - M1-H), **Calluna** vulgaris 'Blazeaway' (2014.1182 - M1-H), **Calluna** vulgaris 'Boskoop' (2014.1183 - M1-H), **Calluna** vulgaris 'Cuprea' (2014.1185 - M1-H), **Calluna** vulgaris 'Dark Beauty' (2014.1186 - M1-H), **Calluna** vulgaris 'David Hagenaars' (2015.0647 - M1-H), **Calluna** vulgaris 'Firefly' (2014.1187 - M1-H), **Calluna** vulgaris 'Gold Haze' (2014.1188 - M1-H), **Calluna** vulgaris 'H.E.Beale' (2014.1189 - M1-H), **Calluna** vulgaris 'Helena' (2015.0644 - M1-H), **Calluna** vulgaris 'Juliane' (2015.0646 - M1-H), **Calluna** vulgaris 'Larissa' (2014.1191 - M1-H), **Calluna** vulgaris 'Melanie' (2014.1192 - M1-H), **Calluna** vulgaris 'Redbud' (2015.0645 - M1-H), **Calluna** vulgaris 'Sandy' (2014.1193 - M1-H), **Calluna** vulgaris 'Silver Knight' (2014.1194 - M1-H), **Calluna** vulgaris 'Spring Cream' (2014.1195 - M1-H), **Calluna** vulgaris 'Tib' (2014.1196 - M1-H), **Calluna** vulgaris 'Winter Chocolate' (2014.1184 - M1-H), **Calocephalus** brownii (XX.012496 - CLE-D), **Calochortus** luteus 'Golden Orb' (2014.1003 - RRG), **Calochortus** splendens 'Violet Queen' (2014.1004 - RRB), **Calochortus** venustus 'Burgundy' (2014.1005 - RRB), **Calomeria** amaranthoides (2006.0243 - CLE-D), **Calycanthus** floridus (2013.0218 - CT-north), **Calycanthus** floridus var. ferox (XX.001446 - C6), **Calycanthus** floridus var. glaucus (XX.001445 - C6), **Calycanthus** occidentalis (XX.001444 - C6, C6; XX.005880 - VB-w; XX.010365 - WS), **Camaridium** cucullatum (2004.0075 - OH; 2006.0105 - OH), **Camaridium** densum (1997.0770 - OH; 2004.0073 - OH), **Camaridium** meleagris (1889.013473 - OH; 2006.0107 - OH), **Camaridium** praestans (2002.3694 - OH), **Camassia** cusickii (XX.012198 - Fam4), **Camellia** 'Cara Mia' (1976.0606 - M2-H), **Camellia** 'Carter's Sunburst' (1976.0597 - M2-H), **Camellia** japonica 'Adolphe Audusson' (XX.000061 - M2-H), **Camellia** japonica 'Mercury' (XX.000054 - M2-H), **Camellia** japonica 'Mrs Lade' (XX.000052 - M2-H), **Camellia** saluenensis × reticulata 'Inspiration' (1974.1420 - M2-H), **Camellia** saluenensis × reticulata 'Salutation' (1968.0026 - M2-H), **Camellia** × williamsii 'E.G.Waterhouse' (1968.0643 - M2-H), **Camellia** × williamsii 'J.C.Williams' (XX.008425 - M2-H), **Campanula** alliariifolia (2003.1098 - Fam3, RRB), **Campanula** americana (2012.0010 - Fam3), **Campanula** autraniana (2004.0898 - Fam3), **Campanula** barbata (2003.2016 - Fam3), **Campanula** bayerniana (2012.2274 - Fam3), **Campanula** carpatica 'Blue Clips' (2017.0202 - RRB), **Campanula** carpatica f. alba 'Weisse Clips' (2017.0203 - RRA; 2014.0109 - RRF), **Campanula** carpatica var. carpatica (1999.1670 - Fam3), **Campanula** cochlearifolia 'Blue Baby' (2017.0204 - RRC), **Campanula** cochlearifolia var. alba 'White Baby' (2017.0205 - RRO), **Campanula** cochleariifolia 'Elizabeth Oliver' (1998.0231 - AY-B07), **Campanula** 'Dusicla Major' (2000.1235 - AY-B14), **Campanula** fenestrellata (2015.0298 - RRA), **Campanula** garganica (2008.0650 - Fam3, RRF), **Campanula** garganica 'Major' (2003.1100 - RRH), **Campanula** garganica 'Mrs Resholt' (2017.0207 - RRO), **Campanula** garganica subsp. cephallica (1961.004381 - Fam3, RRF), **Campanula** × haylodgensis (1996.0724 - AY-B05), **Campanula** makaschvilii (2003.1577 - Fam3; 2004.1204 - Fam3), **Campanula** muralis (2014.0110 - Fam3, RRF; 2017.0123 - RRF), **Campanula** oreadum (1998.0232 - AY-T2), **Campanula** portenschlagiana (2001.0023 - RRD), **Campanula** portenschlagiana 'Catharina' (2015.0117 - Fam3, RRB), **Campanula** poscharskyana (2017.0206 - RRP), **Campanula** 'Profusion' (XX.004228 - Fam3, RRD), **Campanula** rotundifolia (1996.0569 - AY-B02), **Campanula** sartorii (1999.0118 - Fam3), **Campanula** saxifraga (1996.0908 - AY-B08), **Campanula** scheuchzeri (2013.0623 - Fam3; 2005.0770 - RRA), **Campanula** thyrsoides (2004.1205 - Fam3), **Campanumoea** javanica subsp. japonica (2004.1891 - Fam3), **Camptotheca** acuminata (2004.1730 - ES), **Canna**

indica 'Purpurea' (2003.1213 - AY-B01), *Canna* 'Striata' (2016.0343 - G2), *Cantua buxifolia* (1974.1046 - AY-B10), *Caragana arborescens* 'Albescens' (XX.001698 - LD), *Caragana arborescens* f. *pendula* (1987.0457 - LC), *Caragana arborescens* 'Pendula' (1984.1686 - LA, LA; 1973.0269 - LD), *Caragana boisii* (1924.001718 - LA; 1924.005576 - LA; XX.001723 - LA), *Caragana brevispina* (XX.001724 - LA; 1935.001701 - LB), *Caragana decorticans* (XX.005556 - LB), *Caragana microphylla* (1930.001650 - LC), *Caragana pygmaea* (XX.001729 - LA; 2007.0890 - LC), *Caragana sinica* (XX.001652 - LC), *Caragana turkestanica* (XX.005573 - LA), *Cardiandra formosana* (2003.1043 - SL), *Cardiocrinum giganteum* (1998.1958 - M2-J; 2001.1493 - SL), *Cardiocrinum giganteum* var. *yunnanense* (2000.1835 - M2-H, M2-H), *Cardiospermum giganteum* (2002.0232 - AY-B09), *Carex divulsa* subsp. *leersii* (1974.0120 - Fam4), *Carex morrowii* 'Variegata' (XX.012462 - P5-c), *Carex ornithopoda* 'Variegata' (2000.1171 - AY-B02), *Carex pendula* (1999.0579 - Fam4), *Carissa macrocarpa* (2002.1320 - PH-c), *Carludovica palmata* (2001.0931 - PH-a), *Carmichaelia flagelliformis* (1996.1535 - NZ-E, NZ-E, NZ-E), *Carpinus betulus* (XX.009230 - B3), *Carpinus betulus* 'Fastigiata' (2006.3407 - T1), *Carpinus betulus* 'Lucas' (2015.0498 - A5S), *Carpinus betulus* 'Pendula Dervaesii' (XX.013871 - A5S), *Carpinus betulus* 'Purpurea' (2016.0207 - A5S), *Carpinus betulus* 'Quercifolia' (2016.0208 - A5S), *Carpinus caroliniana* (1999.2269 - A5S; 2004.1067 - A5S), *Carpinus japonica* (1894.013872 - A5S; 2016.0209 - A5S), *Carpinus kawakamii* (2000.1676 - SL), *Carpinus laxiflora* (1991.0064 - A5S), *Carpinus turczaninovii* (1926.013876 - A5S), *Carpobrotus edulis* (2010.0761 - AY-B14), *Carrierea calycina* (1995.0432 - SL), *Carya alba* (XX.013728 - A4), *Carya americana* (XX.013721 - A4), *Carya cordiformis* (XX.013723 - A4; XX.003412 - O1; XX.003505 - O1), *Carya glabra* (XX.013719 - A4), *Carya laciniosa* (XX.013724 - A4; XX.013729 - A4), *Carya minima* (XX.013726 - A4), *Carya ovata* (XX.013727 - A4; XX.003414 - O1), *Caryopteris* × *clandonensis* 'Worcester Gold' (2008.1535 - AB; 2008.1536 - CM-east), *Cassine sphaerophyllum* (XX.008493 - R2), *Cassinia fulvida* (1996.1529 - NZ-E; 2000.3503 - NZ-S), *Cassinia leptophylla* subsp. *vauvilliersii* (1999.3670 - NZ-E), *Cassiope* 'Badenoch' (1981.0220 - AY-B04), *Cassiope mertensiana* var. *gracilis* (1990.1041 - AY-B04), *Cassiope* 'Muirhead' (1981.0221 - AY-B04; 1990.1042 - AY-B14), *Castanea dentata* (XX.013866 - A5S), *Castanea neglecta* (1942.013865 - A5S), *Castanea sativa* (XX.013877 - A5S; XX.009231 - B3), *Castanea sativa* 'Albomarginata' (XX.013864 - A5S), *Castanea sativa* 'Variegata' (XX.013868 - A5S), *Castanopsis cuspidata* var. *carlesii* form. *carlesii* (2000.1680 - SL), *Catalpa bignonioides* (XX.011013 - A2), *Catalpa bungei* (1920.011017 - A2; 2002.0529 - SL), *Catalpa fargesii* (XX.012959 - A2), *Catalpa fargesii* f. *duclouxii* (1911.011014 - A2), *Catalpa ovata* (XX.011015 - A2; 2004.1795 - Fam3; 1998.0827 - G1), *Catalpa speciosa* 'Carrigliath' (1999.0197 - A2), *Catananche caerulea* (1999.0770 - Fam3), *Catopsis nitida* (1998.1449 - OH), *Catopsis vitellina* (XX.001900 - OH), *Cattleya gaskelliana* var. *alba* (2004.0602 - OH), *Cattleya maxima* (2004.0600 - OH), *Cattleya percivaliana* 'Carache' (2004.0603 - OH), *Cattleya schroderae* (2004.0599 - OH), *Cattleya trianae* 'Aranka Gersmake' (2004.0601 - OH), *Cattleya trianae* 'Ernest Ashworth' (XX.002357 - OH), *Cattleya warneri* var. *concolor* (2004.0605 - OH), *Cautleya spicata* (2006.0292 - Fam4), *Ceanothus* 'Blue Sapphire' (2016.0290 - RRC), *Ceanothus* 'Concha' (2014.0253 - CM-east), *Ceanothus gloriosus* 'Emily Brown' (2015.0441 - RRA), *Ceanothus thyrsoflorus* var. *repens* (2016.0010 - CM-east; 1998.1312 - SL), *Cedrela sinensis* (1983.1285 - CT-north), *Cedrus atlantica* (XX.009823 - A3; XX.011194 - G1), *Cedrus atlantica* 'Glaucua' (XX.009285 - B3), *Cedrus atlantica* 'Pendula' (XX.013690 - C2-E), *Cedrus deodara* (XX.009824 - A3; XX.006627 - P2; XX.013851 - P6), *Cedrus libani* (XX.009825 - A3; XX.013364 - RRG), *Cedrus libani* 'Comte de Dijon' (1919.005619 - RRA), *Cedrus libani* 'Nana' (2001.0397 - RRG), *Cedrus libani* 'Sargentii' (1921.004906 - A3), *Celastrus dependens* (1950.010328 - WS), *Celastrus hypoleucus* (1960.010301 - WS), *Celastrus loeseneri* (XX.010341 - WS; XX.010362 - WS), *Celastrus rugosus* (1913.001133 - VG), *Celmisia allanii* (1992.0048 - AY-B01; 2000.1126 - RRP), *Celmisia durietzii* (2000.1129 - RRP), *Celmisia gracilentia* (1992.0481 - AY-B06), *Celmisia mackaui* (1993.0790 - AY-B04; 2000.1134 - RRP), *Celmisia monroi* (1998.0400 - RRP), *Celmisia morgani* (2000.1133 - RRP), *Celmisia pugioniformis* (2000.1135 - RRP), *Celmisia spectabilis* (2000.1140 - RRP; 2000.2941 - RRP), *Celmisia tomentella* (2000.1142 - RRP), *Celmisia verbascifolia* (1960.000682 - RRP), *Celtis bungeana* (XX.013391 - SL; 2004.1377 - VG), *Centaurea ambigua* (2005.0884 - CP), *Centaurea cyanus* (1973.0577 - AB), *Centaurea jacea* (1999.0712 - Fam3), *Centaurea montana* (XX.012204 - Fam3; XX.004225 - RRH), *Centaurea ruthenica* (1960.010776 - Fam3), *Cephalaria gigantea* (XX.001205 - Fam3), *Cephalotaxus fortunei* (XX.009216 - B3; XX.009292 - B3; XX.013943 - B3), *Cephalotaxus harringtonii* 'Fastigiata' (XX.009219 - B3),

Cephalotaxus harringtonii 'Prostrata' (XX.009250 - B3; 2012.0118 - RRI, RRI; 2012.0119 - RRJ, RRJ), Cephalotaxus harringtonii var. harringtonii (XX.009217 - B3; XX.009218 - B3, B3), Cephalotaxus harringtonii var. harringtonii 'Glabrescens' (XX.009220 - B3), Cephalotaxus sinensis (XX.009253 - B3; XX.009291 - B3), **Cerastium tomentosum** (XX.004472 - RRD), Cerastium tomentosum var. columnae (2008.1738 - RRA), **Cerasus maximowiczii** (1999.2776 - C6), Cerasus sachalinensis (1999.1729 - C6), **Ceratocarpus claviculata** (2009.0001 - Fam2), **Ceratostigma plumbaginoides** (XX.010694 - AB; XX.001227 - Fam3), Ceratostigma willmottianum (XX.010693 - AB; XX.001226 - Fam3; XX.004526 - RRB, RRG, RRG(w)), **Ceratozamia fuscoviridis** (XX.000888 - PH-c, PH-c, PH-c), Ceratozamia hildae (2006.0278 - PH-c, PH-c), Ceratozamia kuesteriana (1913.000885 - PH-c, PH-c, PH-c), Ceratozamia latifolia (1898.000910 - PH-c, PH-c, PH-c, PH-c, PH-c), Ceratozamia mexicana (1997.0751 - PH-c; XX.000886 - PH-c), Ceratozamia mexicana var. brevifrons (XX.000887 - PH-c), Ceratozamia robusta (XX.000889 - PH-c), **Cercidiphyllum japonicum** (XX.010639 - AB; 1977.1965 - P5), **Cercis canadensis** (1956.001748 - LB), Cercis chinensis (1909.000440 - CH; 2004.1933 - ES; 1984.1033 - LA), Cercis racemosa (XX.001696 - LD), Cercis siliquastrum (1977.0683 - LB), **Cerintho minor** (2010.1109 - Fam3), **Cestrum elegans** (XX.008442 - Fam3), Cestrum parqui (XX.010345 - WS), **Chaenomeles cathayensis** (1998.2044 - SL), Chaenomeles japonica 'Phylis Moore' (XX.011861 - C5), Chaenomeles speciosa 'Atrococcinea' (XX.010265 - WS), Chaenomeles speciosa 'Baltzii' (XX.010945 - C5; 2008.1804 - G1), Chaenomeles speciosa 'Eximia' (XX.010928 - C5; XX.010936 - C5), Chaenomeles speciosa 'Gaujardii' (1936.010922 - C5, C5, C5; XX.010938 - C5; 2000.2220 - G1), Chaenomeles speciosa 'Hanazono' (2009.2030 - G1), Chaenomeles speciosa 'Moerloosei' (XX.010921 - C5), Chaenomeles speciosa 'Nivalis' (1968.010931 - C5; XX.010919 - C5; XX.009212 - G1), Chaenomeles speciosa 'Rosea Plena' (XX.010924 - C5; XX.010942 - C5), Chaenomeles speciosa 'Simonii' (1963.010946 - C5; 2006.1343 - G1), Chaenomeles × superba (XX.010920 - C5), Chaenomeles × superba 'Benichidori' (XX.010935 - C5), Chaenomeles × superba 'Columbia' (1936.010943 - C5; 2009.2029 - G1), Chaenomeles × superba 'Etna' (XX.010925 - C5; 2000.2221 - G1; 2008.1781 - G1), Chaenomeles × superba 'Fire Dance' (XX.010944 - C5), Chaenomeles × superba 'Hollandia' (1961.010918 - C5), Chaenomeles × superba 'Incendie' (XX.010926 - C5), Chaenomeles × superba 'Jet Trail' (2017.0043 - RRD), Chaenomeles × superba 'Knaphill Scarlet' (2008.1791 - G1), Chaenomeles × superba 'Pink Lady' (1999.3639 - C5; XX.010941 - C5, C5; 2008.1792 - G1; XX.009213 - G1), Chaenomeles × superba 'Rowallane' (2000.2216 - G1; XX.009214 - G1; 2001.0386 - RRG(w)), Chaenomeles × superba 'Salmon Horizon' (2017.0045 - RRH), Chaenomeles × superba 'Sanguinea' (XX.010917 - C5), Chaenomeles × superba 'Vesuvius' (1962.010937 - C5, C5), Chaenomeles × superba 'Nicoline' (2017.0044 - RRH), **Chamaecyparis lawsoniana** (XX.006653 - P2; XX.006669 - P2; XX.009199 - P2), Chamaecyparis lawsoniana 'Alumii' (XX.006775 - P2), Chamaecyparis lawsoniana 'Blom' (1972.0377 - RRP), Chamaecyparis lawsoniana 'Blue Jacket' (XX.006625 - P2), Chamaecyparis lawsoniana 'Bowleri' (2000.3507 - NZ-W; XX.004916 - P2), Chamaecyparis lawsoniana 'Conica' (1915.006698 - P2; XX.006660 - P2), Chamaecyparis lawsoniana 'Darleyensis' (XX.004921 - P2), Chamaecyparis lawsoniana 'Dephenii' (1911.006769 - P2), Chamaecyparis lawsoniana 'Dow's Gem' (1960.006617 - P2), Chamaecyparis lawsoniana 'Erecta' (2004.2129 - RRG; 2004.2130 - RRN), Chamaecyparis lawsoniana 'Felix' (1980.0181 - P2), Chamaecyparis lawsoniana 'Fletcheri' (2001.3734 - P2), Chamaecyparis lawsoniana 'Fletcher's White' (1979.1089 - RRN), Chamaecyparis lawsoniana 'Fragrans' (XX.006733 - P2), Chamaecyparis lawsoniana 'Fraseri' (XX.005254 - P2), Chamaecyparis lawsoniana 'Glaucua' (1951.006767 - P2; XX.006741 - P2), Chamaecyparis lawsoniana 'Globosa' (1921.004935 - RRN), Chamaecyparis lawsoniana 'Gracilis' (XX.006743 - P2; XX.006745 - P2), Chamaecyparis lawsoniana 'Green Hedger' (1951.006750 - P2), Chamaecyparis lawsoniana 'Headfortii' (1953.004939 - P2; 1954.006768 - P2; XX.006701 - P2), Chamaecyparis lawsoniana 'Imbricata Pendula' (XX.009193 - P2), Chamaecyparis lawsoniana 'Intertexta' (1960.006763 - P2), Chamaecyparis lawsoniana 'Juniperina' (1882.006774 - P2), Chamaecyparis lawsoniana 'Kilmacurragh Variety' (XX.006753 - P2), Chamaecyparis lawsoniana 'Knowfieldensis Glaucua' (1921.006754 - P2), Chamaecyparis lawsoniana 'Krameri' (1960.006764 - P2), Chamaecyparis lawsoniana 'Lutea Aurea' (XX.005295 - P2), Chamaecyparis lawsoniana 'Luteocompacta' (1961.006643 - P2), Chamaecyparis lawsoniana 'Lycopodioides' (1919.006765 - P2; XX.006703 - P2; 1921.004945 - RRJ), Chamaecyparis lawsoniana 'Milfordensis' (XX.006680 - P2), Chamaecyparis lawsoniana 'Minima Aurea' (1940.005298 - AY-B12; XX.010949 - AY-B12), Chamaecyparis lawsoniana 'Minima Gracilis' (XX.006723 - P2), Chamaecyparis lawsoniana 'Nana' (2006.3003

- P2; XX.000226 - P2), *Chamaecyparis lawsoniana* 'Nana Aurea' (1960.004950 - P2), *Chamaecyparis lawsoniana* 'Spek' (1972.0369 - P2), *Chamaecyparis lawsoniana* 'Stewartii' (XX.006697 - P2; 2006.3200 - RRG), *Chamaecyparis lawsoniana* 'Summertime' (1979.1092 - P2), *Chamaecyparis lawsoniana* 'Tamariscifolia' (1921.006735 - P2), *Chamaecyparis lawsoniana* 'Tharandtensis' (1958.004963 - RRJ), *Chamaecyparis lawsoniana* 'Watereri' (XX.006720 - P2, P2; XX.006772 - P2), *Chamaecyparis lawsoniana* 'Youngii' (XX.006760 - P2), *Chamaecyparis obtusa* 'Albospica' (XX.004974 - RRN), *Chamaecyparis obtusa* 'Coralliformis' (2004.2472 - RRA), *Chamaecyparis obtusa* 'Crippsii' (XX.006637 - P2; 1975.0079 - RRJ), *Chamaecyparis obtusa* 'Hage' (XX.010951 - AY-B12; 2008.1452 - RRJ), *Chamaecyparis obtusa* 'Hypnoides Nana' (1969.0615 - AY-B05), *Chamaecyparis obtusa* 'Nana Gracilis' (XX.004987 - RRA, RRD), *Chamaecyparis obtusa* 'Tetragona Aurea' (XX.004992 - AY-B12, RRN), *Chamaecyparis pisifera* 'Juniperoides' (1965.004998 - AY-B14), *Chamaecyparis pisifera* 'Nana' (1963.005331 - P2), *Chamaecyparis pisifera* 'Plumosa Compressa' (XX.005346 - AY-B14), *Chamaecytisus pygmaeus* (1994.0251 - AY-B01), *Chamaedorea cataractarum* (1980.1659 - PH-a, PH-a), *Chamaedorea ernesti-augusti* (2000.2768 - PH-a; 2000.2778 - PH-a), *Chamaedorea radicalis* (1995.0895 - PH-c), *Chamaerops humilis* (2000.3641 - AY-B01), *Chambeyronia macrocarpa* (1905.004072 - PH-a), *Chasmanthe aethiopica* (1995.0095 - R2), *Chasmanthe bicolor* (1995.0096 - R2; 1996.1170 - R2; 1999.0354 - R2; XX.012905 - R2), *Chasmanthe floribunda* (1996.1151 - R2), *Chasmanthe floribunda* var. *duckittii* (1995.0098 - R2), *Cheiranthus cheiri* (2004.1206 - Fam2), *Cheiranthus scoparius* (2012.1471 - AY-B14), *Chelone obliqua* var. *alba* (2008.0469 - AB), *Chenopodium bonus-henricus* (1999.3769 - Fam1), *Chiastophyllum oppositifolium* (1998.0099 - RRA), *Chimonanthus praecox* (2003.1190 - C1; XX.000398 - CH; 1938.005861 - VB-w; XX.005877 - VB-w; XX.005894 - VB-w; XX.010261 - WS), *Chimonanthus praecox* 'Concolor' (XX.011756 - AY-B10; 1980.1924 - WS), *Chimonanthus praecox* 'Grandiflorus' (1956.010303 - WS), *Chimonanthus yunnanensis* (1999.2880 - SL), *Chimonobambusa quadrangularis* (2001.3742 - SL), *Chionanthus retusus* (1910.010616 - P5; 2002.2241 - SL), *Chionodoxa luciliae* (XX.011243 - AY-B02; XX.012207 - Fam4), *Chionodoxa luciliae* Gigantea Group (XX.005749 - RRA), *Chionodoxa luciliae* 'Rosea' (2000.3219 - AY-B02), *Chionodoxa* 'Pink Giant' (1999.3580 - M1-B), *Choisya ternata* SUNDANCE 'Lich' (2014.0254 - CM-east), *Chrysanthemum indicum* (2004.1922 - Fam3), *Chrysanthemum sinuatum* (2010.1341 - Fam3), *Chrysopsis pumila* (1998.0282 - AY-T3), *Chuquiraga jussieuii* (1994.1158 - AY-T2), *Cicerbita bourgaei* (XX.012259 - Fam3), *Cineraria saxifraga* (1978.2981 - AY-B06), *Cirsium fargesii* (2004.1799 - Fam3), *Cirsium henryi* (2004.1803 - Fam3), *Cissus striata* (2005.1576 - WS; XX.013937 - WS; XX.013938 - WS), *Cistus creticus* (2005.0334 - Fam2), *Cistus ladanifer* (2002.1481 - AB), *Cistus* × *lenis* (2014.0699 - Fam1), *Cistus ochreatus* (2001.1879 - Fam2), *Cistus* × *pulverulentus* 'Sunset' (2017.0289 - RRA), *Cistus* × *purpureus* (2017.0290 - RRD), *Cistus* × *purpureus* 'Alan Fradd' (2017.0288 - RRA), × *Citroncirus webberi* 'Morton' (1909.005913 - VB-w), × *Citroncirus webberi* 'Savage' (1909.005888 - VB-w), *Cladrastis kentukea* (1909.001693 - LD), *Clarkia pulchella* (2005.0663 - Fam2), *Claytonia sibirica* (2014.0364 - Fam1), *Cleistocactus samaipatanus* (2005.1352 - CC), *Cleistocactus strausii* (1977.0221 - CC; 2010.0050 - CC; 2010.0051 - CC), *Cleistocactus winteri* (1982.1567 - CC), *Clematis afoliata* (2007.0147 - WS), *Clematis* 'Albina Plena' (2015.0344 - MG-C), *Clematis apiifolia* (XX.004453 - MG-C), *Clematis cirrhosa* (1915.012126 - EG-wall; XX.004422 - MG-C; XX.004471 - MG-C), *Clematis cirrhosa* subsp. *balearica* (XX.004427 - MG-C), *Clematis dioscoreifolia* (2005.0114 - WS), *Clematis* 'Early Sensation' (2015.0123 - MG-C; 2000.2480 - RS-f), *Clematis* × *eriosstemon* (1999.3948 - MG-C, RRC), *Clematis forsteri* (2002.0327 - MG-C), *Clematis fusca* (2003.0203 - SL), *Clematis grata* (XX.004463 - MG-C), *Clematis henryi* (2003.0244 - SL), *Clematis heracleifolia* (XX.000693 - Fam2; XX.004444 - SL), *Clematis hexapetala* (2003.0204 - SL), *Clematis integrifolia* (XX.000692 - Fam2), *Clematis intricata* (2003.0205 - SL), *Clematis ispahanica* (2001.2642 - MG-C), *Clematis* 'Jackmanii' (2015.0122 - MG-C), *Clematis* × *jouiniana* (XX.004435 - MG-C), *Clematis* × *jouiniana* 'Praecox' (1946.004441 - MG-C), *Clematis ladakhiana* (2003.1272 - MG-C, MG-C), *Clematis lasiandra* (2003.1044 - SL), *Clematis* 'Madame Julia Correvon' (2015.0345 - MG-C), *Clematis mandschurica* (1995.0975 - MG-C), *Clematis* 'Miss Bateman' (2014.0789 - MG-C), *Clematis montana* (XX.010754 - AB; 1998.0825 - SL; 2000.4426 - SL), *Clematis montana* 'Lilacina' (XX.004432 - MG-C), *Clematis montana* 'Tetrarose' (1960.004426 - MG-C; 1984.1271 - MG-C), *Clematis montana* var. *sericea* (XX.004430 - MG-C), *Clematis montana* var. *undulata* (XX.004428 - MG-C, MG-C), *Clematis montana* var. *wilsonii* (XX.004467 - MG-C), *Clematis* 'Nelly Moser' (2015.0124 - MG-

C), *Clematis peterae* (XX.004443 - MG-C), *Clematis 'Piilu'* (2014.0788 - MG-C), *Clematis pitcheri* (1956.004425 - MG-C; XX.004431 - MG-C; XX.004445 - MG-C), *Clematis 'Polish Spirit'* (2014.0790 - MG-C), *Clematis potanini* (2003.0206 - SL), *Clematis potaninii* (2001.0431 - MG-C, SL), *Clematis potaninii* var. *soulei* (1936.004451 - MG-C), *Clematis recta* (XX.000691 - Fam2; XX.004461 - MG-C; XX.004465 - SL, WS), *Clematis rehderiana* (XX.004448 - MG-C; XX.004462 - MG-C), *Clematis 'Royal Velours'* (2003.1282 - MG-C), *Clematis songarica* (2002.3423 - WS), *Clematis tangutica* (2000.4427 - G1, G1, SL), *Clematis 'The President'* (2015.0343 - MG-C), *Clematis tibetana* subsp. *vernayi* 'Lorcan O'Brien' (2003.1475 - SL), *Clematis tubulosa* (XX.004421 - MG-C; 2004.2038 - SL), *Clematis 'Ville De Lyon'* (2015.0125 - MG-C), *Clematis virginiana* (1946.004446 - MG-C), *Clematis vitalba* (1946.004438 - MG-C, MG-C; XX.004466 - MG-C, MG-C), *Clematis viticella* (XX.013675 - MG-C, VG), *Clematis 'Warszawska Nike'* (2015.0121 - MG-C), *Clematoclethra lasioclada* (1930.005835 - VB-w), *Clerodendrum myricoides 'Ugandense'* (2003.1861 - PH-a), *Clerodendrum speciosissimum* (2005.0509 - PH-c), *Clerodendrum trichotomum* (1996.0784 - SL, SL; 2001.1587 - SL), *Clerodendrum trichotomum* var. *fargesii* (2004.1867 - ES, ES), *Clethra alnifolia rosea* (XX.014025 - M1-C), *Clethra monostachya* (XX.014064 - M1-K), *Clitoria ternata* (2004.1979 - PH-a), *Cochlioda noelitziana* (2006.0031 - OH), *Cocos nucifera* (1996.0016 - PH-c), *Codiaeum variegatum 'Fred Sanders'* (XX.001766 - PH-a), *Codiaeum variegatum 'Lady Zetland'* (XX.001767 - PH-a), *Codiaeum variegatum 'Mrs Dorman'* (XX.007941 - PH-a), *Codiaeum variegatum 'Oetzmanii'* (XX.001770 - PH-a), *Codiaeum variegatum 'Youngii'* (XX.007944 - PH-a), *Codonopsis cardiophylla* (2003.0207 - SL), *Codonopsis clematidea* (1996.0631 - AY-B10), *Codonopsis convolvulacea* (1996.0683? - AY-B10), *Codonopsis lanceolata* (2004.1906 - Fam3), *Codonopsis mollis* (2002.0649 - Fam3; 2003.0208 - SL; 2003.0318 - SL), *Codonopsis pilosula* (1996.0632 - AY-B10), *Coelia macrostachya* (2004.0607 - OH), *Coelogyne annamensis* (XX.013527 - OH), *Coelogyne calcicola* (2012.0754 - OH), *Coelogyne cristata* var. *maxima* (XX.013516 - OH), *Coelogyne dayana* (2007.0738 - OH), *Coelogyne exalata* (2006.0032 - OH), *Coelogyne flaccida* (2006.2977 - OH; XX.002223 - OH; XX.002436 - OH), *Coelogyne granulosa* (2006.0033 - OH), *Coelogyne Green Dragon 'Chelsea'* (2006.0034 - OH), *Coelogyne holochila* (XX.013525 - OH), *Coelogyne huttneriana* (XX.013523 - OH), *Coelogyne Mem. William Micholitz 'Burnham'* (2006.0035 - OH), *Coelogyne mooreana* (2006.0287 - OH), *Coelogyne nervosa* (XX.002413 - OH), *Coelogyne ochracea* (2006.0036 - OH; 2006.0037 - OH), *Coelogyne ochracea* var. *lemoniana* (2006.0038 - OH), *Coelogyne parishii* (XX.013526 - OH), *Coelogyne pustulosa* (XX.002184 - OH), *Coelogyne rhodeana* (XX.013517 - OH), *Coelogyne speciosa* (XX.013518 - OH), *Coelogyne trinervis* (XX.013522 - OH), *Coelogyne virescens* (XX.013528 - OH), *Coffea liberica* (2001.2253 - PH-a, PH-c), *Colchicum agrippinum* (1971.0679 - AY-B02), *Colchicum atropurpureum* (1981.0370 - Fam4), *Colchicum autumnale* (2001.3518 - RRB), *Colchicum autumnale 'Alboplenum'* (2014.0995 - RRF; 2004.1633 - RRH), *Colchicum bivonae* (1971.0680 - Fam4), *Colchicum 'Dick Trotter'* (2014.0996 - RRH), *Colchicum parnassicum* (1981.1689 - AY-B06), *Colchicum 'Rosy Dawn'* (2000.3220 - AY-B05), *Colchicum 'The Giant'* (2014.0994 - RRH), *Colletia armata* (XX.010116 - CT-south; 2001.0394 - RRG), *Colletia hystrix* (XX.012970 - PB-3), *Colletia paradoxa* (XX.012971 - PB-3), *Collomia grandiflora* (1999.1603 - Fam3), *Colmanara Jungle Monarch* (2004.0647 - OH), *Colocasia esculenta* (2000.3076 - PH-c; XX.001817 - PH-c), *Colquhounia coccinea* var. *vestita* (1996.1512 - AB), *Columnea scandens* (XX.001874 - PH-c), *Colutea arborescens* (1941.001706 - LA; XX.001713 - LA), *Colutea istria* (1935.001725 - LA; XX.005579 - LA; XX.001687 - LB), *Consolida ajacis* (2005.0665 - Fam2), *Convallaria majalis* (1999.0580 - Fam4; XX.012215 - Fam4; 1998.1313 - M2-H), *Convallaria majalis 'Variegata'* (2000.1464 - M2-B), *Convolvulus cantabricus* (2004.1210 - Fam3), *Convolvulus cneorum* (XX.001278 - Fam3; 2000.2914 - RRJ), *Convolvulus sabatius* dark-flowered (2009.1807 - RRA), *Coprosma atropurpurea* (1996.0918 - AY-B01), *Coprosma 'Beatson's Gold'* (1998.1749 - AB; 2006.3221 - RRG(w)), *Coprosma × cunninghamii* (1996.1519 - NZ-S), *Coprosma intertexta* (1998.0401 - NZ-E), *Coprosma lucida* (XX.010053 - CT-north), *Coprosma petriei* (2008.1492 - RRD), *Coprosma propinqua* (2000.3509 - NZ-S), *Coprosma repens* (XX.008450 - NZ-E), *Coprosma robusta* (1998.0402 - NZ-E, NZ-S), *Coprosma serrulata* (2006.3533 - VG), *Cordyline banksii* (XX.010632 - AB), *Coriaria nepalensis* (XX.012985 - PB-3), *Coriaria ruscifolia* (XX.012984 - PB-3), *Cornus alba* (XX.010505 - P5), *Cornus alba 'Autumn Fire'* (2002.0328 - P5-d), *Cornus alba 'Elegantissima'* (2003.0078 - OS; 1977.1465 - P6; 2007.0831 - RS-g), *Cornus alba 'Ivory Halo'* (2003.2256 - P5), *Cornus alba 'Sibirica'* (2007.0832 - RS-g), *Cornus alba 'Spaethii'* (2003.0643 - P6), *Cornus alternifolia 'Argentea'* (1913.010562 - P5), *Cornus alternifolia* GOLDEN SHADOWS

'Wstackman' (2017.0049 - P5), *Cornus amomum* (XX.007689 - T2), *Cornus amomum* subs. *obliqua* (XX.013830 - P6), *Cornus amomum undulifolium* (XX.012865 - P7-c), *Cornus australis* (1956.010513 - P5), *Cornus bretschnideri* (XX.000441 - CH; 2004.0030 - P5; XX.012868 - P7-c), *Cornus capitata* (2006.4232 - Fam3; XX.013806 - P6; XX.013827 - P6), *Cornus controversa* (1931.010601 - P5), *Cornus coreana* (1984.1912 - P6), *Cornus* 'Eddie's White Wonder' (1978.0118 - P6; 2002.0330 - P6), *Cornus foemina* (2002.3462 - P6-c, P6-c), *Cornus glabrata* (XX.013801 - P6), *Cornus hemsleyi* (1978.0630 - P6; XX.012866 - P7-c), *Cornus kousa* (1987.1465 - P5), *Cornus kousa* var. *chinensis* (XX.013826 - P6; XX.013832 - P6; 2000.1675 - SL), *Cornus mas* (XX.007613 - P5), *Cornus obliqua* (1963.010517 - P5), *Cornus officinalis* (XX.007620 - M2-J; XX.007614 - P5), *Cornus paucinervis* (XX.010507 - P5), *Cornus racemosa* (XX.013824 - P6), *Cornus sanguinea* (XX.013817 - P6; XX.012860 - P7-c), *Cornus walteri* (2006.3007 - P5; 1973.1079 - SL), *Corokia buddleioides* (XX.008453 - NZ-E), *Corokia* × *virgata* (1995.1338 - NZ-S; 2010.1556 - NZ-S; 2000.3510 - NZ-W), *Corokia* × *virgata* 'Frosted Chocolate' (2002.3064 - RRH), *Coronilla valentina* (1974.1064 - Fam2), *Coronilla valentina* subsp. *glauca* 'Variegata' (XX.008455 - Fam2; 2005.1822 - RRJ), *Cortaderia fulvida* (2000.3691 - AB), *Cortaderia richardii* (2004.1459 - P6), *Cortaderia richardii* 'Toe Toe' (2000.3692 - AB), *Cortaderia selleana* (XX.009234 - B3), *Cortusa turkestanica* (2004.0860 - Fam3), *Corydalis cheilanthifolia* (1971.0370 - Fam2; 2004.2032 - SL; 2004.2034 - SL), *Corydalis flexuosa* (1998.0473 - SL), *Corydalis flexuosa* 'Blue Panda' (2001.3519 - AY-B14), *Corydalis flexuosa* 'China Blue' (1995.0904 - AY-B04), *Corydalis omeiana* (2004.0302 - SL), *Corydalis ophiocarpa* (1999.0583 - Fam2), *Corydalis solida* subsp. *solida* 'Beth Evans' (2014.0988 - RRB), *Corydalis solida* subsp. *solida* 'Beth Evans' (2011.0130 - RRF), *Corydalis solida* subsp. *solida* 'George Baker' (2013.0826 - RRA), *Corydalis solida* subsp. *solida* 'George Baker' (2014.0989 - RRB), *Corylopsis glabrescens* (1965.014086 - M1-K), *Corylopsis himalayana* (2001.0396 - RRG), *Corylopsis sinensis* (XX.011755 - AY-B10; 2001.2108 - Fam1; XX.014021 - M1-C; 2006.2436 - M1-L; 2003.0245 - SL), *Corylopsis spicata* (XX.006095 - RRH), *Corylus americana* (1909.013912 - A5S), *Corylus avellana* (2004.0295 - A5S; XX.013920 - A5S), *Corylus avellana* 'Contorta' (XX.007800 - P4), *Corylus chinensis* (1914.013918 - A5S; XX.013906 - A5S), *Corylus colurna* (XX.009804 - A3; 1965.013910 - A5S; 2012.1992 - A5S), *Corylus maxima* (XX.013905 - A5S), *Corylus maxima* 'Purpurea' (XX.013913 - A5S; 2000.3742 - AB), *Corylus sieboldiana* (XX.013909 - A5S), *Corylus tibetica* (XX.009817 - A3), *Cotinus coggygria* (XX.001142 - VG), *Cotinus coggygria* 'Flame' (1970.0995 - C3-ana, R4), *Cotinus coggygria* 'Royal Purple' (1971.0635 - C3-ana), *Cotinus obovatus* (1933.002890 - C3-ana), *Cotoneaster adpressus* (1998.2045 - C3-A; 2006.3743 - RRJ), *Cotoneaster adpressus* 'Little Gem' (1996.1498 - AB; XX.004601 - RRC), *Cotoneaster amoenus* (2003.0088 - C3-B), *Cotoneaster arbusculus* (2002.1455 - C3-B), *Cotoneaster astrophoros* (2003.0110 - C3-B; 1938.006849 - RRH), *Cotoneaster atropurpureus* (1995.1271 - C3-A), *Cotoneaster bradyi* (2006.3650 - C3-B; 2006.3651 - C3-B), *Cotoneaster bullatus* (2003.0097 - C3-B; XX.000988 - VG), *Cotoneaster buxifolius* (XX.008634 - RRG), *Cotoneaster cashmiriensis* (2003.0091 - C3-B, C3-B), *Cotoneaster congestus* (2001.4071 - SL, SL, SL), *Cotoneaster congestus* 'Nanus' (XX.004582 - RRC), *Cotoneaster conspicuus* (1996.1485 - C3-A; 1998.0700 - SL; 2001.4073 - SL, SL, SL), *Cotoneaster cooperi* (XX.000937 - VG), *Cotoneaster cornifolius* (2001.2077 - C3-B), *Cotoneaster daliensis* (2001.4036 - SL), *Cotoneaster dammeri* (XX.005730 - RRA), *Cotoneaster dielsianus* (XX.000424 - CH; XX.009648 - OS; 2002.4020 - SL; 2004.2049 - SL), *Cotoneaster floccosus* (1912.010242 - OA), *Cotoneaster forrestii* (2010.0274 - C3-A), *Cotoneaster frigidus* (XX.010215 - OA; 2006.3748 - RRG, RRI), *Cotoneaster frigidus* 'Annesley Variety' (2003.0093 - C3-B), *Cotoneaster frigidus* × *salicifolius* 'Exburiensis' (1995.1292 - C3-B), *Cotoneaster frigidus* 'Westonbirt' (1935.013921 - A5S; 1995.1294 - C3-A), *Cotoneaster geraldii* (2001.2993 - C3-B), *Cotoneaster glaucophyllus* (2003.0094 - C3-B), *Cotoneaster griffithii* (2001.2840 - C3-B, OS), *Cotoneaster harrismithii* (2003.0113 - C3-B), *Cotoneaster hissaricus* (2004.0932 - C3-A), *Cotoneaster hjelmqvistii* (2003.2070 - RRG), *Cotoneaster horizontalis* (XX.011186 - G1), *Cotoneaster horizontalis* var. *perpusillus* (2006.3649 - C3-A; XX.008654 - C3-A; XX.000503 - CH), *Cotoneaster horizontalis* 'Variegatus' (1995.1293 - C3-B), *Cotoneaster hylmoei* (2003.0095 - C3-B), *Cotoneaster ignescens* (2003.2073 - C3-B), *Cotoneaster improvisus* (2003.2072 - C3-B), *Cotoneaster kongboense* (2001.4034 - C3-B, SL), *Cotoneaster lacteus* (XX.000480 - CH), *Cotoneaster lidjiangensis* (1995.1356 - C3-B), *Cotoneaster lucidus* (1927.001012 - VG), *Cotoneaster mairei* (2001.2078 - C3-A), *Cotoneaster marginatus* (1938.011822 - RRF), *Cotoneaster meuselii* (2003.2075 - RRI), *Cotoneaster microphyllus* (2003.0096 - C3-A, C3-B; 2001.4041 - SL), *Cotoneaster miniatus* (2001.2841 - C3-B), *Cotoneaster morrisonensis* (2001.4134 - SL,

SL), *Cotoneaster nanshan* (1996.1546 - C3-B; 2001.4037 - C3-B), *Cotoneaster nanshan* 'Boer' (2003.0099 - C3-B), *Cotoneaster newryensis* (1996.1542 - C3-B), *Cotoneaster niger* (1999.1979 - C3-B), *Cotoneaster nummularius* (2003.0101 - C3-B), *Cotoneaster obscurus* (2003.0102 - C3-B), *Cotoneaster oliganthus* (1999.1775 - C3-B), *Cotoneaster orientalis* (2001.1910 - C3-B), *Cotoneaster ottoschwarzii* (2001.3896 - C3-B), *Cotoneaster pannosus* (2008.2390 - C3-A; 2006.1987 - C5; 1910.001088 - VG), *Cotoneaster poluninii* (XX.009640 - OS), *Cotoneaster prostratus* (1995.1345 - C3-A), *Cotoneaster racemiflorus* (1995.1347 - C3-B), *Cotoneaster rannensis* (2001.1911 - C3-B), *Cotoneaster rehderi* (2001.2079 - C3-B), *Cotoneaster roborowskii* (2001.2842 - C3-B), *Cotoneaster salicifolius* (2003.0104 - C3-A; 1927.000997 - VG), *Cotoneaster salicifolius* 'Parkteppich' (1995.1346 - C3-B), *Cotoneaster salicifolius* 'Rothschildianus' (1997.0303 - C3-A, C3-B), *Cotoneaster salicifolius* var. *henryanus* (1996.1538 - SL), *Cotoneaster sikangensis* (2003.1519 - C3-B), *Cotoneaster simonsii* (2003.0107 - C3-A; XX.009643 - OS), *Cotoneaster splendens* (2003.0115 - C3-B), *Cotoneaster* × *suecicus* 'Skogholm' (2006.3673 - C3-A), *Cotoneaster tenuipes* (1935.008680 - C3-A), *Cotoneaster vilmorinianus* (2001.2843 - C3-B), *Cotoneaster* × *watereri* 'Pink Champagne' (2003.0103 - C3-B), *Cotoneaster wilsoni* (2001.2844 - C3-B), *Cotoneaster yunnanensis* (2001.2080 - C3-B), *Cotoneaster zabelii* (2003.0118 - C3-B), *Cotula hispida* (1994.1216 - AY-B01), *Cotyledon persicum* (2000.1240 - RRA), *Crambe cordifolia* (XX.000742 - Fam2), *Crassula arborescens* (XX.007473 - CC), *Crassula lactea* 'Morgan's Beauty' (1980.2078 - CC), *Crassula lycopodioides* (2014.1178 - CC), *Crassula ovata* (2006.0476 - CC), *Crassula sarcocaulis* (2000.1241 - RRD), *Crataegus atrosanguinea* (XX.011085 - A2), *Crataegus azarolus* (XX.009939 - A3), *Crataegus azarolus* 'Fissa' (1931.011096 - A2), *Crataegus candens* (1912.009917 - A3), *Crataegus chlorosarca* (1973.0274 - A3), *Crataegus coloradoensis* (XX.009947 - A3), *Crataegus conspicua* (1912.011101 - A2), *Crataegus crus-galli* 'Pyracanthifolia Horizontalis' (XX.012956 - A2), *Crataegus cuneata* (2004.1734 - VG), *Crataegus* × *dippeliana* (1915.010838 - R6), *Crataegus douglasii* (1999.2275 - A3; 2001.0005 - A3, SL), *Crataegus* × *grignonensis* (XX.009927 - A3), *Crataegus harbisonii* (2017.0052 - A3), *Crataegus laevigata* (1975.009909 - A3), *Crataegus laevigata* 'Horrida' (2006.1686 - A3), *Crataegus laevigata* 'Plena' (XX.009894 - A3), *Crataegus laevigata* 'Punicea Flore Pleno' (1883.009918 - A3), *Crataegus laevigata* var. *parviflora* (XX.009935 - A3), *Crataegus maximowiczii* (1934.009904 - A3), *Crataegus monogyna* 'Compacta' (1925.009165 - A3), *Crataegus monogyna* 'Flexuosa' (1969.009907 - A3; XX.010440 - A3), *Crataegus monogyna* 'Inermis' (1927.009951 - A3), *Crataegus oxycantha* 'Rosea' (XX.013385 - SL), *Crataegus persimilis* 'Prunifolia' (1881.009902 - A3), *Crataegus phaenopyrum* (XX.009906 - A3; XX.009944 - A3), *Crataegus pinnatifida* (2017.0051 - A3), *Crataegus sanguinea* (1881.009928 - A3), *Crataegus schraderiana* (1881.009834 - A3), *Crataegus* × *sorbifolia* (1899.009929 - A3), *Crataegus speciosa* (1910.011089 - A2), *Crataegus stipulacea* (2006.1678 - A3), *Crataegus tanacetifolia* (XX.009931 - A3), *Crataegus triflora* (XX.009822 - A3), *Crepis incana* (2000.2262 - RRG(w)), *Crinodendron hookerianum* (2016.0041 - RRM, RRN, RRN), *Crinodendron patagua* (2011.1296 - WS; XX.010311 - WS), *Crinum asiaticum* (XX.003950 - PH-a), *Crinum fimbriatum* (XX.004006 - PH-a), *Crinum longifolium* (XX.013359 - R2), *Crinum moorei* (XX.012220 - Fam4, R2), *Crinum* × *powellii* (XX.012221 - Fam4, R2), *Crinum* × *powellii* 'Alba' (XX.013358 - R2), *Crococsmia aurea* (1995.0223 - R3), *Crococsmia* 'Gerbe d'Or' (1998.0385 - OB), *Crococsmia* 'Honey Angels' (2001.3521 - RRB), *Crococsmia* 'Lucifer' (2000.3712 - OB), *Crococsmia paniculata* (XX.010798 - Fam4), *Crococsmia pottsii* (1994.1256 - R3; 1995.0224 - R3), *Crocus ancycensis* (2014.1000 - RRB; 2009.1933 - RRD, RRD), *Crocus angustifolius* (2014.0999 - RRD), *Crocus biflorus* 'Miss Vain' (2017.1045 - RRA), *Crocus cancellatus* (2014.0997 - RRB), *Crocus cartwrightianus* (2000.3221 - AY-B01), *Crocus chrysanthus* 'Blue Pearl' (2013.0827 - RRD), *Crocus chrysanthus* 'Cream Beauty' (2009.1934 - RRA; 2013.0834 - RRF), *Crocus chrysanthus* 'Snow Bunting' (2013.0831 - RRA, RRB), *Crocus chrysanthus* var. *fuscotinctus* (2009.1935 - RRB; 2015.0668 - RRH), *Crocus etruscus* 'Zwanenburg' (2017.1046 - RRA; 2013.0833 - RRF), *Crocus etruscus* 'Zwanenburg' (2015.0669 - RRA), *Crocus* 'Glory of Lassaheim' (2000.3222 - AY-B01), *Crocus* 'Goldilocks' (2009.1936 - RRH), *Crocus* 'Haarlem Gem' (2000.3223 - AY-T1), *Crocus* 'Herald' (2014.1002 - RRB), *Crocus* 'King of the Stripes' (2000.3224 - AY-B02), *Crocus kotschyanus* (1994.1293 - AY-B06, AY-B06), *Crocus minimus* 'Spring Beauty' (2017.1047 - RRB), *Crocus niveus* (2000.3225 - AY-B01), *Crocus* 'Orange Monarch' (2015.0487 - RRA), *Crocus* 'Prins Claus' (2009.1937 - RRA; 2013.0821 - RRB, RRF), *Crocus* 'Romance' (2014.1001 - RRD), *Crocus* 'Ruby Giant' (2009.1939 - RRA), *Crocus serotinus* (2000.3226 - AY-B02), *Crocus* 'Silver Coral' (2015.0488 - RRC), *Crocus speciosus* subsp. *speciosus* (2015.0666 - RRA),

Crocus vernus 'Jeanne d'Arc' (1994.0792 - AY-B06), *Crocus* 'Yellow Giant' (2015.0670 - RRF), ***Cryptomeria japonica*** (1956.006631 - M2-B; 1956.006626 - P2; 1956.006631 - P2; XX.010848 - R5), *Cryptomeria japonica* 'Compressa' (1970.0926 - RRG), *Cryptomeria japonica* 'Cristata' (1979.000244 - AY-B12; 2006.3202 - RRG), *Cryptomeria japonica* 'Elegans' (2004.2450 - P2; XX.010603 - P5; 2001.3740 - RRJ), *Cryptomeria japonica* 'Elegans Nana' (1921.005374 - AY-B12), *Cryptomeria japonica* 'Lobbii Nana' (2006.3204 - RRG), *Cryptomeria japonica* 'Sekkan-sugi' (1987.0205 - P2), *Cryptomeria japonica* 'Vilmoriniana' (1945.005379 - AY-B12; XX.010959 - AY-B12; 2004.2494 - RRD), ***Cucubalus baccifer*** (2003.2158 - SL, SL), ***Cunninghamia konishii*** (2000.1662 - SL), ***Cuphea caeciliae*** (1995.0572 - AY-B10), ***Cupressus arizonica*** var. *glabra* 'Conica' (1926.006641 - P2; XX.009197 - P2), *Cupressus corneyana* (XX.006618 - P2; XX.006727 - P2), *Cupressus lusitanica* (2006.3004 - P2; XX.006708 - P2), *Cupressus sempervirens* (XX.006672 - P2), x ***Cuprocyparis leylandii*** (2006.3527 - VG; XX.001128 - VG), x ***Cuprocyparis leylandii*** 'Silver Dust' (1977.0747 - P2), x ***Cuprocyparis notabilis*** (1975.0218 - P2), ***Curculigo recurvata*** (1997.0056 - PH-a), ***Cussonia paniculata*** (2001.2446 - AY-B03), ***Cyanotis somaliensis*** (XX.009001 - CLE-B), ***Cyathodes colensoi*** (XX.003019 - AY-B04), ***Cycas rumphii*** (1997.0765 - PH-c), *Cycas thouarsii* (1898.000890 - PH-c), ***Cyclamen coum*** 'Atkinsii' (2000.4298 - RRC), *Cyclamen hederifolium* (XX.001338 - AY-T1; 2000.0929 - RRC), *Cyclamen mirabile* (2000.3227 - AY-B01), ***Cyclobalanopsis longinix*** (2000.1683 - SL), *Cyclobalanopsis morii* (2000.1684 - SL), ***Cymbalaria hepaticifolia*** (1997.0820 - AY-B04), ***Cymbidium*** 'Aviemore Lewes' (XX.013554 - OH), *Cymbidium* 'Chepston Castle Colossus' (XX.013576 - OH), *Cymbidium dayanum* (2006.0040 - OH), *Cymbidium devonianum* (2006.0041 - OH), *Cymbidium* 'Dorchester' (XX.013568 - OH), *Cymbidium eburneum* (2006.0042 - OH), *Cymbidium erythrostylum* (2006.0043 - OH), *Cymbidium findlaysonianum* (1894.013542 - OH), *Cymbidium Golden Elfe* (2004.0608 - OH), *Cymbidium Hoosailum 'Album'* (2006.0044 - OH), *Cymbidium insigne* (2006.0045 - OH), *Cymbidium 'Ixtaccihutl'* (XX.013561 - OH), *Cymbidium Ladybug* x *Remus* (XX.013581 - OH), *Cymbidium Lucense 'Dainty'* x *Lycetta fragrant* (XX.013579 - OH), *Cymbidium 'Manila'* (XX.013564 - OH), *Cymbidium mastersii* (2006.0046 - OH), *Cymbidium Miranda 'Glorisum'* (XX.013582 - OH), *Cymbidium 'Nathaniel'* (XX.013577 - OH), *Cymbidium 'Peach Pink'* (XX.013580 - OH), *Cymbidium Runnymede* x *Pearl Balkis 'Greenmist'* (XX.013578 - OH), *Cymbidium 'Swan Lake Pinkie'* (XX.013559 - OH), *Cymbidium tigrinum* (2006.0047 - OH), ***Cynara cardunculus*** (XX.001404 - Fam3), ***Cyperus alternifolius*** (2005.1468 - PH-a), *Cyperus longus* (XX.012222 - Fam4), ***Cyphostemma juttae*** (2007.0080 - CC; 2007.0081 - CC; 2007.0082 - CC), ***Cypripedium pubescens*** (2006.0050 - OH), ***Cyrtomium falcatum*** 'Rochfordii' (2011.0894 - OH), ***Cytisus battandieri*** (2001.2297 - Fam2; 1993.0491 - LD; XX.005915 - VB-w), *Cytisus canariensis* (2003.2516 - Fam2), *Cytisus 'Goldfinch'* (2007.0636 - LA), *Cytisus* x *praecox* 'Allgold' (2007.0637 - LB), *Cytisus sessilifolius* (XX.001694 - LA).

Key to the locations:

A1: Arboretum - South-East adjacent to Taxus, **A2:** Arboretum - North-East adjacent to Chain Tent, **A3:** Arboretum - North-West Adjacent to Tolka River, **A4:** Arboretum - South-West (Birch/Aesculus class), **A5N:** Arboretum - Far walls, from central path to Tolka., **A5S:** Arboretum - Far walls, from Yew class to central path., **AB:** Alpine Yard shrubbery North and East sides, **AY-B01:** Alpine yard bed: semi-circular bed at east end; centre, **AY-B02:** Alpine yard bed: semi-circular bed in south east corner, **AY-B03:** Alpine yard bed: bed on east-side of house; south end, **AY-B04:** Alpine yard bed: bed on south-east corner of house, **AY-B05:** Alpine yard bed: bed on east-side of house; middle section, **AY-B06:** Alpine yard bed: bed on east-side of house; north end, **AY-B07:** Alpine yard bed: semi-circular bed at east end; north end, **AY-B08:** Alpine yard bed: semi-circular bed at east end; south end, **AY-B09:** Alpine yard bed: bed along north wall; west of archway, **AY-B10:** Alpine yard bed: bed along north wall; east of archway, and beyond corner seat, **AY-B11:** Alpine yard bed: bed along east wall next to doorway, **AY-B12:** Alpine yard bed: bed at west end around compass points, **AY-B13:** Alpine yard bed: bed on west-side of house; north end, **AY-B14:** Alpine yard bed: bed on west-side of house; middle section, **AY-B15:** Alpine yard bed: bed on west-side of house; south end, **AY-B16:** Alpine yard bed: bed on south-side of house; east end, Hostas, **AY-T1:** Alpine yard trough: NW Corner, **AY-T2:** Alpine yard trough: SE Corner, **AY-T3:** Alpine yard trough: NE Corner, **B1:** Berberis Class Lawn (trees only), **B1-ber:** Berberidaceae Class, **B1-mah:** Mahonia Class, **B3:** Old Cedar Lawn Excluding Family Beds, **C1:** Class (Forsythia and Syringa) Opposite Alpine Yard, **C2-E:** Ailanthus Lawn - East, **C2-W:** Liquidamber Lawn - West, **C3-A:** Cotoneaster bed in NW corner, **C3-ana:** Anacardiaceae Class, **C3-B:** Cotoneaster bed on W side, **C3-rha:** Rhamnaceae Class, **C3-vib:** Viburnum Class, **C5:** Class (Zelkova Lawn), **C6:** Rosaceae Class lawn Near Semi-Circular, **CC:** Cactus and Succulent House, **CH:** Chinese Shrubbery, **CLE-B:** Curvilinear House: East, Planters on outer wall, **CLE-D:** Curvilinear House: East, Australia, **CM-east:** Cemetery Shrubbery (Between Dogyard Gate & Tower) including Cemetery Gate, **CP:** Car Park Beds (unspecified), **CT-north:** Chain Tent Shrubbery from Tolka to Gap but not including Chain Tent, **CT-south:** Chain Tent Shrubbery from Gap to Arboretum, **DZ-dtz:** Deutzia class, **DZ-lon:** Lonicera class, **DZ-phl:** Philadelphus class, **EG-wall:** Walled Garden - Walls, **EN:** Entrance to the Garden, beds outside the main gates, **ES:** Walled Garden - Shrubbery (under Maytenus boaria), **Fam0:** Family Beds: Paleotrees & Paleoherbs, **Fam1:** Family Beds: Saxifragales & Caryophyllids, **Fam2:** Family Beds: Rosids, **Fam3:** Family Beds: Asterids, **Fam4:** Family Beds: Monocots, **G1:** Front lawns: Lawn adjacent to & including WOODY PLANTS in the Director's garden, **G2:** Front lawns: Parrotia Lawn, **Iris:** Iris Collection, **LA:** Fabaceae Class Section A, **LB:** Fabaceae Class Section B, **LC:** Fabaceae Class Section C, **LD:** Fabaceae Class Section D, **M1:** Western Quadrant of Millfield; Main lawn trees & Shrubs, **M1-A:** Millfield: Rhodo island bed on south side, **M1-B:** Millfield: Hamamelis bed on south side, **M1-C:** Millfield: Island bed in outh-west corner, **M1-D:** Millfield: Rhodo island bed on west side, **M1-E:** Millfield: Rhodo island bed in north-west corner, **M1-F:** Millfield: Heather bed nearest Socrates, **M1-G:** Millfield: Tree heathers, **M1-H:** Millfield: Heather bed furthest from Socrates, **M1-J:** Millfield: Rhodo island bed in North-east corner, **M1-K:** Millfield: Rhodo island bed along side of eastern path, **M1-L:** Millfield: Rhodo island bed in South-east corner, **M2-B:** Millfield East: Riverside woodland Plot (Mag hypoleuca), **M2-E:** Millfield East: River edges each side of bridge, **M2-F:** Millfield East: Roses South of Bridge, both sides, **M2-H:** Millfield East: Rhododendron plot, **M2-J:** Millfield East: Island woodland Plot, **MG:** Magnolia Corral: Magnolias, **MG-C:** Magnolia Corral: Clematis Pergola, **NZ-E:** New Zealand Shrubbery: East, **NZ-S:** New Zealand Shrubbery: South, **NZ-W:** New Zealand Shrubbery: West, **O1:** Oak Class, Wild Garden Quadrant With Hickory, **O2:** Oak Class, Main Area With Cork Oak behind Chinese Shrubbery, **OA:** Office Border eastern side, permanent shrubs only, **OA2:** Shrubbery by Main Gate Shelter, **OB:** Office Border, Herbaceous Borders around Director's House, **OBE:** Office Border East, Herbaceous Borders opposite Director's House, **OH:** Orchid House, **OS:** Shrubbery Along Road-Wall Between Main Office and McCanns, **P2:** Pine Hill, large area opposite Yew Class, **P4:** Pine Hill, Lowest Part With Davidia and Copper Beech, **P5:** Area to east of bridge, surrounding the pond, **P5-a:** Rhododendron bed by Sequoiadendron, **P5-b:** Rhododendron bed by Rock Garden, **P5-c:** Bog bed at east end of pond, **P5-d:** Bog bed east of bridge, and below dry stone wall, **P6:** Area to West of Bridge Surrounding the Pond, **P6-a:** Rhododendron bed on south side of Pond, **P6-b:** Rhododendron bed on north side of Pond, **P6-c:** Bog bed to west of pond bridge, **P7-a:** Lawns Between Dry Stone Wall and Tolka: East, **P7-b:** Lawns Between Dry

Stone Wall and Tolka: Centre, **P7-c**: Lawns Between Dry Stone Wall and Tolka: West, **PB-3**: Palm House Borders - Colletia Lawn, **PH-a**: Palm House - a: centre bed with stream, **PH-c**: Palm House - c: side benches, **R2**: Border in Front of Curvilinear House (East Cape) , **R3**: Border in Front of Curvilinear House (West Cape) , **R4**: Lawn in front of the Director's Residence, **R5**: Curvilinear Lawn, **R6**: Spiraea Lawn, **RRA**: Rockery: RA - Cedrus Comte de Dijon, **RRB**: Rockery, RB - Quadrant upslope from Cedrus, **RRC**: Rockery: RC - Ulmus, **RRD**: Rockery: RD - Fabiana, **RRF**: Rockery: RF - Pinus pinea, **RRG**: Rockery: RG - Shrubbery on upper pine hill lawn, **RRG(w)**: Rockery: RG(w) - Pinus thunbergii, **RRH**: Rockery: RH -, **RRI**: Rockery: RI - Acer palmatum, **RRJ**: Rockery: RJ -, **RRL**: Rockery: RL - Rhododendron Shrubbery below Addison's Walk, **RRM**: Rockery: RM - New Ericaceous Bed, **RRN**: Rockery: RN - Rhododendron Shrubbery on lower pine hill lawn, **RRO**: Rockery: RO - semi-circular bed on SW.Side of Path - Ericaceous, **RRP**: Rockery: RP - corner to RO on SW.Side of Path (Herbaceous only), **RS**: Rose Garden: Trees, **RS-a**: Rose garden: Side lawns, clockwise from left, **RS-b**: Rose garden: NW quadrant, **RS-c**: Rose garden: NE quadrant, **RS-d**: Rose garden: SE quadrant, **RS-e**: Rose garden: SW quadrant, **RS-f**: Rose garden: Tolka wall, **RSG**: Rose garden Section: no location given, **RS-g**: Rose Garden: River bank, **SL**: Chinese Slope, **T1**: Tolka river along Millfield to rose garden bridge, **T2**: Tolka river from weir to western boundary wall, **TX**: Yew Class, **VB-a-01**: Vine Border, Hydrangea collection: Bed 1, **VB-a-02**: Vine Border, Hydrangea collection: Bed 2, **VB-b**: Vine Border, Buddleja collection, **VB-e**: Vine Border, Herbaceous Peonies, **VB-f**: Vine Border, Tree Peonies, **VB-h**: Vine Border, Herbaceous Peonies, **VB-w**: Vine Border, Walls, **VG**: Shrubbery along South side of Vegetable Garden, **WS**: Walls from Enclosed Garden Door to Tolka.