

Ramonda nathaliae (XX.003067 - AY-B05), **Ranunculus aconitifolius** (1994.0207 - AY-B04), **Ranunculus gramineus** (1984.2186 - Fam2), **Raoulia australis** (1978.1324 - AY-B01), **Raoulia glabra** (XX.003837 - AY-B01; XX.000661X - RRA), **Raoulia hookeri** (1978.1323 - AY-B01, AY-B08), **Raoulia lutescens** (XX.000661 - AY-T1; 1978.2539 - AY-T2), **Rauhocereus riosaniensis** (1982.1598 - CC), **Rehmannia elata** (2005.0376 - Fam3), **Reineckea carnea** (XX.012288 - Fam4), **Restrepia elegans** (2006.0137 - OH), **Restrepia guttulata** (2002.3744 - OH, OH), **Restrepia langsbergii** (2006.0138 - OH), **Restrepia trichoglottis** (XX.002319 - OH; XX.013603 - OH), **Rhamnus alnifolia** (XX.010103 - CT-south), **Rhamnus cathartica** (XX.002851 - C3-rha), **Rhamnus cuneata** (2002.3799 - Fam2), **Rhamnus daurica** (1969.002840 - C3-rha, C3-rha; XX.000955 - VG), **Rhamnus latifolia** (XX.002847 - C3-rha), **Rhamnus lycioides** subsp. *oleoides* (1931.002842 - C3-rha; 2005.1402 - C3-rha), **Rhamnus utilis** (1932.000445 - CH), **Rhaphiolepis integerrima** (1980.2344 - AY-B11), **Rhapis excelsa** (XX.003917 - PH-c), **Rheum australe** (1937.001393 - Fam1), **Rheum compactum** (XX.001392 - Fam1), **Rheum nepalense** (1999.3884 - Fam1), **Rheum palmatum** (XX.001389 - Fam1), **Rhipsalis boliviana** (2006.3834 - OH), **Rhodanthe anthemoides** 'Paper Cascade' (1996.0482 - AY-B01, AY-B14, AY-B14), **Rhodanthemum hosmariense** (2004.2286 - RRD, RRP), **Rhododendron adenopodum** (XX.008825 - M1-L), **Rhododendron aganniphum** (1999.3503 - M1-E, M1-E, M1-E, M1-E), **Rhododendron anthosphaerum** (2006.3264 - RRL), **Rhododendron 'Anuschka'** (2016.0080 - RRM), **Rhododendron arboreum** (2006.3046 - P5-b), **Rhododendron arboreum** subsp. *delavayi* (2001.2407 - M1-D; 2001.2408 - M1-D), **Rhododendron argyrophyllum** (1954.008890 - RRL), **Rhododendron augustinii** (XX.008882 - M1-J; 2006.3265 - RRL; 1973.0320 - RRN; 2001.3719 - SL), **Rhododendron auriculatum** (XX.010526 - P5-a; XX.010563 - P5-b), **Rhododendron barbatum** (XX.014046 - M1-J), **Rhododendron 'Bijou de Ledeborg'** (1997.1472 - RRM), **Rhododendron 'Blue Peter'** (1980.0207 - P5-a), **Rhododendron 'Blue Silver'** (2016.0064 - RRM), **Rhododendron 'Boddaertianum'** (1951.000145 - M1-K; XX.010520 - P5-a), **Rhododendron 'Byron'** (2011.0572 - M1-L), **Rhododendron callimorphum** var. *callimorphum* (XX.014091 - M1-L; 2006.3310 - RRN), **Rhododendron calophytum** (XX.013065 - M1-A; 1965.007829 - M1-J; XX.014088 - M1-K), **Rhododendron campanulatum** (2006.2458 - M1-L; 2006.3319 - RRN), **Rhododendron campanulatum 'Knaphill'** (XX.014049 - M1-J), **Rhododendron 'Carmen'** (2000.0757 - RRL), **Rhododendron carolinianum** × *ciliatum* (1999.2138 - RRN), **Rhododendron catawbiense** (XX.008856 - M1-L; XX.010596 - P5-b; 2006.3266 - RRL; 2006.3267 - RRL), **Rhododendron 'Catawbiense Boursault'** (XX.008851 - M1-K; XX.014056 - M1-K; 2006.2456 - M1-L, M1-L; XX.014093 - M1-L, M1-L; XX.014098 - M1-L, M1-L), **Rhododendron 'Catawbiense Flore Pleno'** (XX.008862 - M1-E), **Rhododendron 'Catawbiense Grandiflorum'** (XX.008842 - M1-L, M1-L, M1-L; XX.010522 - P5-a, P6-b; 2006.3268 - RRL), **Rhododendron 'Cheer'** (2016.0065 - RRM), **Rhododendron concinnum** (XX.008831 - M1-K; XX.008810 - M1-L; 2006.3302 - RRN), **Rhododendron concinnum** var. *benthanianum* (1957.008817 - M1-D), **Rhododendron 'Cosmopolitan'** (2016.0066 - RRM), **Rhododendron 'Cream Crest'** (2006.1202 - RRM), **Rhododendron cucullatum** (2001.2414 - Fam3), **Rhododendron 'Cunningham's White'** (XX.013097 - M1-E; 2006.2447 - M1-L; XX.000156 - M2-H), **Rhododendron 'Curlew'** (2016.0067 - RRM), **Rhododendron davidsonianum** (2006.0460 - M1-D; XX.008804 - M1-L; XX.008805 - M2-H, M2-H; XX.008806 - M2-H; 1918.008197 - P5-b), **Rhododendron decorum** (XX.014071 - M1-K; 2006.2452 - M1-L; XX.008859 - M1-L; XX.008860 - M1-L; XX.014097 - M1-L; 2006.3304 - RRN; 2006.3309 - RRN), **Rhododendron decorum** var. *erubescens* (2006.3270 - RRL), **Rhododendron discolor** (XX.014052 - M1-K), **Rhododendron 'Dora Amateis'** (1981.1392 - M1-D), **Rhododendron 'Dreamland'** (2016.0081 - RRM), **Rhododendron 'Elizabeth'** × *yakushmanum* (2016.0082 - RRM), **Rhododendron 'Endsleigh Pink'** (1980.0211 - P5-b), **Rhododendron 'Eucharis'** (2016.0068 - RRM), **Rhododendron 'Fabia Tangerine'** (1959.000159 - M2-H; 1959.008887 - P6-b), **Rhododendron falconeri** (1994.1116 - M1-D; XX.014050 - M1-J), **Rhododendron 'Fantastica'** (2016.0083 - RRN), **Rhododendron fastigiatum** (2006.2453 - M1-L), **Rhododendron faucium** (1998.0576 - M1-E; 1998.0677 - M1-L), **Rhododendron fortunei** (2006.3045 - P5-b; 2006.3327 - RRN), **Rhododendron 'Freya'** (2006.2431 - M1-L), **Rhododendron fulvum** subsp. *fulvoides* (2001.2422 - M1-D), **Rhododendron 'Germania'** (2016.0069 - RRM), **Rhododendron 'Gill's Goliath'** (XX.008801 - M2-H), **Rhododendron glischroides** (XX.014084 - M1-K), **Rhododendron 'Graziella'** (2016.0070 - RRM), **Rhododendron griffithianum** (1965.008829 - M1-J), **Rhododendron hardingii** (2006.2466 - M1-L), **Rhododendron hirtipes** (1998.0601 - M1-E, M1-E, M1-E), **Rhododendron impedium 'Select'** (2016.0317 - RRO, RRO), **Rhododendron irroratum** (XX.013982 - M1-L), **Rhododendron** × *jacksonii* (XX.007830 - M1-A; XX.013813 - P6-a), **Rhododendron kaempferi** (XX.013309 - RRO), **Rhododendron kesangiae** (1994.1123 - M2-H), **Rhododendron kongboense** (1998.0692 - Fam3), **Rhododendron 'Lady Elphinstone'** (XX.000144 - M1-L), **Rhododendron 'Lady Rosebery'** (2006.3057 - P6-a), **Rhododendron lochmium** (2006.3328 - RRN), **Rhododendron Loderi Group** (XX.013844 - P6; XX.013842 - P6-b), **Rhododendron lutescens** (XX.007728 - M1-A; 2006.3329 - RRN), **Rhododendron luteum** (XX.008836 - M1-J; 2006.2464 - M1-L, M1-L; 2006.2491 - M2-H; 2006.3032 - P5-a), **Rhododendron lyi** (1984.2236 - RRN), **Rhododendron macabeanum** (XX.014048 - M1-J), **Rhododendron 'Madame de Bruin'** (XX.010567 - P5-b), **Rhododendron 'Madame Masson'** (2016.0072 - RRM), **Rhododendron malvaticum** (2006.3333 - RRN), **Rhododendron 'May Day'** (XX.013815 - P6-b), **Rhododendron micranthum** (2006.3214 - RRG; 2006.3334 - RRN), **Rhododendron mollicomum** (2006.3303 - RRN; 2006.3335 - RRN), **Rhododendron 'Monsieur Marcel Ménard'** (2016.0073 - RRM), **Rhododendron 'Morgenrot'** (2006.1207 - M1-D, RRM),

RRM), *Rhododendron morii* (XX.008803 - M2-H; 1952.008189 - P5-b), *Rhododendron* 'Mrs Furnivall' (XX.014067 - M1-K, P6-b), *Rhododendron neriiflorum* subsp. *neriiflorum* (1965.008196 - M1-J), *Rhododendron* × *nobleanum* (2006.3263 - M1-D, RRL), *Rhododendron* 'Nova Zembla' (2016.0074 - RRM), *Rhododendron occidentale* (XX.010541 - P5-a, P5-a), *Rhododendron orbiculare* subsp. *cardiobasis* (2001.2412 - M1-D), *Rhododendron oreodoxa* (1958.008822 - M1-E), *Rhododendron oreodoxa* var. *fargesii* (2001.2418 - M1-E; 2006.3326 - RRN), *Rhododendron pachysanthum* (2002.0350 - M1-D), *Rhododendron* 'Penjerrick Pink' (1959.008190 - P6-b), *Rhododendron phaeochrysum* var. *agglutinatum* (1959.010564 - P5-b), *Rhododendron pleistanthum* (XX.008845 - M1-L; XX.008885 - M2-H), *Rhododendron* 'Polar Bear' (XX.013843 - P6-b), *Rhododendron* 'Polaris' (2006.1208 - RRM), *Rhododendron ponticum* (XX.010588 - P5-b), *Rhododendron ponticum* 'Cheiranthifolium' (XX.008857 - M1-E; 1952.013337 - RRL), *Rhododendron* 'Princess Alice' (XX.000177 - M1-L; 2006.3336 - RRN), *Rhododendron principis* (1998.0591 - M1-D, M1-D), *Rhododendron* 'Purple Splendour' (XX.010529 - P5-a), *Rhododendron racemosum* (XX.007834 - M1-L), *Rhododendron rex* (1993.0558 - M2-H), *Rhododendron rex* subsp. *fictolacteum* (2001.2420 - M1-D; 2001.2421 - M1-D), *Rhododendron rhombotum* (1998.1716 - M1-D), *Rhododendron rigidum* (XX.008826 - M1-E; 2006.2493 - M2-H; 2004.1028 - M2-J; 2006.3338 - RRN), *Rhododendron* 'Roseum Elegans' (2016.0076 - RRM), *Rhododendron scabrifolium* var. *scabrifolium* (XX.012464 - RRN), *Rhododendron* 'Schneekrone' (2016.0085 - RRN), *Rhododendron scopulorum* (1998.0705 - Fam3), *Rhododendron* 'Shamrock' (2006.1205 - RRM), *Rhododendron sheltonae* (XX.014032 - M1-D), *Rhododendron sinogrande* (1965.008191 - M1-J), *Rhododendron* 'Sneezy' (2016.0086 - RRM), *Rhododendron* 'Souvenir de Dr S. Endtz' (XX.008832 - M1-L, M1-L), *Rhododendron* 'Stewartstonian' (2016.0294 - RRL), *Rhododendron* 'Strawberry Ice' (1971.0642 - M1-D, P5-a), *Rhododendron strigillosum* (1965.008192 - M1-J), *Rhododendron sutchuenense* (2006.3312 - RRN), *Rhododendron thomsonii* (1965.008833 - M1-J), *Rhododendron* 'Tina Heinje' (2006.1204 - RRM), *Rhododendron traillianum* (2001.2435 - Fam3), *Rhododendron triflorum* (2006.3274 - RRL), *Rhododendron uvarifolium* var. *griseum* (1998.0724 - Fam3), *Rhododendron valetinianum* (2002.0284 - RRL), *Rhododendron* Virginia Richards Group (2016.0079 - RRM), *Rhododendron* 'Vuyk's Rosy Red' (1984.0355 - M1-D), *Rhododendron wardii* (1998.0553 - M1-E; XX.013845 - P6-b), *Rhododendron williamsianum* (2000.0756 - RRL), *Rhododendron* 'Winsome' (XX.000188 - M1-D), *Rhododendron yakushmanum* (1965.013095 - M1-E; 1999.0293 - M1-E), *Rhododendron yunnanense* (2006.2937 - M1-D; 2006.2938 - M1-D; XX.013093 - M1-E; 1965.008877 - M1-J; XX.014047 - M1-J; XX.014054 - M1-K; XX.014073 - M1-K; 2006.2444 - M1-L; 2006.2455 - M1-L; XX.014095 - M1-L; 2006.2494 - M2-H; 2006.2495 - M2-H; 2006.2496 - M2-H; 2006.2497 - M2-H; 2006.2498 - M2-H; 2006.2499 - M2-H; 2006.2500 - M2-H; 2006.2501 - M2-H; 2006.2502 - M2-H; XX.008847 - M2-H; XX.008848 - M2-H; XX.008874 - M2-H; 2006.3042 - P5-b; XX.010574 - P5-b), **Rhodohypoxis** 'Albrighton' (1984.1258 - AY-B06, AY-T1), **Rhus aromatica** (1943.002889 - C3-ana), *Rhus chinensis* (2004.1828 - ES), *Rhus verniciflua* (XX.002886 - C3-ana; 1972.0256 - CT-north; 1998.0641 - SL), **Ribes alpinum** (1988.0221 - C6; 2004.0289 - Fam1; 1964.011742 - RRG), *Ribes divaricatum* (1973.0342 - C6; 1945.012119 - EG-wall), *Ribes fasciculatum* (1994.1197 - CH), *Ribes laurifolium* (XX.007844 - C6; 1998.1760 - SL), *Ribes nevadense* (XX.010144 - CT-south), *Ribes petraeum* (XX.001479 - C6), *Ribes rubrum* 'Raby Castle' (1961.012129 - EG-wall), *Ribes sanguineum* (XX.001448 - C6; XX.001493 - C6; XX.010840 - OS; XX.007799 - T2; XX.000922 - VG), *Ribes speciosum* (2001.2392 - Fam1; XX.005847 - VB-w; 2001.2392 - WS), *Ribes viburnifolium* (XX.005864 - VB-w), *Ribes warszewiczii* (1945.006189 - C6, C6; 1945.010039 - CT-north), **Richea scoparia** (2000.2930 - RRG(w); 1928.006799 - RRH), **Riocreuxia torulosa** (2005.0219 - Fam3), **Robinia** × *ambigua* 'Decaisneana' (XX.004728 - LD), *Robinia* × *holdtii* 'Britzensis' (1911.004113 - O1), *Robinia luxurians* (2015.0313 - LA), *Robinia pseudoacacia* (XX.004738 - LC), **Rodgersia aesculifolia** (XX.012407 - Fam1), *Rodgersia pinnata* (2000.2575 - M2-B), **Rohdea japonica** (XX.012289 - Fam4, M2-H), *Rohdea japonica* 'Godaishu' (2003.1239 - M2-H), *Rohdea japonica* 'Marginata' (XX.009191 - M2-B), **Romanzoffia californica** (1996.0564 - AY-B04), **Romneya coulteri** (2000.3194 - RRG(w)), *Romneya coulteri* var. *trichocalyx* (XX.012408 - Fam2), **Rosa ABBEYFIELD** ROSE 'Cocbrose' (2007.0800 - RS-e; 2017.1199 - RSG), *Rosa* ABSENT FRIENDS 'Dicemblem' (2010.0384 - RS-b), *Rosa* ABSOLUTELY FABULOUS 'Wekvossutono' (2016.0962 - RS-a; 2017.1200 - RSG), *Rosa acicularis* (2001.4146 - M2-F), *Rosa* ALAN TITCHMARSH 'Ausjive' (2010.0376 - RS-f), *Rosa* × *alba* (1972.0974 - M2-F), *Rosa* ALEC'S RED 'Cored' (2005.0017 - RS-a; 2013.0120 - RS-c), *Rosa* ALEXANDER 'Harlex' (2005.0040 - RS-c), *Rosa* 'Alexandre Girault' (1995.0118 - G1), *Rosa* 'Alister Stella Gray' (2017.1205 - RSG), *Rosa* 'Amadis' (2017.1206 - RSG), *Rosa* AMBER QUEEN 'Harroony' (2013.0118 - RS-b), *Rosa* 'American Pillar' (XX.011188 - G1; XX.012716 - RS-a), *Rosa* ANNA LIVIA 'Kormetter' (XX.012717 - RS-d), *Rosa* 'Arthur Bell' (2005.1566 - RS-e), *Rosa* AVOCET 'Harpluto' (1983.1600 - RS-d), *Rosa* BALLINDALLOCH CASTLE 'Cocneel' (2005.1547 - RS-d), *Rosa banksiae* 'Alba Plena' (2016.0222 - RS-f), *Rosa banksiae* 'Lutea' (2004.0799 - WS), *Rosa banksiae* var. *normalis* (2001.2634 - SL), *Rosa banksiopsis* (1909.005874 - VB-w), *Rosa* × *beanii* (2000.4079 - SL), *Rosa* 'Belvedere' (2017.1207 - RSG), *Rosa* BISHOP ELPHINSTONE 'Cocjolly' (2008.2555 - RS-e), *Rosa* 'Blessings' (XX.012721 - RS-c), *Rosa* 'Blush Rambler' (XX.012722 - RS-f), *Rosa bracteata* (2013.1120 - G1; XX.012723 - M2-F; 2001.2365 - SL, SL), *Rosa* BRIDE 'Fryyearn' (2010.0381 - RS-b; 2005.1555 - RS-d), *Rosa* BROWN VELVET 'Maccultra' (2013.0046 - RS-e), *Rosa brunonii* 'La Mortola' (2001.2626 - M2-F), *Rosa* CASTLE OF MEY

'Coccludid' (2006.4073 - RS-a), Rosa 'Cécile Brünner' (XX.011759 - AY-B10), Rosa CHAMPAGNE MOMENTS 'Korvanaber' (2006.4074 - RS-d), Rosa CHESHIRE 'Fryelise' (2007.0801 - RS-d), Rosa chinensis var. spontanea (1985.0693 - M2-F), Rosa CLAIRE MARSHALL 'Harunite' (2017.1204 - RSG), Rosa CLARET 'Frykristal' (2007.0803 - RS-b), Rosa CLARINDA 'Cocsummery' (2006.4075 - RS-b), Rosa CLARISSA 'Harprocrustes' (1983.1602 - M2-F), Rosa 'Cliff Richard' (2016.0961 - RS-a), Rosa 'Climbing Cécile Brünner' (2003.1185 - RS-a, RS-b), Rosa 'Climbing Château de Clos-Vougeot' (XX.012730 - RS-f), Rosa 'Climbing Columbia' (XX.012732 - RS-a), Rosa 'Climbing Ernest H. Morse' (2005.0021 - RS-b; 2016.0963 - RS-b), Rosa 'Climbing Lady Hillingdon' (2017.1201 - RSG), Rosa 'Climbing Madame Caroline Testout' (XX.012724 - RS-a), Rosa 'Compassion' (1983.0035 - RS-a), Rosa CONGRATULATIONS 'Korlift' (2010.0383 - RS-c), Rosa 'Constance Spry' (2007.0648 - RS-a), Rosa CRATHES CASTLE 'Cocathes' (2006.4076 - RS-e), Rosa 'Crimson Shower' (1995.0117 - G1), Rosa DANNY BOY 'Dicxcon' (XX.012736 - RS-a), Rosa 'Danse de Feu' (XX.012737 - RS-a; 2005.0019 - RS-c), Rosa DANSE DE SYLPHES 'Malcair' (XX.012739 - RS-f), Rosa DAWN CHORUS 'Dicquasar' (2005.0001 - RS-c), Rosa DAZZLING DELIGHT 'Cocuseful' (2005.1548 - RS-e), Rosa 'Dearest' (2005.0006 - M2-F), Rosa 'Deep Secret' (2005.1556 - RS-c), Rosa 'Desprez à Fleur Jaune' (2016.0968 - RS-a), Rosa DISCO DANCER 'Dicinfra' (2005.0042 - RS-e), Rosa 'Doctor W. Van Fleet' (XX.012743 - RS-a), Rosa 'Doris Tysteman' (1991.0017 - RS-b), Rosa 'Dorothy Perkins' (XX.012744 - M2-F), Rosa DOUBLE DELIGHT 'Andeli' (2005.0020 - RS-d), Rosa DUBLIN BAY 'Macdub' (XX.012746 - RS-a; 2010.0758 - RS-b), Rosa 'Dusky Maiden' (2013.0047 - RS-e), Rosa ecae (XX.012750 - M2-F; 2003.0068 - SL), Rosa ELINA 'Dicjana' (2005.0002 - RS-c), Rosa 'English Miss' (2005.1564 - RS-e), Rosa 'Etoile de Hollande' (2005.0022 - RS-c), Rosa EVELYN FISON 'Macev' (2013.0121 - RS-e), Rosa EYEPAINT 'Maceye' (2001.2800 - M2-F; XX.012753 - RS-a), Rosa FALSTAFF 'Ausverse' (2010.0370 - M2-F), Rosa 'Fantin-Latour' (1974.1526 - M2-F), Rosa FASCINATION 'Poulmax' (2005.0047 - RS-d), Rosa 'FELLOWSHIP 'Harwelcome' (2005.0007 - RS-e), Rosa 'Flore' (XX.010975 - EN; XX.010977 - EN), Rosa foetida (XX.012755 - M2-F), Rosa forrestiana (2003.0753 - SL), Rosa FRAGRANT CLOUD 'Tanellis' (2005.0023 - RS-c), Rosa 'Fragrant Delight' (2013.0048 - RSG), Rosa 'Francois Juranville' (1984.0757 - M2-F), Rosa FREEDOM 'Dicjem' (2005.0003 - RS-b), Rosa FRIEND FOR LIFE 'Cocnanne' (2005.1549 - RS-e), Rosa 'Frühlingsgold' (2006.3363 - RS-a), Rosa GALWAY BAY 'Macba' (2010.0759 - RS-e), Rosa 'Gaumo' (2011.0485 - RS-b), Rosa GERTRUDE JEKYLL 'Ausbord' (2010.0373 - M2-F; 2007.0650 - RS-a), Rosa GLAD TIDINGS 'Tantide' (2005.0024 - RS-e), Rosa glauca (2009.1490 - RS-a), Rosa 'Glenfiddich' (2002.0073 - RS-d; 2013.0049 - RSG), Rosa GOLDEN CELEBRATION 'Ausgold' (2001.4267 - M2-F), Rosa GOLDEN MEMORIES 'Korholesea' (2005.1550 - RS-e), Rosa 'Golden Showers' (2005.0026 - RS-a), Rosa 'Golden Wedding' (2007.0644 - RS-e), Rosa 'Goldfinch' (2000.2218 - G1, G1), Rosa GOOD LIFE 'Cococircus' (2007.0805 - RS-d), Rosa GORDON'S COLLEGE 'Cocjabby' (2006.4077 - RS-e), Rosa GRAHAM THOMAS 'Ausmas' (1995.0114 - M2-F; 2010.0375 - M2-F), Rosa GREAT EXPECTATIONS 'Mackalves' (2005.1551 - RS-d), Rosa HANNAH GORDON 'Korweiso' (1991.0030 - RS-e), Rosa helenae (2005.0582 - M2-F), Rosa hemsleyana (2001.1932 - SL), Rosa 'Henri Martin' (2001.2397 - M2-F, M2-F), Rosa HERITAGE 'Ausblush' (2001.4268 - RS-a), Rosa × hibernica (1983.1317 - Fam2), Rosa HIGHFIELD 'Harcomp' (1983.1609 - RS-a), Rosa HONEYWOOD 'Fryfixit' (2006.4078 - RS-d), Rosa 'Honore de Balzac' (2002.0078 - M2-F), Rosa ICE CREAM 'Korzuri' (2000.1371 - RS-a), Rosa ICEBERG 'Korbin' (2005.1568 - RS-c; 2002.0067 - RS-d), Rosa INGRID BERGMAN 'Poulman' (2000.1370 - RS-a), Rosa 'Irish Elegance' (2001.3072 - M2-F), Rosa IRISH EYES 'Dicwitness' (2005.0048 - RS-d), Rosa 'Ispahan' (1974.1541 - M2-F), Rosa JAMES GALWAY 'Auscrystal' (2007.0649 - RS-c), Rosa 'Just Joey' (XX.012764 - RS-e), Rosa 'Korresia' (2005.0027 - RS-b; 2013.0117 - RS-e), Rosa LADY MACROBERT 'Coclent' (2008.2556 - RS-c), Rosa LADY MARMALADE 'Hartiger' (2017.1202 - RSG), Rosa L'AIMANT 'Harzola' (2005.1552 - RS-e), Rosa laxa (2001.2624 - SL), Rosa LEAPING SALMON 'Peamight' (2005.1559 - RS-a), Rosa 'Leverkusen' (XX.012771 - RS-d), Rosa LILLI MARLENE 'Korlima' (2005.0028 - RS-b), Rosa LOVELY LADY 'Dicjubell' (2005.0004 - RS-b), Rosa LOVING MEMORY 'Korgund' (2010.0379 - RS-b), Rosa LUCKY! 'Frylucy' (2010.0385 - RS-e), Rosa macrophylla (1972.0985 - M2-F), Rosa 'Madame Isaac Péreire' (2017.1203 - RSG), Rosa 'Madame Louis Laperrière' (1995.0111 - RS-d), Rosa 'Madame Plantier' (XX.012780 - M2-F), Rosa majalis (2005.0779 - M2-F), Rosa MANY HAPPY RETURNS 'Harwanted' (2005.0044 - RS-a), Rosa MARGARET MERRIL 'Harkuly' (2011.0484 - RS-e), Rosa 'Marie Louise' (1995.0113 - M2-F), Rosa MARY ROSE 'Ausmary' (1995.0115 - M2-F), Rosa 'Meg' (2016.0965 - RS-b), Rosa MELODY MAKER 'Dicqueen' (2005.0045 - RS-c), Rosa 'Mermaid' (2001.2804 - RS-f; XX.012777 - RS-f, RS-f, RS-f, RS-f, RS-f, RS-f), Rosa MISCHIEF 'Macmi' (2005.1570 - RS-c), Rosa moyesii (XX.000496 - CH; 2006.3365 - RS-a; 1908.001022 - VG), Rosa moyesii f. rosea (2001.0476 - SL), Rosa 'Mr.E.E.Greenwell' (1981.2252 - RS-d), Rosa 'Mrs Oakley Fisher' (2013.0045 - RS-e), Rosa multiflora 'Grevillei' (1998.2007 - M2-F; 2017.1208 - RSG), Rosa multiflora var. cathayensis (XX.012986 - PB-3; 2002.3941 - SL), Rosa MY EVERYTHING 'Coccastle' (2007.0806 - RS-e), Rosa 'National Trust' (2005.0012 - RS-c), Rosa 'New Dawn' (2014.1146 - G1), Rosa × odorata 'Pallida' (2004.2520 - M2-F; 1950.009170 - R4), Rosa odorata var. gigantea (2000.3308 - M2-F), Rosa × odorata 'Viridiflora' (2008.1485 - M2-F), Rosa ORANGES & LEMONS 'Macoranlem' (2007.0647 - RS-e), Rosa OTHELLO 'Auslo' (2001.4259 - RS-a), Rosa 'Parade' (XX.012794 - RS-b), Rosa 'Parkdirektor Riggers' (XX.012795 - RS-a), Rosa PAUL SHIRVILLE 'Harqueterwife' (2005.0013 - RS-d), Rosa 'Paul Transon' (2014.1147 - G1), Rosa 'Paul's Lemon Pillar' (XX.012796 - RS-e), Rosa PEACE 'Madame A. Meilland' (2005.0030 - RS-b), Rosa PEER GYNT

'Korol' (1995.0112 - RS-e), Rosa 'Perle d'Or' (2006.0530 - RS-a), Rosa pimpinellifolia 'Double White' (2000.2277 - M2-F), Rosa pimpinellifolia 'Rubra' (XX.012802 - M2-F), Rosa POLAR STAR 'Tanlarpost' (2016.0964 - RS-b), Rosa PRETTY JESSICA 'Ausjess' (1995.0116 - M2-F), Rosa 'Prima Ballerina' (2005.0032 - RS-b), Rosa primula (XX.012805 - M2-F), Rosa PRINCESS OF WALES 'Hardinkum' (2005.0049 - RS-e), Rosa RADOX BOUQUET 'Harmusky' (1981.2250 - RS-d), Rosa RAY OF HOPE 'Cocnilly' (2005.1553 - RS-e), Rosa RED DEVIL 'Dicam' (2005.0041 - RS-c), Rosa REMEMBER ME 'Cocdestin' (2010.0377 - RS-b), Rosa RENAISSANCE 'Harzart' (2008.2553 - RS-e), Rosa RHAPSODY IN BLUE 'Frantasia' (2008.2557 - RS-e), Rosa 'Rob Roy' (2005.1554 - RS-d), Rosa ROBIN REDBREAST 'Interrob' (2005.0050 - RS-a), Rosa ROMANCE 'Tanezamor' (2010.0386 - RS-e), Rosa roxburghii f. normalis (2001.0477 - SL), Rosa rubiginosa (XX.012809 - M2-F), Rosa RUBY ANNIVERSARY 'Harbonny' (2013.0119 - RS-b), Rosa 'Ruby Wedding' (2005.0015 - RS-c), Rosa SAINT CECILIA 'Ausmit' (2001.2810 - RS-a), Rosa 'Scabrosa' (1972.0988 - M2-F), Rosa sempervirens (1998.1380 - M2-F), Rosa SEXY REXY 'Macrexy' (2013.0116 - RS-d; 2005.0034 - RS-e), Rosa SHARIFA ASMA 'Ausreef' (2001.4260 - RS-a), Rosa SHEILA'S PERFUME 'Harsherry' (2005.0046 - RS-e), Rosa sherardii (2005.0242 - M2-F), Rosa 'Silver Jubilee' (2005.0035 - RS-d), Rosa SIMPLY THE BEST 'Macamster' (2007.0646 - RS-b), Rosa SOLITAIRE 'Macyefre' (1991.0023 - RS-c), Rosa SOPHY'S ROSE 'Auslot' (2010.0371 - RS-f), Rosa soulieana (XX.010069 - CT-north; 2000.3092 - M2-F; 2001.0478 - SL), Rosa 'Souvenir de la Malmaison' (XX.012130 - EG-wall), Rosa 'Souvenir de St. Anne's' (1982.1031 - G1, M2-F), Rosa SPARKLE 'Frymerlin' (2013.0043 - RS-b), Rosa SPECIAL ANNIVERSARY 'Whastiluc' (2010.0378 - RS-b), Rosa spinosissima var. altaica (2011.0177 - M2-F), Rosa STARLIGHT EXPRESS 'Trobstar' (2011.0483 - RS-d), Rosa SUPER EXCELSA 'Helexa' (2014.1148 - G1), Rosa SUPER STAR 'Tanorstar' (2013.0044 - RSG), Rosa SWEET JULIET 'Ausleap' (2001.4261 - RS-a), Rosa 'Sympathie' (2005.0037 - RS-d), Rosa TEASING GEORGIA 'Ausbaker' (2010.0372 - RS-e), Rosa TEQUILA SUNRISE 'Dicobey' (2005.0038 - RS-b), Rosa THE COMPASSIONATE FRIENDS 'Harzodiac' (2014.1143 - RS-c), Rosa 'The Queen Elizabeth' (2016.0960 - RS-c; 2005.0033 - RS-d), Rosa THINKING OF YOU 'Frydandy' (2007.0645 - RS-c), Rosa TICKLED PINK 'Fryhunky' (2007.0807 - RS-e), Rosa TOPROSE 'Cocgold' (2005.0009 - RS-d), Rosa TROIKA 'Poumidor' (2005.1565 - RS-c), Rosa TRUMPETER 'Mactru' (2002.0064 - RS-a; XX.012832 - RS-d), Rosa 'Turkestan' (XX.005854 - VB-w), Rosa 'Tuscany Superb' (2000.3310 - RS-a), Rosa 'Veilchenblau' (2000.2219 - G1), Rosa vogesiaca (2005.0552 - M2-F), Rosa WARM WISHES 'Fryxotic' (2005.0016 - RS-e), Rosa 'Wendy Cussons' (2005.0005 - RS-a), Rosa 'Wilhelm' (XX.012836 - M2-F), Rosa 'William Lobb' (1983.0002 - M2-F), Rosa WILLIAM SHAKESPEARE 2000 'Ausromeo' (2010.0374 - M2-F), Rosa willmottiae (2001.1383 - Fam2), Rosa WISHING 'Dickerfuffle' (2005.0010 - RS-e), Rosa xanthina (2003.0234 - SL), Rosa xanthina 'Canary Bird' (2006.3366 - RS-a), Rosa xanthina f. hugonis (2001.1376 - SL), Rosa xanthina f. spontanea (2001.0480 - SL), Rosa 'Zéphérine Drouhin' (XX.012837 - RS-a), **Roscoea alpina** (1986.0517 - AY-B01), **Roscoea auriculata** (2006.0330 - Fam4), **Roscoea cautleyoides** 'Kew Beauty' (1983.0966 - Fam4), **Roscoea purpurea** (2006.0331 - Fam4; 2004.1656 - M2-B), **Rosmarinus officinalis** 'Eden' (2009.2111 - RRJ), **Rossioglossum grande** (2006.0139 - OH), **Rossioglossum Rawdon** 'Jester' (2004.0686 - OH; 2004.0687 - OH), **Rossioglossum schlieperianum** (2006.0140 - OH), **Rubia tinctorum** (2004.1323 - Fam3; XX.001194 - Fam3), **Rubus cockburnianus** (XX.010129 - CT-south, CT-south; XX.010134 - CT-south; 2003.0258 - SL, SL), **Rubus henryi** var. bambusarum (2006.2350 - EG-wall; XX.012114 - EG-wall), **Rubus ichangensis** (2004.1711 - Fam2; 2003.0067 - SL), **Rubus idaeus** × **caesius** (1934.012125 - EG-wall), **Rubus lineatus** (XX.010631 - AB), **Rubus pentalobus** (1970.0791 - RRH), **Rubus phoenicolasius** (XX.012117 - EG-wall), **Rubus pubescens** (1984.1013 - RRD), **Rubus reflexus** (1978.2012 - PH-a, PH-c), **Rubus trilobus** × **deliciosus** 'Benenden' (XX.010277 - WS), **Rudbeckia fulgida** var. **sullivantii** 'Goldsturm' (2008.0632 - OB), **Rudbeckia laciniata** 'Herbstonne' (2007.0187 - OBE), **Rumex alpinus** (1999.1373 - Fam1), **Rumex flexuosus** (2004.1324 - Fam1), **Rumex obtusifolius** (1999.3886 - Fam1), **Rumex patientia** (2005.0673 - Fam1), **Ruscus aculeatus** (XX.005187 - CT-north; XX.005199 - CT-north; XX.010008 - CT-north; 2006.2110 - CT-south; XX.010097 - CT-south; XX.012291 - Fam4; 2006.3234 - RRH, RRN; 2006.3594 - VG, VG), **Ruscus aculeatus** var. **angustifolius** (XX.009652 - OS; 2006.3595 - VG; XX.005534 - VG, VG), **Ruscus hypoglossum** (XX.010014 - CT-north; XX.000968 - VG), **Russelia equisetiformis** (2003.1862 - PH-c), **Ruta bracteata** (1981.1178 - Fam2), **Ruta graveolens** (2005.0222 - Fam2).

Saccharum officinarum (XX.001814 - PH-c), **Salix aurita** (1988.0222 - P6; 2004.0290 - T2), **Salix caprea** (2011.1752 - T2), **Salix cinerea** (2012.0290 - T2; 2012.0293 - T2), **Salix daphnoides** (2012.0294 - T2), **Salix elaeagnos** (2001.2367 - T2; XX.004153 - T2), **Salix** × **erdingeri** (XX.004149 - T2), **Salix** 'Erythroflexuosa' (1986.0041 - T2), **Salix exigua** (2003.0719 - Fam2), **Salix fargesii** (1998.1656 - SL; 2003.0259 - SL), **Salix glabra** (XX.004178 - P6), **Salix gracilistyla** 'Melanostachys' (1976.0659 - P6), **Salix** × **grahamii** (XX.004186 - RRD), **Salix hibernica** (1983.1318 - RRH), **Salix hylematica** (2000.1322 - AY-B03, AY-B14, RRA), **Salix irrorata** (1991.0496 - T2), **Salix nakamura** var. **yezoalpina** (1979.0301 - RRD), **Salix No.6** (2012.0292 - T2), **Salix repens** (2006.3452 - T2; 2006.3453 - T2; 2006.3454 - T2), **Salix** × **rubens** (1968.000670 - T2), **Salix** × **smithiana**

(2004.0292 - T2), *Salix viminalis* (2004.0293 - T2), *Salix yezoalpina* (1999.3692 - AY-T2, RRD), ***Salvia*** 'African Sky' (2013.1135 - AY-B14), *Salvia apiana* (1998.0260 - AY-B10), *Salvia argentea* (1994.0283 - AY-B06), *Salvia bicolor* (2013.1140 - AY-B04), *Salvia blepharophylla* (1994.0572 - AY-B09, AY-B10), *Salvia caerulea* (2001.2472 - AY-B13), *Salvia castanea* (1999.3419 - SL), *Salvia coccinea* (2009.0022 - AY-B14), *Salvia curviflora* 'Tubular Bells' (2012.1013 - AY-B14), *Salvia cyanescens* (1996.1005? - AY-B09), *Salvia dorrii* var. *dorrii* (1995.1122 - AY-B10), *Salvia lavandulifolia* subsp. *lavandulifolia* (1996.1010 - AY-B09), *Salvia leucophylla* (1996.1011 - AY-B09, AY-B09), *Salvia microphylla* (2008.2336 - AY-B01), *Salvia microphylla* 'Cerro Potosi' (2008.2360 - AY-B13), *Salvia moorcroftiana* (1996.1012 - AY-B10), *Salvia pachyphylla* (1996.1013 - AY-B09), *Salvia przewalskii* (2003.0383 - SL), *Salvia recognita* (1998.0261 - AY-B10), *Salvia stachydifolia* (2008.0612 - AY-B09), *Salvia transsylvanica* (2001.1039 - C5), *Salvia x superba* 'Violet Queen' (2012.1775 - C5, OB), ***Sambucus nigra*** 'Marginata' (XX.011807 - OA), ***Sandersonia aurantiaca*** (2006.0332 - Fam4), ***Sanguisorba canadensis*** (XX.000821 - Fam2), *Sanguisorba menziesii* (2005.0223 - Fam2), *Sanguisorba obtusa* (XX.000819 - Fam2), ***Sansevieria cylindrica*** (XX.008141 - PH-a), *Sansevieria trifasciata* 'Graigii' (XX.001775 - PH-a), ***Saponaria ocymoides*** (2017.0214 - RRA), *Saponaria officinalis* (XX.000773 - Fam1), ***Sarcocochilus hartmannii*** (2006.0142 - OH), *Sarcocochilus Heide* (2006.0141 - OH), *Sarcocochilus Heide* 'PJ' x *hartmannii* x *Dove* 'Pink' (2006.0143 - OH), ***Sarcococca confusa*** (XX.014010 - CH; 1998.2029 - M2-J; XX.001136 - VG), *Sarcococca hookeriana* var. *digyna* (1920.010721 - AB; XX.000432 - CH; XX.000483 - CH; XX.010237 - OA; 2002.2252 - SL, SL), *Sarcococca ruscifolia* (XX.010730 - AB; XX.000395 - CH; XX.000407 - CH; XX.000486 - CH; XX.014004 - CH; 2004.1709 - ES; 2001.2395 - SL, SL), *Sarcococca ruscifolia* var. *chinensis* (1926.010057 - CT-north; XX.010122 - CT-south; XX.010154 - CT-south; 1999.3688 - M2-B; XX.012025 - RRG(w); 1999.3688 - T1), *Sarcococca saligna* (2006.3275 - RRL), ***Sargentodoxa cuneata*** (1917.012124 - EG-wall), ***Sarmienta repens*** (1992.0532 - AY-B04), ***Sarracenia flava*** var. *ornata* (1998.1063 - Fam3), *Sarracenia flava* var. *rubricorpora* (2000.4063 - Fam3), *Sarracenia purpurea* subsp. *purpurea* (1998.0926 - Fam3), ***Saruma henryi*** (2001.1902 - Fam0; 2003.0260 - M1-K, M2-H, SL), ***Satureja coerulea*** (1982.1833 - AY-B02), *Satureja cuneifolia* (1950.003845 - AY-B09), *Satureja montana* (XX.003847 - RRB), *Satureja selerriana* (1996.1016 - AY-B10), ***Sauromatum venosum*** (XX.012292 - Fam4; 2000.3431 - SL), ***Saxegothaea conspicua*** (2006.2471 - M1-L), *Saxifraga* 'Pixie Apple Blossom' (2017.0215 - RRA), *Saxifraga* 'Pixie Rose' (2017.0216 - RRA), *Saxifraga* 'Pixie White' (2017.0217 - RRF), ***Saxifraga 'Aemula'*** (XX.003260 - RRD), *Saxifraga aizoides* (1999.1897 - RRD), *Saxifraga alberti* (2004.0890 - Fam1, RRA), *Saxifraga x apiculata* (XX.003262 - RRD, RRD), *Saxifraga x apiculata* 'Primrose Bee' (XX.003265 - RRA, RRD), *Saxifraga x arco-valleyi* (XX.003266 - RRD), *Saxifraga x arendsii* 'Deep Red Rocket' (2017.0310 - RRF), *Saxifraga x arendsii* TOURAN 'Neon Rose' (2017.0311 - RRF), *Saxifraga x arendsii* TOURAN 'Scarlet' (2017.0312 - RRF), *Saxifraga x belluensis* (XX.003191 - RRD), *Saxifraga x biasoletti* (XX.003344 - RRA), *Saxifraga* 'Boston Spa' (x *elisabethae*) (2006.3707 - AY-B14, AY-T1, AY-T2; XX.003273 - RRA, RRD), *Saxifraga x boydii* (XX.000634 - RRA; 2008.1500 - RRP), *Saxifraga x boydii* 'Aretiastrum' (XX.011298 - RRA, RRD), *Saxifraga burseriana* 'Alba' (2006.3775 - RRD), *Saxifraga burseriana x sancta* (2000.3252 - AY-B02), *Saxifraga* 'Buttercup' (x *kayei*) (XX.003285 - RRA; 2001.0642 - RRD), *Saxifraga callosa* (XX.003307 - Fam1; XX.012437 - Fam1; 1985.1198 - RRA, RRD; 2002.3221 - RRH), *Saxifraga callosa* 'Lingulata' (XX.003165 - RRA, RRD), *Saxifraga camposii* (XX.003108 - Fam1), *Saxifraga canaliculata* (2000.0271 - RRD), *Saxifraga* 'Cecil Davis' (XX.003197 - RRD), *Saxifraga* 'Charicote' (2000.1084 - RRD), *Saxifraga* 'Clarence Elliott' (1998.0266 - AY-T2), *Saxifraga* 'Cloth of Gold' (1996.0880 - AY-B08, AY-T1), *Saxifraga cochlearis* (XX.012433 - AY-T1, Fam1), *Saxifraga cochlearis* 'Minutifolia' (2000.1085 - RRA, RRD), *Saxifraga* 'Correioniana' (2000.1293 - RRD), *Saxifraga cortusifolia* (2000.1294 - AY-B14), *Saxifraga cotyledon* 'Pyramidalis' (XX.003212 - RRA), *Saxifraga* 'Cranbourne' (XX.003287 - Fam1), *Saxifraga crustata* (1999.0798 - RRA; 2000.2138 - RRD), *Saxifraga crustata* var. *vochinensis* (XX.003214 - AY-B01, Fam1, RRA, RRD), *Saxifraga cymbalaria* (1994.0208 - AY-B05, AY-B07, AY-B08), *Saxifraga x edithae* 'Bridget' (1960.003274 - AY-B07), *Saxifraga x engleri* (XX.003347 - PH-c), *Saxifraga x eudoxiana* 'Haagii' (XX.003301 - AY-B14, AY-T2), *Saxifraga exarata* var. *exarata* (2001.3903 - AY-B01), *Saxifraga* 'Falconside' (XX.003291 - RRA), *Saxifraga x forsteri* (2003.1158 - RRA), *Saxifraga* 'Franzii' (XX.003293 - AY-B07; 1958.000674 - RRA), *Saxifraga frederici-augusti* subsp. *grisebachii* (1998.0265 - AY-T3), *Saxifraga x gloriana* (XX.003378 - AY-B07), *Saxifraga* 'Grace Farwell' (1992.0521 - AY-B14), *Saxifraga x gusmusii* (XX.003379 - RRA), *Saxifraga hostii* (1999.0835 - AY-B05; XX.012435 - Fam1; 1999.0835 - RRD; XX.000668 - RRH), *Saxifraga hypnoides* (1999.3898 - Fam1; XX.012436 - Fam1), *Saxifraga intricata* 'Pygmaea' (XX.003221 - RRA), *Saxifraga x irvingii* 'His Majesty' (XX.003278 - AY-T1), *Saxifraga* 'James Bremner' (1998.0270 - AY-T3), *Saxifraga juniperifolia* (XX.003306 - RRA, RRD), *Saxifraga* 'Labradorica' (XX.003163 - RRA; 2000.1214 - RRD), *Saxifraga* 'Lidice' (1998.0272 - AY-T2), *Saxifraga* 'Lissadell' (2000.4028 - AY-B14, RRA, RRH), *Saxifraga x luteopurpurea* 'Grenieri' (1934.003390 - RRA), *Saxifraga marginata* var. *coriophylla* (XX.003315 - Fam1), *Saxifraga marginata* var. *rocheliana* (1964.003316 - RRA), *Saxifraga* 'Minor' (XX.003204 - AY-B05, RRD), *Saxifraga* 'Mossy Red' (2014.0146 - RRB), *Saxifraga* 'Mrs King' (2000.1213 - RRA), *Saxifraga* 'Mrs Leng' (1956.003241 - RRA), *Saxifraga obtusa* (2000.1215 - RRD), *Saxifraga oppositifolia* (2001.3097 - AY-B01), *Saxifraga oppositifolia* 'Purpurea' (XX.003367 - AY-B05), *Saxifraga oppositifolia*

'Pyrenaica' (2001.3621 - RRA), *Saxifraga oppositifolia* subsp. *speciosa* (2002.0061 - RRA, RRD), *Saxifraga paniculata* (2000.2136 - Fam1; 2000.2137 - RRA; 2006.0552 - RRA; XX.003185 - RRA), *Saxifraga paniculata* 'Bricknellii' (XX.003150 - RRA), *Saxifraga paniculata* 'Flavescens' (XX.003158 - RRA), *Saxifraga paniculata* 'Portae' (XX.003170 - RRA), *Saxifraga paniculata* subsp. *cartilaginea* (XX.003151 - RRA), *Saxifraga paniculata* var. *baldensis* (1998.0264 - AY-B08; 1998.0906 - Fam1, RRA), *Saxifraga paniculata* var. *minutifolia* (1913.003168 - RRA), *Saxifraga paradoxa* (XX.003242 - RRA), *Saxifraga paradoxa* 'Longifolia' (XX.003243 - RRA), *Saxifraga* × *paulinae* (1960.003321 - RRA), *Saxifraga pennsylvanica* (1999.1196 - RRA), *Saxifraga* 'Peter Pan' (2017.0274 - RRC), *Saxifraga* 'Primrose Dame' (1998.0271 - AY-B07), *Saxifraga* 'Primulaize Salmon' (1998.0268 - AY-T3), *Saxifraga retusa* subsp. *retusa* (XX.003368 - RRA), *Saxifraga* 'Rex' (1919.003386 - RRA), *Saxifraga rosacea* (1976.1367 - AY-B06), *Saxifraga rotundifolia* (XX.004240 - RRD, RRJ), *Saxifraga* 'Rubella' (1960.003329 - RRA), *Saxifraga* × *salmonica* 'Kestoniensis' (XX.003309 - AY-B03), *Saxifraga* 'Salomonii' (XX.003330 - AY-T2), *Saxifraga sancta* (1956.003391 - Fam1; XX.003332 - Fam1), *Saxifraga* 'Saturn' (2000.1096 - RRD), *Saxifraga* 'Saxony Red' (2017.0185 - RRF), *Saxifraga scardica* (1958.003334 - RRA; 2003.1164 - RRB), *Saxifraga* 'Silver Cushion' (1998.0273 - AY-T2), *Saxifraga* Southside Seedling Group (1992.0515 - AY-B02), *Saxifraga* × *stormonthii* (1932.003134 - RRA), *Saxifraga* 'Sturmiana' (XX.003178 - RRA), *Saxifraga* 'Superba' (2000.3966 - AY-B05), *Saxifraga* 'Timballii' (XX.003250 - RRB), *Saxifraga tombeanensis* (XX.003340 - RRA), *Saxifraga* 'Tumbling Waters' (1992.0520 - AY-T1, RRD), *Saxifraga* 'Valerie Keevil' (XX.003346 - AY-T2), *Saxifraga wendelboi* (2001.3603 - RRD), *Saxifraga* 'White Pixie' (2015.0116 - RRB; 2000.1302 - RRD), *Saxifraga* 'White Star' (2017.0186 - RRA), *Saxifraga* 'Winifred' (1992.0514 - AY-B14), *Saxifraga* 'Winifred Brevington' (2001.0644 - AY-B01), *Saxifraga* × *arendsii* 'Purple Carpet' (2015.0434 - RRA), *Saxifraga* × *zimmereri* (2001.0645 - Fam1), **Scabiosa columbaria** (2013.0599 - Fam3), *Scabiosa graminifolia* (1999.1054 - Fam3), *Scabiosa japonica* (XX.001201 - Fam3), *Scabiosa lucida* (1999.0631 - Fam3), *Scabiosa ochroleuca* (2004.1327 - Fam3), **Scaphyglottis prolifera** (2006.0144 - OH), **Schinus polygamus** (XX.005819 - VB-w), **Schisandra henryi** var. *yunnanense* (2003.1059 - SL), *Schisandra sphaerandra* (XX.004436 - MG-C), **Schivereckia doerfleri** (1987.0168 - AY-B01), **Schizophragma hydrangeoides** (1934.005898 - VB-w), *Schizophragma integrifolium* (XX.010348 - WS; XX.010351 - WS), **Schizostylis coccinea** (2003.0044 - Fam4; 1997.1301 - R2), *Schizostylis coccinea* f. *alba* (2003.1469 - RRD, RRD), **Schomburgkia cilicina** (XX.002126 - OH), **Sciadopitys verticillata** (2006.2503 - M2-B), **Scilla bithynica** (2000.3258 - AY-B05), *Scilla forbesii* (1999.3579 - M1-B), *Scilla peruviana* (2006.1743 - AB), *Scilla peruviana* 'Alba' (XX.012904 - AB), *Scilla peruviana* 'Van Houtte' (XX.012902 - AB), *Scilla siberica* (2000.3253 - AY-B05), *Scilla siberica* 'Spring Beauty' (2000.3254 - AY-B03), *Scilla verna* (1995.0087 - AY-B06), **Scopolia carniolica** (2004.0961 - M2-B), **Scutellaria baicalensis** (2003.0386 - SL), **Sedum aizoon** (XX.010784 - Fam1), *Sedum alboroseum* (XX.012425 - RRA), *Sedum anacampseros* (1993.0151 - AY-B01), *Sedum densifolium* (XX.007538 - Fam1), *Sedum divergens* (2002.3704 - Fam1), *Sedum kamtschaticum* (2004.1332 - Fam1), *Sedum kamtschaticum* var. *ellacombeanum* (2001.2896 - RRC), *Sedum kamtschaticum* var. *floriferum* (XX.012420 - Fam1), *Sedum* 'Matrona' (2002.0859 - OB), *Sedum nussbaumerianum* (2010.0066 - CC), *Sedum oreganum* (2015.0114 - RRA), *Sedum pachyphyllum* (2015.0063 - Fam1), *Sedum praealtum* (XX.012421 - Fam1), *Sedum pulchellum* (2004.1333 - Fam1), *Sedum rubrotinctum* (2005.1348 - Fam1), *Sedum spathulifolium* (XX.005803 - AY-B08; 2013.0215 - AY-B15; 2000.1306 - Fam1), *Sedum spathulifolium* 'Cape Blanco' (2008.0620 - RRA), *Sedum spectabile* 'Brilliant' (2008.0390 - OB, OB), *Sedum spurium* 'Ruby Mantle' (1990.1075 - RRA), *Sedum spurium* 'Splendens' (XX.005741 - RRA), *Sedum spurium* var. *coccineum* (2004.1334 - CM-east, Fam1), *Sedum spurium* 'Variegatum' (1990.1076 - AY-T2, RRA), *Sedum treleasei* (2010.0062 - CC), **Semiaquilegia ecalcarata** (2002.0422 - AY-B14; 2004.1335 - Fam2), **Sempervivum tectorum** (2004.1336 - Fam1), **Senecio argyreus** (1996.1022 - AY-B05), *Senecio articulatus* (XX.007548 - CC), *Senecio spiculosus* (XX.007180 - CC), **Sequoia sempervirens** (XX.010012 - CT-north; XX.013847 - P6), *Sequoia sempervirens* 'Glaucua' (XX.007813 - P4), *Sequoia sempervirens* 'Prostrata' (2006.3216 - RRG), **Sequoiadendron giganteum** (2007.0839 - A5S; XX.010519 - P5; XX.011180 - R4), **Sesleria nitida** (2002.0701 - RRA), **Shibataea chinensis** (2001.3751 - SL), *Shibataea kumasasa* (2001.3750 - SL), **Sibbaldia purpurea** (1999.1885 - RRA), **Sibiraea laevigata** (XX.006168 - SL), **Sibthorpia europaea** (1970.0817 - AY-B08), **Sidalcea candida** 'Bianca' (2005.0224 - Fam2), **Sigmatostalix radicans** (2006.0153 - OH), **Silene acaulis** 'Pedunculata' (1999.2201 - RRJ), *Silene acaulis* subsp. *excapa* (2004.1337 - Fam1), *Silene acaulis* subsp. *longiscapa* (1999.2117 - AY-T3), *Silene bupleuroides* (1978.0712 - AB), *Silene fortunei* (2004.1794 - Fam1), *Silene pennsylvanica* (2004.1338 - Fam1), *Silene regia* (2004.1339 - Fam1), *Silene saxifraga* (2013.0514 - Fam1), *Silene uniflora* 'Drueett's Variegated' (1995.0902 - AB), *Silene zawadskii* (1975.0968 - AY-B14; 2005.0390 - Fam1), **Silphium perfoliatum** (XX.012297 - Fam3), **Sinocalycanthus chinensis** (2002.0465 - SL; 2003.0567 - SL), **Sinowilsonia henryi** (2004.1780 - ES; 2003.0566 - SL), **Sisymbrium strictissimum** (XX.000739 - Fam2), **Sisyrinchium** 'E.K. Balls' (1992.0075 - AY-B01), *Sisyrinchium idahoense* var. *macounii* (1998.0263 - AY-B10), *Sisyrinchium striatum* (XX.012298 - Fam4), **Skimmia anquetilia** (XX.010477 - CT-south), *Skimmia japonica* 'Bowl's Dwarf' (XX.000199 - CT-south; 2002.0313 - RRL), *Skimmia japonica* 'Bronze Knight' (2002.0310 - RRL), *Skimmia japonica* subsp.

reevesiana (2008.2564 - Fam2), *Skimmia japonica* 'Veitchii' (2006.2111 - CT-south), *Skimmia japonica* 'Wakehurst White' (2006.2112 - CT-south), *Skimmia japonica* 'Wisley' (2002.0316 - RRL), *Skimmia laureola* (1998.1933 - SL), *Smilacina purpurea* (2001.1530 - SL), *Smilacina racemosa* (2000.1157 - M1-K), *Smilacina racemosa* subsp. *amplexicaulis* (2000.1158 - M1-K), *Smilax aspera* (XX.005857 - VB-w), *Smilax aspera* 'Rotundata' (2007.0145 - WS), *Smilax excelsa* (XX.005868 - VB-w), *Smilax megalantha* (XX.010370 - WS), *Sobralia brandtiae* (2002.2121 - OH; 2002.2128 - OH), *Sobralia decora* (1997.0540 - OH; 1997.0541 - OH; 2001.0413 - OH; 2002.2117 - OH, OH; 2002.2127 - OH), *Sobralia leucoxantha* (XX.012550 - OH), *Sobralia liliastrum* (2002.2110 - OH, OH, OH, OH, OH), *Sobralia lucasiana* (1955.012560 - OH, OH), *Sobralia macrantha* (1996.0412 - OH, OH; 2002.2112 - OH, OH; 2002.2133 - OH; 2002.2139 - OH; 2002.2141 - OH; 2002.3764 - OH), *Sobralia sessilis* (2002.2120 - OH; 2002.2123 - OH; 2002.2134 - OH, OH), *Sobralia violacea* (2002.2124 - OH; 2002.2135 - OH), *Sobralia violacea* var. *alba* (2002.2113 - OH, OH, OH, OH, OH, OH, OH; 2002.2126 - OH, OH), *Solanum crispum* 'Glasnevin' (2003.1186 - Fam3), *Solanum pinnatum* (1996.1026 - AY-B09), *Soldanella carpatica* (1992.0526 - AY-B04), *Soldanella montana* (1992.0008 - AY-B14), *Solidago caesia* (2012.0376 - AY-B03), *Solidago gigantea* (1999.0234 - Fam3), *Solidago multiradiata* (1994.0286 - AY-B02), *Sollya erecta* (1996.1029 - AY-B09), *Sollya heterophylla* (1996.1250 - AY-B01), *Sophora davidii* (2000.4424 - SL; 2003.0064 - SL; XX.005902 - VB-w), *Sophora flavescens* (1983.0102 - LA), *Sophora macrocarpa* (1993.0382 - NZ-S), *Sophora microphylla* (1986.0325 - LB), *Sophora tetraptera* (2001.1721 - LA; 1998.1250 - NZ-E), *Sophronitis coccinea* (2006.0146 - OH), *Sorbaria assurgens* (XX.012337 - R6), *Sorbaria kirilowi* (XX.000488 - CH; XX.010016 - CT-north; XX.010064 - CT-north; XX.010099 - CT-south; 2006.3175 - R6; XX.012341 - R6; 2003.0261 - SL), *Sorbaria sorbifolia* (XX.012336 - R6, R6), *Sorbaria tomentosa* (1975.0875 - R6), *Sorbaria tomentosa* var. *angustifolia* (2006.3176 - R6), *Sorbus americana* (1983.0724 - A3), *Sorbus anglica* (2001.4092 - A3), *Sorbus aria* 'Glasnevin Gold' (1989.0270 - A3), *Sorbus aria* 'Lutescens' (2000.1708 - A3), *Sorbus aria* 'Minima' (1957.010904 - A3), *Sorbus aucuparia* (2000.1701 - A3), *Sorbus aucuparia* 'Asplenifolia' (2000.1706 - A3), *Sorbus aucuparia* 'Dirkenii' (2003.0662 - A3), *Sorbus aucuparia* 'Sheerwater Seedling' (2012.1999 - A3), *Sorbus cashmiriana* (2000.1707 - A3; 2001.4126 - A3), *Sorbus commixta* (2000.1702 - A3; 2001.4082 - SL), *Sorbus commixta* 'Serotina' (1985.0599 - A3), *Sorbus devoniensis* (1995.0772 - A3), *Sorbus discolor* (2001.4120 - A3, A3; 2001.4122 - A3; XX.010886 - A3), *Sorbus forrestii* (1981.1159 - A3), *Sorbus intermedia* (2001.4139 - A3), *Sorbus karpatii* (1984.0778 - A3), *Sorbus koehneana* (2001.4091 - A3), *Sorbus latifolia* (1989.0271 - A3; XX.010874 - A3), *Sorbus leyana* (2001.4138 - A3), *Sorbus mougeotii* (1941.010906 - C5; XX.013386 - SL), *Sorbus* 'Orange Ness' (2001.4112 - A3), *Sorbus prattii* (2002.2254 - SL), *Sorbus pseudovertesensis* (XX.010915 - A3), *Sorbus reducta* (2001.3611 - SL), *Sorbus rupicola* (1980.0335 - A3), *Sorbus scalaris* (1984.0581 - A3), *Sorbus sitchensis* (1985.0289 - A3), *Sorbus* 'White Ness' (2001.4113 - A3), *Spiraea alba* var. *latifolia* (2012.0959 - R6, R6), *Spiraea alpina* (XX.012321 - R6), *Spiraea* 'Arguta' (1973.0346 - R6), *Spiraea bella* (1973.0347 - R6), *Spiraea betulifolia* (1984.1318 - R6; 2006.3181 - R6), *Spiraea* × *billardii* (XX.011887 - R6), *Spiraea* × *brachybotrys* (XX.012325 - R6), *Spiraea canescens* (XX.011898 - R6, R6, R6), *Spiraea cantoniensis* (1973.0349 - R6), *Spiraea chamaedryfolia* var. *flexuosa* (XX.011883 - R6), *Spiraea decumbens* subsp. *tomentosa* (2006.3184 - R6), *Spiraea douglasii* (1999.2706 - R6; 2001.3698 - R6), *Spiraea douglasii* var. *menziesii* (XX.010081 - CT-north; XX.011890 - R6), *Spiraea henryi* (1998.0986 - R6; 1982.1082 - RRG(w), SL), *Spiraea hypericifolia* (XX.011882 - R6), *Spiraea* × *intermedia* (2006.1538 - RRN, RRN), *Spiraea japonica* 'Albiflora' (XX.012330 - R6, R6), *Spiraea japonica* 'Anthony Waterer' (XX.011108 - RRJ), *Spiraea japonica* 'Coccinea' (XX.012332 - R6), *Spiraea japonica* 'Dart's Red' (2003.0663 - R6), *Spiraea japonica* 'Froebelii' (2012.0958 - R6), *Spiraea japonica* 'Golden Princess' (2003.0667 - R6), *Spiraea japonica* 'Goldflame' (2000.3803 - AB; 2003.0665 - R6), *Spiraea japonica* 'Goldmound' (2003.0666 - R6), *Spiraea japonica* 'Little Princess' (2003.0668 - R6), *Spiraea japonica* 'Nana' (XX.003073 - AY-B03; 2011.0487 - RRA, RRF), *Spiraea japonica* 'Ruberrima' (2006.2244 - R6), *Spiraea japonica* 'Shirobana' (2000.3804 - AB), *Spiraea japonica* 'Walluf' (1924.010042 - CT-north), *Spiraea laeta* (1938.012333 - R6; 2001.3705 - R6), *Spiraea* 'Margaritae' (XX.011891 - R6), *Spiraea media* (1973.0351 - R6), *Spiraea mollifolia* (XX.011889 - R6), *Spiraea nipponica* (XX.011881 - R6), *Spiraea nipponica* var. *rotundifolia* (1994.1199 - AY-B10; 1998.2042 - RRG(w)), *Spiraea rosthornii* (XX.012323 - R6), *Spiraea salicifolia* (2006.3178 - R6), *Spiraea* × *sanssouciana* 'Intermedia' (XX.011894 - R6, R6), *Spiraea thunbergii* (XX.011888 - R6), *Spiraea trilobata* (XX.011885 - R6; 1927.001013 - VG; XX.000935 - VG), *Spiraea* × *vanhouttei* (2001.3696 - R6; 2006.3182 - R6; 2006.3183 - R6; XX.011893 - R6; XX.001154 - VG), *Spiraea veitchii* (1973.0352 - R6), *Spiraea* × *watsoniana* (1963.011895 - R6), *Spiraea wilsonii* (1998.0988 - SL), *Spiraea yunnanensis* (1973.0353 - R6), *Spiranthes cernua* 'Chadd's Ford' (2006.0147 - OH), *Stachys foliosa* (1996.0904 - AY-T3), *Stachys germanica* (XX.005750 - RRA), *Stachyurus praecox* (XX.010275 - WS; XX.010306 - WS), *Stachyurus praecox* var. *gracilis* (XX.000506 - CH), *Stangeria eriopus* (XX.000907 - PH-c), *Stanhopea Augres* (2006.0148 - OH), *Stanhopea jenischiana* (2006.0150 - OH), *Stanhopea oculata* (2006.0149 - OH), *Stanhopea ruckeri* (2000.3038 - OH), *Stanhopea tigrina* (2006.0151 - OH), *Stanhopea wardii* (XX.002734 - OH), *Staphylea colchica* 'Coulombieri' (1912.006023 - O2), *Staphylea colchica* var. *kochiana* (1930.006025 - O2), *Staphylea* ×

elegans 'Hessei' (1912.006021 - O2; XX.006026 - O2), *Staphylea holocarpa* (XX.006027 - O2), *Staphylea pinnata* (1912.006020 - O2; XX.006022 - O2), **Staurontia hexaphylla** (1934.010267 - WS; 2008.2652 - WS), **Stenocereus pruinosis** (2007.0140 - CC), **Stenochlaena palustris** (XX.001996 - CLE-D), **Stephanandra tanakae** (XX.012342 - R6), **Sternbergia lutea** (2014.0998 - RRH), **Stewartia pteropetiolata** var. *koreana* (XX.014026 - M1-C), **Stipa extremiorientalis** (1995.1019 - Fam4), *Stipa tenuifolia* (1996.0563 - AY-B02), **Streptocarpus haygarthii** (2005.0253 - CLE-B, CLE-B), **Strobilanthes atropurpureus** (1995.0561 - M2-B), *Strobilanthes attenuata* (2004.1344 - Fam3), **Styphnolobium japonicum** (1984.1317 - LC; 1980.0598 - RRG; 1984.1431 - T1), *Styphnolobium japonicum* 'Little Baby' (2007.0638 - LA), *Styphnolobium japonicum* 'Pyramidalis' (1911.004111 - O1), **Styrax americanus** (XX.012972 - PB-3; XX.012973 - PB-3), *Styrax wilsonii* (XX.005908 - VB-w), **Suaeda fruticosa** (1999.3911 - Fam1), **Succisa pratensis** (1995.0691 - Fam3; 1999.3912 - Fam3), **Succisella inflexa** (1999.0851 - Fam3), **Sutherlandia montana** (1994.1224 - AY-B09), **Swertia bimaculata** (2004.1836 - Fam3), **Swietenia macrophylla** (1999.1103 - PH-a, PH-c), **Sycoparrotia semidecidua** (XX.010484 - CT-north; XX.014080 - M1-K), **Sycopsis sinensis** (1905.010033 - CT-north; 1969.0435 - CT-south; 2004.1984 - ES), **Symphoricarpos albus** var. *laevigatus* (XX.001043 - VG), *Symphoricarpos orbiculatus* (1960.010153 - CT-south), *Symphoricarpos rotundifolius* (XX.010047 - CT-north), **Syneilesis palmata** (1999.0846 - M2-B), **Synthyris pinnatifida** (XX.003880 - AY-B04), **Syringa** × *chinensis* 'Saugeana' (2017.0068 - C1), *Syringa* 'Correlata' (2017.0067 - C1; 1975.0205 - C5), *Syringa emodi* (2006.1933 - C5), *Syringa* × *henryi* (1986.0937 - C1), *Syringa* × *josiflexa* 'Bellicent' (1995.0042 - C1, C1), *Syringa* × *josiflexa* 'Eximia' (2003.0756 - C1), *Syringa josikaea* (XX.006418 - C1; XX.009633 - OS), *Syringa komarowii* (2004.1124 - C1), *Syringa laciniata* (1975.0204 - C5), *Syringa* 'Luvois' (XX.006412 - C1), *Syringa meyeri* 'Palibin' (2016.0087 - C1), *Syringa microphylla* (2001.2836 - SL), *Syringa obtusa* (2005.1105 - C1), *Syringa pekinensis* (2001.0237 - SL), *Syringa reflexa* (2000.3114 - SL), *Syringa reticulata* (1982.0533 - C5), *Syringa sweginzowii* (1981.0359 - C1), *Syringa tomentella* (XX.000499 - CH), *Syringa vulgaris* 'Andenken an Ludwig Späth' (2015.0365 - C1), *Syringa vulgaris* 'Charles Joly' (2017.0071 - C1), *Syringa vulgaris* 'Evert de Gier' (2017.0070 - C1), *Syringa vulgaris* 'Krasavitsa Moskvyy' (2017.0069 - C1), *Syringa vulgaris* 'Madame Lemoine' (2012.0621 - C1), *Syringa vulgaris* 'Michel Buchner' (2015.0366 - C1), *Syringa vulgaris* 'Sensation' (2015.0367 - C1), *Syringa vulgaris* 'Souvenir d'Alice Harding' (2015.0493 - C1), *Syringa vulgaris* 'Spectabilis' (XX.006409 - C1), *Syringa wolfii* var. *hirsuta* (XX.000993 - VG), *Syringa yunnanensis* (1996.0062 - SL), **Syzygium paniculatum** (XX.008474 - CLE-D).

Key to the locations:

A1: Arboretum - South-East adjacent to Taxus, **A2:** Arboretum - North-East adjacent to Chain Tent, **A3:** Arboretum - North-West Adjacent to Tolka River, **A4:** Arboretum - South-West (Birch/Aesculus class), **A5N:** Arboretum - Far walls, from central path to Tolka., **A5S:** Arboretum - Far walls, from Yew class to central path., **AB:** Alpine Yard shrubbery North and East sides, **AY-B01:** Alpine yard bed: semi-circular bed at east end; centre, **AY-B02:** Alpine yard bed: semi-circular bed in south east corner, **AY-B03:** Alpine yard bed: bed on east-side of house; south end, **AY-B04:** Alpine yard bed: bed on south-east corner of house, **AY-B05:** Alpine yard bed: bed on east-side of house; middle section, **AY-B06:** Alpine yard bed: bed on east-side of house; north end, **AY-B07:** Alpine yard bed: semi-circular bed at east end; north end, **AY-B08:** Alpine yard bed: semi-circular bed at east end; south end, **AY-B09:** Alpine yard bed: bed along north wall; west of archway, **AY-B10:** Alpine yard bed: bed along north wall; east of archway, and beyond corner seat, **AY-B11:** Alpine yard bed: bed along east wall next to doorway, **AY-B12:** Alpine yard bed: bed at west end around compass points, **AY-B13:** Alpine yard bed: bed on west-side of house; north end, **AY-B14:** Alpine yard bed: bed on west-side of house; middle section, **AY-B15:** Alpine yard bed: bed on west-side of house; south end, **AY-B16:** Alpine yard bed: bed on south-side of house; east end, Hostas, **AY-T1:** Alpine yard trough: NW Corner, **AY-T2:** Alpine yard trough: SE Corner, **AY-T3:** Alpine yard trough: NE Corner, **B1:** Berberis Class Lawn (trees only), **B1-ber:** Berberidaceae Class, **B1-mah:** Mahonia Class, **B3:** Old Cedar Lawn Excluding Family Beds, **C1:** Class (Forsythia and Syringa) Opposite Alpine Yard, **C2-E:** Ailanthus Lawn - East, **C2-W:** Liquidamber Lawn - West, **C3-A:** Cotoneaster bed in NW corner, **C3-ana:** Anacardiaceae Class, **C3-B:** Cotoneaster bed on W side, **C3-rha:** Rhamnaceae Class, **C3-vib:** Viburnum Class, **C5:** Class (Zelkova Lawn), **C6:** Rosaceae Class lawn Near Semi-Circular, **CC:** Cactus and Succulent House, **CH:** Chinese Shrubbery, **CLE-B:** Curvilinear House: East, Planters on outer wall, **CLE-D:** Curvilinear House: East, Australia, **CM-east:** Cemetery Shrubbery (Between Dogyard Gate & Tower) including Cemetery Gate, **CP:** Car Park Beds (unspecified), **CT-north:** Chain Tent Shrubbery from Tolka to Gap but not including Chain Tent, **CT-south:** Chain Tent Shrubbery from Gap to Arboretum, **DZ-dtz:** Deutzia class, **DZ-lon:** Lonicera class, **DZ-phl:** Philadelphus class, **EG-wall:** Walled Garden - Walls, **EN:** Entrance to the Garden, beds outside the main gates, **ES:** Walled Garden - Shrubbery (under Maytenus boaria), **Fam0:** Family Beds: Paleotrees & Paleoherbs, **Fam1:** Family Beds: Saxifragales & Caryophyllids, **Fam2:** Family Beds: Rosids, **Fam3:** Family Beds: Asterids, **Fam4:** Family Beds: Monocots, **G1:** Front lawns: Lawn adjacent to & including WOODY PLANTS in the Director's garden, **G2:** Front lawns: Parrotia Lawn, **Iris:** Iris Collection, **LA:** Fabaceae Class Section A, **LB:** Fabaceae Class Section B, **LC:** Fabaceae Class Section C, **LD:** Fabaceae Class Section D, **M1:** Western Quadrant of Millfield; Main lawn trees & Shrubs, **M1-A:** Millfield: Rhodo island bed on south side, **M1-B:** Millfield: Hamamelis bed on south side, **M1-C:** Millfield: Island bed in outh-west corner, **M1-D:** Millfield: Rhodo island bed on west side, **M1-E:** Millfield: Rhodo island bed in north-west corner, **M1-F:** Millfield: Heather bed nearest Socrates, **M1-G:** Millfield: Tree heathers, **M1-H:** Millfield: Heather bed furthest from Socrates, **M1-J:** Millfield: Rhodo island bed in North-east corner, **M1-K:** Millfield: Rhodo island bed along side of eastern path, **M1-L:** Millfield: Rhodo island bed in South-east corner, **M2-B:** Millfield East: Riverside woodland Plot (Mag hypoleuca), **M2-E:** Millfield East: River edges each side of bridge, **M2-F:** Millfield East: Roses South of Bridge, both sides, **M2-H:** Millfield East: Rhododendron plot, **M2-J:** Millfield East: Island woodland Plot, **MG:** Magnolia Corral: Magnolias, **MG-C:** Magnolia Corral: Clematis Pergola, **NZ-E:** New Zealand Shrubbery: East, **NZ-S:** New Zealand Shrubbery: South, **NZ-W:** New Zealand Shrubbery: West, **O1:** Oak Class, Wild Garden Quadrant With Hickory, **O2:** Oak Class, Main Area With Cork Oak behind Chinese Shrubbery, **OA:** Office Border eastern side, permanent shrubs only, **OA2:** Shrubbery by Main Gate Shelter, **OB:** Office Border, Herbaceous Borders around Director's House, **OBE:** Office Border East, Herbaceous Borders opposite Director's House, **OH:** Orchid House, **OS:** Shrubbery Along Road-Wall Between Main Office and McCanns, **P2:** Pine Hill, large area opposite Yew Class, **P4:** Pine Hill, Lowest Part With Davidia and Copper Beech, **P5:** Area to east of bridge, surrounding the pond, **P5-a:** Rhododendron bed by Sequoiadendron, **P5-b:** Rhododendron bed by Rock Garden, **P5-c:** Bog bed at east end of pond, **P5-d:** Bog bed east of bridge, and below dry stone wall, **P6:** Area to West of Bridge Surrounding the Pond, **P6-a:** Rhododendron bed on south side of Pond, **P6-b:** Rhododendron bed on north side of Pond, **P6-c:** Bog bed to west of pond bridge, **P7-a:** Lawns Between Dry Stone Wall and Tolka: East, **P7-b:** Lawns Between Dry Stone Wall and Tolka: Centre, **P7-c:** Lawns Between Dry Stone Wall and Tolka: West, **PB-3:** Palm House Borders - Colletia Lawn, **PH-a:** Palm House - a: centre bed with stream, **PH-c:** Palm House - c: side benches, **R2:** Border in Front of Curvilinear House (East Cape) , **R3:** Border in Front of Curvilinear House (West Cape) , **R4:** Lawn in front of the Director's Residence, **R5:** Curvilinear Lawn, **R6:** Spiraea Lawn, **RRA:** Rockery: RA - Cedrus Comte de Dijon, **RRB:** Rockery, RB - Quadrant upslope from Cedrus, **RRC:** Rockery: RC - Ulmus, **RRD:** Rockery: RD - Fabiana, **RRF:** Rockery: RF - Pinus pinea, **RRG:** Rockery: RG - Shrubbery on upper pine hill lawn, **RRG(w):** Rockery: RG(w) - Pinus thunbergii, **RRH:** Rockery: RH -, **RRI:** Rockery: RI - Acer palmatum, **RRJ:** Rockery: RJ -, **RRL:** Rockery: RL - Rhododendron Shrubbery below Addison's Walk, **RRM:** Rockery: RM - New Ericaceous Bed, **RRN:** Rockery: RN - Rhododendron Shrubbery on lower pine hill lawn, **RRO:** Rockery: RO - semi-circular bed on SW.Side of Path - Ericaceous, **RRP:** Rockery: RP - corner to RO on SW.Side of Path (Herbaceous only), **RS:** Rose Garden: Trees, **RS-a:** Rose garden: Side lawns, clockwise from left, **RS-b:** Rose garden: NW quadrant, **RS-c:** Rose garden: NE quadrant, **RS-d:** Rose garden: SE quadrant, **RS-e:** Rose garden: SW quadrant, **RS-f:** Rose garden: Tolka wall, **RSG:** Rose garden Section: no location given, **RS-g:** Rose Garden: River bank, **SL:** Chinese Slope, **T1:** Tolka river along Millfield to rose garden bridge, **T2:** Tolka river from weir to western boundary wall, **TX:** Yew Class, **VB-a-01:** Vine Border, Hydrangea collection: Bed 1, **VB-a-02:** Vine Border, Hydrangea collection: Bed 2, **VB-b:** Vine Border, Buddleja collection, **VB-e:** Vine Border, Herbaceous Peonies, **VB-f:** Vine Border, Tree Peonies, **VB-h:** Vine Border, Herbaceous Peonies, **VB-w:** Vine Border, Walls, **VG:** Shrubbery along South side of Vegetable Garden, **WS:** Walls from Enclosed Garden Door to Tolka.