

APPENDIX 1

County Cavan botanical records and their sources, in chronological order, from Threlkeld (1726) to McArdle (1898) with author, title of paper, and year of publication. Annotations and herbarium specimens are also mentioned.

Dr Caleb Threlkeld (1676-1728): *Synopsis Stirpium Hibernicarum* (1726).

Eriophorum [sp.] in the County of Cavan.

Dr John Rutty (1739-1772): Annotations, dated 1739, in Rutty's copy of Threlkeld's *Synopsis* (1726), now in the library of the Royal Irish Academy, Dublin. Rutty published the record for *Sium latifolium* in his *An Essay towards a natural history of the County of Dublin* – 'I found it in my travels in the counties of Cavan and Fermanagh'. p. 171 (1772).

<i>Oenanthe aquatica</i>	<i>Solidago virgaurea</i>
<i>Saponaria officinalis</i>	<i>Taxus baccata</i>
<i>Sedum album</i>	<i>Viola tricolor</i>
<i>Sium latifolium</i>	

Dr Robert Scott (1757-1808). Scott's records were published by J.T. Mackay or recorded in John Templeton's unpublished Catalogue.

Mackay (1806-7)	Templeton Catalogue
<i>Aspidium spinulosa</i>	<i>Juncus trifidus</i>
<i>Carex pendula</i>	<i>Rubus saxatilis</i>
<i>Carex binervis</i>	<i>Rubus idaeus</i>
<i>Carex flacca</i>	
<i>Geranium lucidum</i>	
<i>Hymenophyllum tunbrigense</i>	
<i>Saxifraga hypnoides</i>	
<i>Saxifraga stellaris</i>	

Dr J.T. Mackay (1775?-1862).

<i>Mentha × piperita</i>	TCD herbarium.
<i>Mentha sativa</i>	<i>Flora Hib.</i> , 1836.
<i>Mentha hirsuta</i>	<i>Flora Hib.</i> , 1836.
<i>Stratiotes aloides</i>	<i>Mackay</i> , 1806.

Thomas Walford (1752-1833). *The scientific tourist through Ireland* (1818).

Myrica gale and *Spergula arvensis*.

Rev N. J. Halpin. (1790-1850). Source: Annotations by Halpin on a copy of *Mackay's Catalogue* ... (1825). *Flora Hibernica* (1836) and Reilly (1995).

<i>Agrostemma githago</i>	<i>Cardamine pratensis</i>	<i>Echium vulgare</i>
<i>Alliaria petiolata</i>	<i>Cardamine hirsuta</i>	<i>Epipactis bellatorum</i>
<i>Anemone nemorosa</i>	<i>Chaerophyllum temulentum</i>	<i>Equisetum sylvaticum</i>
<i>Baldellia ranunculoides</i>	<i>Cirsium pratense</i>	<i>Eriophorum angustifolium</i>
<i>Bidens tripartita</i>	<i>Cymbalaria muralis</i>	<i>Filago minima</i>
<i>Calamagrostis epigejos</i>	<i>Drosera intermedia</i>	<i>Galium odoratum</i>
<i>Calystegia sylvatica</i>	<i>Drosera rotundifolia</i>	<i>Geum rivale</i>

<i>Hydrocharis morsus-ranae</i>	<i>Myosotis versicolor</i>	<i>Samolus valerandi</i>
<i>Hypericum humifusum</i>	<i>Myriophyllum spicatum</i>	<i>Schoenus nigricans</i>
<i>Ilex aquifolium</i>	<i>Neottia nidus-avis</i>	<i>Scutellaria galericulata</i>
<i>Inula helenium</i>	<i>Nymphaea alba</i>	<i>Sedum anglicum</i>
<i>Lathraea squamaria</i>	<i>Ophioglossum vulgatum</i>	<i>Sparganium angustifolium</i>
<i>Listera ovata</i>	<i>Phragmites communis</i>	<i>Sparganium erectum</i>
<i>Littorella uniflora</i>	<i>Platanthera bifolia</i>	<i>Sagittaria sagittifolia</i>
<i>Lotus pedunculatus</i>	<i>Potamogeton lucens</i>	<i>Thlaspi arvense</i>
<i>Lysimachia vulgaris</i>	<i>Potentilla reptans</i>	<i>Thesium humifusum</i>
<i>Melampyrum pratense</i>	<i>Prunella vulgaris</i>	<i>Valerianella dentata</i>
<i>Melampyrum sylvaticum</i>	<i>Pulicaria dysenterica</i>	<i>Vicia lathyroides</i>
<i>Molinia caerulea</i>	<i>Ranunculus auricomus</i>	<i>Vicia sylvatica</i>
<i>Monotropa hypopitys</i>	<i>Rorippa sylvestris</i>	<i>Viola odorata</i>

Joseph Archibold (1784-1874). Source: TCD herbarium and Halpin's annotations.

Monotropa hypopitys and *Neottia nidus-avis*

Dr David Moore (1807-1879).

Source: specimens at **DBN**:

<i>Ballota nigra</i>	<i>Cladium mariscus</i> (see Dickie 1864)
<i>Bromus racemosus</i>	<i>Potamogeton alpinus</i> (as <i>P. rufescens</i>)
<i>Carex pseudocyperus</i>	<i>Potamogeton gramineus</i>
<i>Carex vesicaria</i>	<i>Thelypteris palustris</i>

Source: Cybele Hibernica 2nd ed. (1866):

<i>Ballota nigra</i>	<i>Potamogeton × zizii</i>
<i>Potamogeton obtusifolius</i>	

Dr William E. Steele (1816-1883) of Belfast. Director of the Science and Art Museum, Dublin. He recorded *Chrysosplenium oppositifolium* and *Glechoma hederacea* in Cavan in 1862 (**DBN**).

Samuel A. Stewart (1826-1910). Sources two papers: 1882 and 1885.

Report on the botany of the mountainous portion of Co. Fermanagh to the west of Lough Erne, and the adjoining district of Co. Cavan. *Proc. Roy. Irish Acad.* (1882) Vol. 3. ser. 2. 531-544.

Stewart did not give locations with these records, only mentioning the county (Fermanagh or NW Cavan), or with a general statement, 'everywhere', 'common' etc. The following list of 198 Cavan plants were extracted from this paper. It does not include 20 species already recorded by Rutty, Scott, Walford, Halpin and Mackay:

<i>Achillea millefolium</i>	<i>Antennaria dioica</i>	<i>Anthriscus sylvestris</i>
<i>Agrimonia eupatoria</i>	<i>Anagallis arvensis</i>	
<i>Agrostis tenuis</i>	<i>Aegopodium podagraria</i>	<i>Apium nodiflorum</i>
<i>Ajuga reptans</i>		<i>Arrhenatherum elatius</i>
<i>Alnus glutinosa</i>	<i>Alchemilla vulgaris</i>	<i>Arum maculatum</i>
	<i>Alisma plantago-aquatica</i>	<i>Asplenium adiantum-nigrum</i>
<i>Antioxanthum odoratum</i>	<i>Anthyllis vulneraria</i>	

<i>Asplenium ruta-muraria</i>	<i>Erica tetralix</i>	<i>Lolium perenne</i>
<i>Asplenium trichomanes</i>	<i>Erica cinerea</i>	<i>Lolium italicum</i>
<i>Athyrium filix-femina</i>	<i>Equisetum arvense</i>	<i>Lonicera periclymenum</i>
<i>Bellis perennis</i>	<i>Equisetum fluviatile</i>	<i>Luzula campestris</i>
<i>Blechnum spicant</i>	<i>Equisetum telmateia</i>	<i>Lychnis flos-cuculi</i>
<i>Bromus hordeaceus</i>	<i>Equisetum palustre</i>	<i>Lysimachia nemorum</i>
<i>Calluna vulgaris</i>	<i>Eriophorum angustifolium</i>	<i>Menyanthes trifoliata</i>
<i>Caltha palustris</i>	<i>Euphrasia officinalis</i>	<i>Montia fontana</i>
<i>Campanula rotundifolia</i>	<i>Euphorbia helioscopia</i>	<i>Nardus stricta</i>
<i>Capsella bursa-pastoris</i>	<i>Euphorbia peplis</i>	<i>Narthecium ossifragum</i>
<i>Cardamine flexuosa</i>	<i>Festuca pratensis</i>	<i>Nasturtium officinale</i>
<i>Carex echinata</i>	<i>Festuca rubra</i>	<i>Myosotis arvensis</i>
<i>Carex nigra</i>	<i>Filipendula ulmaria</i>	<i>Melampyrum pratense</i>
<i>Carex panicea</i>	<i>Fragaria vesca</i>	<i>Nuphar lutea</i>
<i>Carex pilulifera</i>	<i>Galeopsis tetrahit</i>	<i>Orchis mascula</i>
<i>Carex flava</i>	<i>Galium aparine</i>	<i>Oxalis acetosella</i>
<i>Carex hostiana</i>	<i>Galium verum</i>	<i>Pedicularis palustris</i>
<i>Carex hirta</i>	<i>Galium saxatile</i>	<i>Pedicularis sylvatica</i>
<i>Centaurea nigra</i>	<i>Galium palustre</i>	<i>Pbleum pratensis</i>
<i>Centaureum erythraea</i>	<i>Geranium molle</i>	<i>Phyllitis scolopendrium</i>
<i>Cerastium fontanum</i>	<i>Geranium robertianum</i>	<i>Pinguicula vulgaris</i>
<i>Chrysanthemum segetum</i>	<i>Geum urbanum</i>	<i>Platanthera chlorantha</i>
<i>Chrysosplenium oppositifolium</i>	<i>Glechoma hederacea</i>	<i>Plantago lanceolata</i>
<i>Cirsium arvense</i>	<i>Hedera helix</i>	<i>Plantago major</i>
<i>Cirsium palustre</i>	<i>Heracleum sphondylium</i>	<i>Poa annua</i>
<i>Cirsium vulgare</i>	<i>Hieracium pilosella</i>	<i>Poa trivialis</i>
<i>Cirsium pratense</i>	<i>Hieracium anglicum</i>	<i>Poa pratensis</i>
<i>Conopodium majus</i>	<i>Holcus lanatus</i>	<i>Polygala vulgaris</i>
<i>Corylus avellana</i>	<i>Huperzia selago</i>	<i>Polygonum aviculare</i>
<i>Crataegus oxyacantha</i> (?C. monogyna)	<i>Hypericum pulchrum</i>	<i>Polygonum hydropiper</i>
<i>Crepis paludosa</i>	<i>Hypochaeris radicata</i>	<i>Polygonum maculosa</i>
<i>Cynosurus cristatus</i>	<i>Hyacinthoides non-scripta</i>	<i>Potentilla anserina</i>
<i>Cystopteris fragilis</i>	<i>Hymenophyllum wilsonii</i>	<i>Potentilla erecta</i>
<i>Dactylis glomerata</i>	<i>Iris pseudacorus</i>	<i>Potentilla sterilis</i>
<i>Dactylorhiza maculata</i>	<i>Juncus acutiflorus</i>	<i>Polypodium vulgare</i>
<i>Danthonia decumbens</i> (as <i>Triodia decumbens</i>)	<i>Juncus conglomeratus</i>	<i>Polystichum aculeatum</i>
<i>Deschampsia cespitosa</i>	<i>Juncus effusus</i>	<i>Polystichum setiferum</i>
<i>Deschampsia flexuosa</i>	<i>Juncus inflexus</i>	<i>Potamogeton natans</i>
<i>Digitalis purpurea</i>	<i>Juncus squarrosus</i>	<i>Prunus spinosa</i>
<i>Dryopteris dilatata</i>	<i>Lapsana communis</i>	<i>Pteridium aquilinum</i>
<i>Dryopteris filix-mas</i> (as <i>Lastrea filix-mas</i>)	<i>Leontodon autumnalis</i>	<i>Ranunculus acris</i>
<i>Dryopteris aemula</i>	<i>Lamium purpureum</i>	<i>Ranunculus ficaria</i>
<i>Eleocharis palustris</i>	<i>Lathyrus pratensis</i>	<i>Ranunculus flammula</i>
<i>Epilobium parviflorum</i>	<i>Lemna minor</i>	<i>Rhinanthus minor</i>
<i>Epilobium montanum</i>	<i>Leucanthemum vulgare</i> (as <i>Chrysanthemum leucanthemum</i>)	<i>Rubus discolor</i>
	<i>Linum catharticum</i>	<i>Rubus dasyphyllus</i> (R. koehleri)
	<i>Lotus corniculatus</i>	<i>Rosa arvensis</i>
		<i>Rosa canina</i>

<i>Rosa tomentosa</i>	<i>Senecio vulgaris</i>	<i>Trifolium repens</i>
<i>Rumex acetosa</i>	<i>Sisymbrium officinale</i>	<i>Trifolium dubium</i>
<i>Rumex acetosella</i>	<i>Sinapis arvensis</i>	<i>Tussilago farfara</i>
<i>Rumex conglomeratus</i>	<i>Sonchus arvensis</i>	<i>Ulex europaeus</i>
<i>Rumex obtusifolius</i>	<i>Sonchus oleraceus</i>	<i>Urtica dioica</i>
<i>Rumex crispus</i>	<i>Stachys palustris</i>	<i>Vaccinium myrtillus</i>
<i>Sagina procumbens</i>	<i>Stachys sylvatica</i>	<i>Vaccinium vitis-idaea</i>
<i>Salix aurita</i>	<i>Stellaria media</i>	<i>Valeriana officinalis</i>
<i>Salix cinerea oleifolia</i>	<i>Stellaria graminea</i>	<i>Veronica agrestis</i>
<i>Sanicula europaea</i>	<i>Succisa pratensis</i>	<i>Veronica beccabunga</i>
<i>Scirpus cespitosus</i>	<i>Taraxacum vulgare</i>	<i>Veronica chamaedrys</i>
<i>Scirpus lacustris</i>	<i>Thymus praecox</i>	<i>Veronica officinalis</i>
<i>Senecio aquaticus</i>	<i>Torilis japonica</i>	<i>Vicia cracca</i>
<i>Senecio jacobaea</i>	<i>Trifolium pratense</i>	

Samuel A. Stewart (1885) 'Report on the botany of Lough Allen and the Slieveanierin mountains' (*Proc. Roy. Irish Acad.* Vol. 4. ser. 2. 426-442). Twenty-four Cavan records with locations and listed as 'Divisions all' in ITB (1901), are given below:

- Alchemilla arvensis* 'Dowra, Co. Cavan; rare'.
Callitriche verna 'Common; rises to 1600 feet on Slievenakilla'.
Carex remota 'Slievenakilla... not common'.
Carex ovalis (as *C. leporina*) 'Common; ascends to 1500 feet on Slievenakilla'.
Carex pallescens 'Wet pastures by the Shannon pot, Co. Cavan; rare'. ('On Cuilcagh' in 1882 paper).
Cerastium glomeratum 'Roadside, Dowra, Co. Cavan: rare'.
Epilobium obscurum 'Dowra, Co. Cavan; not common'.
Odontites vernus (as *Euphrasia odontites*) 'Roadside, Dowra to Drumshambo; not common'.
Hieracium vulgatum 'Sandstone rocks, Slievenakilla; very rare'.
Hymenophyllum wilsonii (as *H. unilaterale*) 'Sandstone cliffs, Slievenakilla at 1500 feet, Co. Cavan; very rare'.
Hypericum androsaemum 'Bank of stream, Dowra, Co. Cavan; very rare'.
Listera cordata 'Sparingly, at and above 1600 feet on ... Slievenakilla'.
Luzula sylvatica (as *L. maxima*) 'Frequent; rises to 1500 feet on Slievenakilla'.
Myosotis secunda 'Frequent on ... Slievenakilla; ascending to 1500 feet'.
Myosotis arvensis 'Roadsides and fields about Dowra, Co. Cavan'.
Peplis portula 'by the road to Dowra; rare'.
Platanthera bifolia 'Dowra and Shannon pot; frequent'.
Phalaris arundinacea '... on Slievenakilla; not common'.
Pulicaria dysenterica 'Roadside, Dowra to Drumshambo; rare'.
Sonchus oleraceus 'Dowra.. not common'.
Stellaria holostea 'Slievenakilla'.
Triglochin palustre 'Slievenakilla'.
Veronica serpyllifolia 'On Slievenakilla ... ascending to 1500 feet'.
Viola palustris 'Slievenakilla'.

Rev William F. Johnson (1852-1934). Entomologist and Botanist, collected *Carex pulicaris* near Arvagh, June 1883 (**DBN**).

David McArdle (1849-1934) visited Slieve Glah, Lough Oughter and Lough Cultra in 1898, principally to record and collect mosses. His paper (McArdle 1898), contains the following five new records of other plants seen by him during this visit:

Achillea ptarmica

Crepis capillaris (as *C. virens*)

Juncus bulbosus (as *J. supinus*)

Lycopodium clavatum

Sagina nodosa

APPENDIX 2

Records from Praeger's ITB Supplements: *Gleanings* (1902); *ITB Supplement 1901-1905* (1906); *Recent Additions* (1929); *A Contribution* (1934); *A Further Contribution* (1939); *Additions* (1946); *Hybrids* (1951).

- 1902** Gleanings in Irish Topographical Botany. *Proc. Royal Irish Academy*, **24B**: 61-94.
- 1906** Irish Topographical Botany Supplement 1901-1905. *Proc. Royal Irish Academy* **26B**: 13-45.
- 1929** Report on recent additions to the Irish flora and fauna. *Proc. Royal Irish Academy* **39B**: 57-78.
- 1932 Some noteworthy plants found in or reported from Ireland. *Proc. Royal Irish Academy* **41**: 95-124.
This paper contains no Co. Cavan records.
- 1934** A contribution to the flora of Ireland. *Proc. Royal Irish Academy* **42B**: 55-86.
- 1939** A further contribution to the flora of Ireland. *Proc. Royal Irish Academy* **45B**: 231-254.
- 1946** Additions to the knowledge of the Irish flora, 1939-1945. *Proc. Royal Irish Academy* **51B**: 27-51.
- 1951** Hybrids in the Irish flora: a tentative list. *Proc. of the Royal Irish Academy* **54B**: 1-14.

GLEANINGS (1902)

'Gleanings' contains two types of record: 1. Notes on varieties of hybrids and 2. Notes on aliens. There are twelve entries for Co. Cavan.

Alchemilla pratensis Schmidt. Lough Gowna 1900, L. Sheelan. RLP.

Alchemilla rupestris Schmidt. Ballyconnell 1900, A. Somerville.

Chara aspera subsp. *desmacantha* H. & J. Groves. H30. 'Cavan, Oldcastle 1896. ITB.

Chara contraria Kuetz. H30. No location.

Chara flexilis var. *nidifica* Wallm. L. Sillan 1901. G. R Bullock-Webster.

Chara hispida var. *rudis* Braun. L. Sheelin 1896. RLP.

Dryopteris filix-mas (as *Lastrea filix-mas* Presl. var. *affinis* Bab.). H30. No location.

Dryopteris pseudo-mas (as *Lastrea filix-mas* var. *paleacea* Moore). H30. No location.

Euphrasia brevipila Burnat & Grem. Mount Nugent 1896. RLP.

Galium palustre L. var. *witheringii* Sm. H30. No location.

Montia fontana L. var. *rivularis* (Gmel.). No location.

Taraxacum officinale Web. var. *palustre* (DC). Ballyconnell 1900. A. Somerville.

ITB SUPPLEMENT 1901-1905 (1906)

This supplement is a summary of 51 records collected in the five years after the publication of ITB (1901) but not included in that volume (See *Irish Naturalist* vol. and page numbers after each entry for Author and locations): 'the fruticose

Rubi, the hypnoid saxifrages and other groups of segregates ranking as one species for each group?

- Anthemis cotula* L. [xv 58] 'Roadside near Cavan 1905', RLP.
Agrostemma githago (as *Lychnis githago*) [xv 57] 'Butlersbridge 1905', RLP.
Anisantha sterilis (as *Bromus sterilis*) [xv 61] 'Near Cavan 1905', RLP.
Arctium minus [xv 59] 'Near Cavan 1905' RLP.
Avena pubescens [xv 61] 'Near Cavan 1905', RLP.
Brassica alba [xv 56] 'Near Cavan 1905', RLP.
Callitriche autumnalis [xiii 12] 'Mullagh Lough 1903', RLP.
Carduus tenuiflorus (as *C. pycnocephalus*) [xii 31] 'Roadside at Aghaloory 1902',
 Barnes.
Carex diandra (as *C. teretiuscula*) [xiii 14] 'South of Mullagh 1903', RLP.
Carex filiformis [xiv 260] 'Lakeside north of Devon Cottage 1904', RLP.
Carex limosa [xiii 14] 'Bogs south of Mullagh 1903' RLP.
Centaurea cyanus [xv 59] 'Near Cavan 1905' RLP.
Chara polyacantha [xiv 260] 'The Bun Lough 1904', RLP.
Chelidonium majus [xv 56] 'Near Lisnaneanagh L.' RLP.
Chenopodium bonus-henricus [xv 60] 'Near Cavan 1905', RLP.
Fumaria officinalis [xiii 36] 'Cultivated land, Mount Nugent July 1899', RLP.
Galeopsis speciosa (as *G. versicolor*) [xv 60] 'Belturbet Junction 1905', RLP.
Hypericum dubium [xv 57] 'Lisnaneanagh L. 1905', RLP.
Isoetes lacustris [xiv 260] 'Annagh Lough [Belturbet] 1904, RLP.
Jasione montana [xv 57] 'Slieve Glah 1905', RLP.
Juncus obtusiflorus [xiv 260] 'Bun Lough south of Belturbet 1904', RLP.
Lemma gibba [xiv 260] 'Tonawally Lough 1904', RLP.
Lithospermum officinalis [xiii 13] 'Grover Castle Island, L. Sheelan 1903', Barnes.
Lolium temulentum [xv 61] 'Cavan 1905', RLP.
Luzula pilosa (as *L. vernalis*) [xv 60] 'near Devon Cottage 1905', RLP.
Nitella flexilis [xi 143] 'Lough Sillan 1906', Bullock Webster.
Oenanthe fistulosa [xi 5] 'Belturbet 1901', W. West.
Orchis pyramidalis [xiii 14] 'Two and a half miles NW of Oldcastle 1903', Barnes.
Papaver rhoeas [xii 29] 'half mile south of Mount Nugent 1902', Barnes.
Potamogeton × zizii [xiv 260] 'Annagh Lough [Belturbet] 1904, RLP.
Potamogeton gramineus (as *P. heterophyllus*) [xiv 260] 'Lakes between Cavan and
 Belturbet 1904', RLP.
Prunus domestica subsp. *insititia* [xv 57] 'Frequent in Cavan district 1905', RLP.
Prunus padus [xi 4] 'Castle Hamilton 1901', W.F. de V. Kane.
Ranunculus penicillatus Dum. [xv 56] 'Annalee River below Butlersbridge 1905',
 RLP.
Ranunculus trichophyllus [xv 55] 'Shantamon lake 1905', RLP.
Rosa arvensis [xv 58] 'Lisnaneanagh L. and other spots near Cavan 1905', RLP.
Rosa pimpinellifolia (as *R. spinosissima*) [xv 57] 'Clonervy Hill 1905', RLP.
Rubus corylifolius Smith [xv 57] 'Near Cavan 1905', RLP.
Rubus plicatus [xv 57] 'Annagh Lough 1905', RLP.
Rubus pyramidalis Kalt. [xv 57] 'Near Cavan 1905', RLP.
Salix repens [xv 60] 'North base of Slieve Glah 1905', RLP.
Salix fragilis [xv 60] 'By Lough Oughter 1905', RLP.
Sedum telephium [xv 58] 'Shores of Lisnaneanagh Lake 1905, RLP.

Smyrniolum olusatrum [xv 58] 'Near Cavan 1905', RLP.
Solanum dulcamara [xv 59] 'Lisnaneanagh Lake 1905', RLP.
Sparganium natans (as *S. minimum*) [xiv 260] 'The Bun Lough 1905', RLP.
Tanacetum vulgare [xiii 12] 'Mullagh 1903', RLP.
Vaccinium oxycoccos [xiii 13] 'Bogs south of Mullagh 1903', RLP.
Valerianella locusta (as *V. olicoria*) [xv 58] 'Cavan 1905', RLP.
Valerianella. rimosa (as *V. auriculata*) [xiii 12] 'Near Mullagh 1903', RLP.
Verbascum thapsus [xv 59] 'Wall near Cavan 1903', RLP.
Vicia hirsuta [xiii 12] 'North-west of Oldcastle 1903', Barnes.

RECENT ADDITIONS ... (1929)

This paper contains 11 Co. Cavan records first published in the *Irish Naturalist* in 1907, 1908, 1911, 1912, 1913, 1920 and 1923.

Inula helenium [20 163] 'At Drumlane' 1911 BNFC.
Lathraea squamaria [16 132] 'Ballyhaise ... on the roots of trees in an avenue close to the house T. Irving'.
Lysimachia nummularia [17 37] 'Two miles from Belturbet 1904 W.A. Barnes'
Mentha suaveolens (as *M. rotundifolia*) [17 37] 'Dumgummin, two miles from Oldcastle 1904 W.A. Barnes'.
Mimulus guttatus [22 110] 'Between Blacklion and Dowra in some quantity 1909 R.M. Barrington'.
Ophrys apifera [29 120] 'by the roadside at Rice Hill near Kilmore, between Cavan town and Crossdoney in 1920 by W.J.C. Tomlinson. Finder Miss M. Clarke. Specimen conveyed to Tomlinson by Miss S. Blackwood of BNFC'.
Phegopteris connectilis (as *Polypodium phegopteris*) [32 107] 'in considerable quantity within a limited area at Bruse Hill, Co. Cavan, 60 ft elevation'. G.G. Blackwood, Dundee.
Rubus pulcherrimus Neum. [21 237] 'Mount Nugent 1896'. RLP. Teste A.B. Jackson.
Rubus letii Rogers [21 237] 'Virginia, Co. Cavan. New County record'.
Sambucus ebulus [20 163] 'At Drumlane'. 1911 BNFC.
Thymus pulegioides (as *T. chamaedrys*) [22 110] 'Mount Nugent 1896'. RLP. Teste A.B. Jackson.

A CONTRIBUTION... (1934)

An amalgam of 27 published and unpublished records from various sources

Alchemilla xanthochlora (as *A. pratensis*) Schmidt H30. RLP.
Apium × *moorei* 'Lough Oughter' RLP.
Arrhenatherum elatius 'Recorded from or seen in ... H30'.
Betula pendula (as *B. alba*) × *B. pubescens* 'Farnham' RLP.
Caltha radicans Forster 'All divisions'.
Carex viridula subsp. *viridula* (as *C. oederi* Retz.) 'Seen in or recorded from ... H30'.
Crataegus monogyna Jacq. H30. RLP.
Crataegus oxycanthoides L. H30. RLP.
Dactylorhiza fuchsii Druce H30. RLP.

- Dactylorhiza maculata* subsp. *ericetorum* (as *Orchis eloides* Gris. (*O. ericetorum*)) H30. RLP.
Festuca pratensis × *Lolium perenne* H30. RLP.
Hottonia palustris L. ‘Stream flowing into Newcastle Lake south of Kingscourt. (Mrs Pollock spec !)’.
Mentha × *gracilis* L. H30. RLP.
Mercurialis perennis L. ‘Cloverhill near Ballyhaise’, P. McGarr, *teste* Knowles’.
Myrrhis odorata Scop. ‘Woods at Ballyhaise’, P. McGarr, *fide* Knowles’.
Oenanthe aquatica Poir H30. RLP.
Polygonum arenastrum (as *P. aequale* Lindman) ‘Probably universal’. RLP.
Polygonum heterophyllum (*aviculare* p.p.) Lindman H30. RLP.
Potamogeton filiformis Pers. ‘Kilnashard on L. Sheelan’. RLP.
Quercus petraea (as *Q. sessiliflora*) H30. RLP.
Ranunculus ficaria subsp. *scoticus* (E. S. Marshall) ‘Upper Lough Macnean’. RLP.
Rhinanthus minor Ehrh. H30. ‘This is the common Irish R. *Crista galli*’.
Rhinanthus stenophyllus (Schur) Druce H30. RLP.
Rubus saxatilis L. ‘N. shore of L. Sheelan’. RLP.
Sedum album L. ‘Common about Virginia’. RLP.
Stellaria media Vill. ‘No doubt universal’. MN.
Veronica anagallis-aquatica L. H30. RLP.

A FURTHER CONTRIBUTION ... (1939)

This paper contains 32 Co. Cavan records, supplied by Praeger, Charles Faris, Jean Cole, J.P. Brunker and the Dublin Naturalist’s Field Club.

- Carex aquatilis* Wahl. ‘Boat harbour on Lough Ramor at Virginia’. RLP.
Carex laevigata Sm. (as *C. belodes* Link.) ‘Virginia’. DNFC.
Carex strigosa Huds. ‘near the heronry in Farnham demesne’. Brunker.
Cichorium intybus L. ‘Along the river Annalee near Ballyhaise’. P. McGarr.
Crepis biennis L. ‘Kilmore’ (R.C. Faris); ‘plentiful in that area’. Miss Cole.
Cryptogramma crista R. Br. ‘Bruse Hill; one plant found by R. C. Faris’. (Miss Cole *INJ* 7: 54).
Diplotaxis muralis L. ‘Railway at Drumhawnagh’. Brunker.
Epilobium × *limosum* Schur (as *E. parviflorum* × *E. montanum*) ‘Blacklion’ RLP.
Equisetum × *littorale* Kuhlew (as *E. arvense* × *E. limosum*) Island on L. Ramor. DNFC.
Geranium phaeum L. ‘Rectory at Danesfort’. Miss Cole.
Juncus × *diffusus* Hoppe (as *J. effusus* × *J. inflexus*) ‘Shancorn lake’. RLP in *IN* 14: 260.
Leucosium aestivum L. ‘by Annalee River below Urney Abbey NW of Butlersbridge’. R. C. Faris; ‘and many clumps by Colepit Lough in Farnham demesne’. Miss Cole.
Malva moschata L. ‘rocky meadow at Farranseer’. Miss Cole.
Mentha × *gracilis* (as *M. gentilis*) ‘Lough Oughter’. RLP in *IN* 14:260.
Mentha rotundifolia Huds. ‘Blacklion’. RLP.
Mercurialis perennis L. ‘Castle Saunderson 8 miles north of Cavan’. R.C. Faris.
Minuartia hybrida (as *Arenaria tenuifolia* L.) ‘Drumhawnagh and Ballyheady railway Stations’. Brunker.
Osmunda regalis L. ‘Cloverhill, Arvagh Road station etc’. Miss Cole. *INJ* 7: 54.

- Papaver dubium* and *P. lecoqii*, 'Ballyhugh'. Brunker.
Persicaria bistorta (as *Polygonium bistorta* (L.) Samp. 'Castle Hamilton demesne & Killashandra rectory'. Miss Cole.
Pinguicula lusitanica L. 'Bruse Hill'. R.C. Faris. (Miss Cole in *INJ* 7:92).
Ranunculus sceleratus L. 'Annagh Lough'. Miss Cole.
Rhinanthus [subsp.] *stenophyllus* Schur. 'Blacklion'. RLP.
Sedum rupestre L. 'in great masses in a railway cutting at Gartinadress with *S. spurium*'. Miss Cole.
Sparganium [subsp.] *neglectum* 'Frequent'. Brunker.
Spergula vulgaris and *S. sativa* Boenn. H30. Brunker
Stachys arvensis L. 'railway at Drumhawnagh'. Brunker.
Symphytum officinale L. 'Ballyheady'. Brunker; 'and many other places'. Miss Cole.
Thalictrum flavum L. 'Scrabby Bridge'. R.C. Faris and Miss Cole.
Tragopogon pratense L. 'scarcely maintaining itself about Kilmore and Farnham'. Cole.
Viola reichenbachiana Jord. ex Bor. (as *V. sylvestris* Lam.) 'Virginia'. RLP.; 'Frequent in Cavan'. Miss Cole.

ADDITIONS ... (1946)

As with some of Praeger's previous supplements, this paper includes first, second and occasionally third records for species, 'the range of which is such as to render further information desirable'. It comprises 105 Co. Cavan records, all have specific locations. Many were not published prior to this paper.

- Acer pseudoplatanus* L. 'run wild at Farnham etc 1939'. RLP.
Agrimonia procera Wallr (as *A. odorata* (Gouan) Mill.). 'Farnham 1939'. Cole and Faris; Gartinadress 1939'. RLP.
Alchemilla alpestris Schmidt. 'Fleming's Folly, 1939'. RLP.
Allium ursinum L. 'In several stations'. Faris.
Anacamptis pyramidalis (L.) Rich. 'Cavan town' (Miss Mc Dowell); about Kilmore. Cole and Faris.
Anisantha sterilis (L.) Nevski (as *Bromus sterilis* L.) 'Railway ballast at Drumhawnagh and Ballyheady, 1939'. RLP.
Anthyllis vulneraria L. 'Carrick Quarry at Finnea, 1940'. Cole and Faris.
Arenaria tenuifolia L. 'Common on railway, Arvagh road to Crossdoney 1940'. Faris.
Arrhenatherum tuberosum (Gilib.) F.Schultz 1930'. RLP.
Barbarea media Bor. 'Drumlaney Lough'. RLP.
Butomus umbellatus L. 'Lanesboro' Lodge, east of Belturbet'. Miss Cole.
Callitriche hermaphroditica (as *C. autumnalis* L.) 'Cornaseer L. 1939'. RLP.
Callitriche intermedia Hoffn. H30. RLP.
Callitriche platycarpa Kütz. (as *C. palustris*) 'L. Oughter etc'. RLP.
Calystegia sylvatica (Kit.) Griseb. 'Ballyhaise'. Faris; 'Cornafean, Nahilla Park, Bawnboy etc'. Cole and Faris.
Carex acuta (as *C. gracilis*) 'Both this and *C. aquatilis* still at Killykeen 1939'. RLP.
Carex acutiformis Ehrh. 'Still at Farnham 1939'. RLP.
Carex curta (as *C. canescens*) 'In several places'. Faris.

- Carex diandra* Shrank 'Four additional stations'. Faris.
Carex dioica L. 'Bruse Hill and elsewhere 1939'. RLP.
Carex elata All. (as *C. hudsonii* A. Benn.). 'Frequent'. Faris and RLP.
Carex laevigata (as *C. belodes* Link.) 'Several places'. Faris.
Carex pallescens L. 'Frequent'. Faris, RLP.
Carex pendula Huds. 'Near Belturbet'. Cole and Faris.
Carex pseudo-cyperus L. 'Frequent in several places around L. Oughter 1939'. Faris, RLP.
Carex strigosa Huds. 'Killashandra 1940'. Faris.
Carex viridula subsp. *brachyrrhyncha* (as *C. lepidocarpa* Tausch.). H30. RLP.
Catapodium rigidum (L.) C.E. Hubb. (as *Festuca rigida* (L.) Kunth.) 'Frequent on railway lines'. Faris, RLP.
Cerastium diffusum Pers. (as *C. tetrandum* Curt.) 'On railway ballast at Crossdoney'. Cole and Faris.
Chamaenerion angustifolium (as *Epilobium angustifolium* L.) 'Abundant in Farnham demesne'. Cole and Faris.
Cladium mariscus (L.) R.Br. 'near Finnea and four other stations, 1940-1941'. Cole and Faris.
Cryptogramma crispa (L.) R.Br. 'Bruse Hill, one plant [1937]'. Faris *INJ* 7:54, (1938); 'killed by drought 1938'. Faris.
Cystopteris fragilis (L.) Bernh. 'Bellananagh, Killashandra Bawnboy and several other places'. Cole and Faris.
Dryopteris aemula (Aiton) O.Kze. 'In several places'. Faris, RLP.
Dryopteris carthusiana (as *D. spinulosa* O.Kuntze) 'Widespread on edges of bogs'. RLP.
Eleocharis multicaulis Sm. 'Bruse Hill and Cloverhill'. Cole and Faris.
Epilobium × *schmidtianum* Rostkov. (as *E. obscurum* × *palustre*) 'Killashandra, 39'. RLP.
Epipactis helleborine (L.) Crantz 'Bingfield, Crossdoney, Dumbar'. Faris.
Equisetum × *litorale* Kuehl. (as *E. arvense* × *limosum*) 'Skeagh Lough upper 1930'. RLP.
Eriophorum latifolium Hoppe. 'Glasshouse Lough, 1939'. Cole and Faris.
Erysimum cheiranthoides L. 'Railway at Drumhawnagh, a good colony, 1939'. RLP.
Euphorbia exigua L. 'Ballyheady railway station, 1939. RLP.
Festuca pratensis (as *F. elater* L.). H 30'. P. Huds. H30. RLP.
 × *Festulolium loliaceum* (Huds.) P.Fourn. (as *Festuca pratensis* × *Lolium perenne*) 'About Crossdoney, 1939. Faris; 'L. Sheelan 1938', RLP.
Fumaria bastardii 'near Cavan, 1939 RLP. (Dele. Mount Nugent)' [see ITB.].
Galeopsis speciosa Mill. 'Bellananagh 1942'. Faris.
Geum × *intermedium* Ehrh. (as *G. rivale* × *urbanum*) 'Farnham 1939'. RLP.
Glyceria notata Chevall. (as *G. plicata* L.) 'Farranseer'. Faris.
Gnaphalium sylvaticum (as *Omalotheca sylvaticum*) 'Carrigans, Bellananagh, 1941'. Faris.
Gymnadenia conopsea (L.) R. Br. 'Kilmore, Farnham, Killykeen'. Faris.
Hesperis matronalis L. 'Frequent on roadsides etc. in Co. Cavan, 1939'. RLP.
Hymenophyllum tunbridgense (L.) Sm. 'Slievenakilla frequent and two rocks on Bruse Hill'. Cole and Faris.

- Isoetes lacustris* L. 'Lough Acurry and Arnaghan Lake on Lough Gowna, 1939'. RLP.
- Lathraea squamaria* L. 'Crossdoney, Farnham, Nahilla Park'. Cole and Faris.
- Lathyrus palustris* L. 'By River Inny where it leaves Lough Sheelan NE of Finnea'. Cole and Faris.
- Leucjum aestivum* L. 'Looking native in Lismore demesne and by Lake Mentis near Crossdoney'. Faris.
- Linaria minor* L. Defs. 'On railway at Ballyheady', Bruncker; 'Crossdoney', Faris; Drumhawnagh and Killashandra'. RLP.
- Lobelia dortmanna* L. 'Swan lake near Scrabby and at Arnaghan Lake on Lough Gowna, 1939'. Cole and Faris; 'Lough Skeagh Upper 1939'. Cole; 'Lough Acurry, 1939'. RLP.
- Luzula pilosa* L. Willd. 'Belturbet'. Cole and Faris.
- Lycopodium clavatum* L. 'Bailieborough, 1940'. Cole and Faris.
- Lysimachia nummularia* L. 'Several stations'. Miss Cole.
- Matricaria discoidea* (as *M. occidentalis* Greene). 'Near Cavan'. RLP.
- Mimulus guttatus* DC. 'Bawnboy, 1938'. Miss Cole.
- Myrrhis odoratum* Scop. 'Kingscourt and Belturbet, 1939'. Cole and Faris.
- Oenanthe fistulosa* L. 'Drumard Lake at Belturbet, 1939'. Cole and Faris.
- Oreopteris limbosperma* (All.) Houlb. (as *Lastreuae [Dryopteris] oreopteris*) 'Bruse Hill 1939'. RLP.
- Papaver somniferum* L. 'Nahilla Park, 1940'. Faris and Cole.
- Pinus sylvestris* L. 'Self-sown, frequent'. Cole and Faris.
- Poa compressa* L. 'Railway siding at Crossdoney 1939'. RLP.
- Potentilla* × *suberecta* Zimm (as *P. erecta* × *P. procumbens* = *P. anglica*). 'Lough Derriskit near Killashandra, 1939'. RLP.
- Primula veris* L. 'On granite at Arvagh road station'. Faris; 'and on Silurian grits near Cloverhill, 1940'. Miss Cole.
- Prunus padus* L. 'Nahilla Park'. Miss Cole.
- Quercus robur* L. 'Farnham etc'. RLP.
- Ranunculus lingua* L. 'Drumlaney Lough, 1939'. RLP.
- Rhamnus catharticus* L. 'One plant seen at Farnham and one at Killykeen, 1941'. Faris.
- Rhynchospora fusca* (L.) Ait. 'Derryhoo Bog near Cloverhill, 1940'. Cole and Faris.
- Ribes nigrum* L. 'Farnham and other places in wild ground'. Cole and Faris.
- Rosa arvensis* Huds. 'Frequent around Lough Oughter'. Cole and Faris.
- Rosa mollis* Sm. 'Farnham, 1939'. RLP.
- Rosa rubiginosa* L. 'Thickets near Ballyheady station, looking native, 1938'. Cole and Faris.
- Rumex hydrolapathum* Huds. 'Lake Dawan, Ballinagh'. Faris.
- Salix* × *capreola* J. Kerner ex Andersson (as *S. caprea* × *S. aurita*) 'Cloverhill, 1939'. RLP.
- Salix cinerea* (as *S. atrocinerea*) × *S. aurita* 'Cornaseer and Bellananagh 1939'. RLP.
- Salix fragilis* L. 'Local', Faris, RLP.
- Salix pentandra* 'Not infrequent'. Cole and Faris.
- Salix purpurea* L. 'Local'. Faris.

- Saxifraga tridactylites* L. 'Clonloskan by Lough Mentis near Crossdoney, 1940'. Faris.
- Scrophularia auriculata* (as *S. aquatica*) 'Milltownl, Brackley Lough, Ballyhillan Bridge, 1934'. Cole and Faris.
- Sedum fabaria* Koch. (*S. telephium* L. subsp. *fabaria* Syme) 'In a number of spots'. Cole and Faris.
- Smyrnium olusatrum* L. 'Lough Sheelan, Kilmore and common about Belturbet'. Cole and Faris.
- Solanum dulcamara* L. 'Farranseer and Urney'. Faris and Cole.
- Sparganium minimum* Hartm. 'Cloverhill 1939'. Cole and Faris.
- Symphytum* × *uplandicum* (as *S. peregrinum* Ledeb.) 'Frequent in Cavan'. Faris and RLP.
- Ulmus minor* Mill. 'Rough ground at Lough Macnean'. RLP. *teste* Pugsley.
- Ulmus procera* (as *U. campestris*) 'Seems native about Lough Oughter 1939'. RLP.
- Utricularia australis* (as *U. major* Schmidel). 'Two miles east of Killashandra'. RLP. .
- Vaccinium oxycoccos* (as *Oxycoccus quadripetalus* Gilib.) 'Ballyheady bog, Ballytrust bog and Carrick point on L. Sheelan'. Cole and Faris.
- Valeriana officinalis* L. 'Lough Sheelan 1940'. Cole and Faris'.
- Valerianella dentata* (L.) Poll. 'Drumhawnagh 1938'. Cole and Faris.
- Verbascum thapsus* L. 'Not uncommon in the SW'. Cole and Faris.
- Veronica scutellata* L. 'A creeping form, rooting freely at the nodes, on L. Oughter at Killykeen 1941'. RLP.
- Vicia hirsuta* (L.) S.F. Grey 'Drumhawnagh 1940'. RLP.
- Vicia sylvatica* L. 'Kilmore 1939'. Faris.

HYBRIDS ... (1951)

- Apium* × *moorei* (as *A. inundatum* × *nodiflorum*).
- Betula* × *aurata* Borkh. (as *B. pendula* × *pubescens*).
- Caltha palustris* var. *radicans* (as *C. palustris* × *radicans*).
- Epilobium* × *limosum* Schur (as *E. montanum* × *parviflorum*).
- E.* × *schmidtianum* Rostkov (as *E. obscurum* × *palustre*).
- Equisetum* × *littorale* Khuel (as *E. arvense* × *limosum*).
- × *Festulolium loliaceum* (Hudson) P. Fourn. (as *Festuca elatior* (*pratensis* or *arundinacea*) × *Lolium perenne*).
- Juncus* × *diffusus* Hoppe (as *J. effusus* × *inflexus*).
- Mentha* × *verticillata* L. (as *M. aquatica* × *arvensis*).
- Polygonum* × *hybrida* (Chaub. ex St-Amans) Soják (as *P. hydropiper* × *mitis*).
- Potamogeton* × *zizani* Koch ex Roth (as *P. gramineus* × *lucens*).
- Potentilla* × *suberecta* Zimm. (as *P. erecta* × *procumbens*).
- Salix* × *multinervis* Doell (as *S. atrocineura* × *aurita*).
- Salix* × *caprea* J. Kerner ex Andersson (as *S. aurita* × *S. caprea*).
- Salix* × *sericans* Tausch ex A.Kerner (as *S. caprea* × *viminalis*).
- Stachys* × *ambigua* Smith (as *S. palustris* × *sylvatica*).
- Plus: *Mentha* × *gracilis* (as *M. gentilis*) in 'A Contribution ...' 1934) and
Geum × *intermedium* (as *G. rivale* × *urbanum*) in 'Additions ...' (1946).

Praeger books and articles from the *Irish Naturalist* and the *Irish Naturalist's Journal* which contain additional references to the Co. Cavan flora.

- 1885 Plants of Lough Sheelin. *Proc. BNFC* 2(2): 534.
- 1892 Plants of Lough Sheelin. *IN* 1: 124-125.
- 1896 The Field Clubs in Cavan. *IN* 5: 193-199.
- 1896 Irish plants collected chiefly in the province of Leinster in 1896. *IN* 6: 89-100.
- 1905 Plants of Cavan lakes. *IN* 14: 260.
- 1906 *Melittis melissophyllum*, discovered by Sarah Blackwood of BNFC *IN* 15: 155 (**DBN**).
- 1934 *The botanist in Ireland*. Dublin: Hodges Figgis.
- 1937 *The way that I went*. Dublin: Allen Figgis.

Charles and Jean Farris

APPENDIX 3

Papers, books, notes and some contributions in chronological order (excluding Praeger's) relating to the Flora of Cavan from 1886 onwards (post *Cybele Hibernica* records).

- 1866** **A.G. More**, and **David Moore** *Cybele Hibernica* (1866) contains Co. Cavan records. A second edition, founded on the papers of A.G. More by Nathaniel Colgan and Reginald Scully, was published in 1898.
- 1899** *Fumaria officinalis* at Mount Nugent, 1899. *Ir. Nat.* **13** (1904) 36. **Matilda Cullen Knowles** (1864-1933), lichenologist, late of DBN.
- 1901** **Alexander Somerville** (1842-1907) of Glasgow, merchant in Calcutta, botanist and malacologist. Contributed 280 Cavan records to ITB.
- 1902** **Rev George R. Bullock-Webster** (1858-1934). Canon of Ely. Authority on Charophyta. Author of 'Characeae in Co. Monaghan (including Lough Sillan, Co. Cavan)'. *Ir. Nat.* **11** (1902) 141-146. *Nitella flexilis* var. *nidifica* at Lough Sillan. (see also *Gleanings* 1902).
- 1906** Eleven specimens in **DBN**, including *Lathraea squamaria* and ferns from Ballyhaise. **Walter S. Irving** (1867-1934) British horticulturist and gardener.
- 1907** 'Cavan' *Ir. Nat.* **16** (1907) 132. **G.H. Carpenter** (1865-1939) of London. Entomologist, Prof. of Zoology, Royal College of Science, Dublin, co-founder, with R. L. Praeger, of *Irish Naturalist* in 1892.
- 1908** *Lysimachia vulgaris* (as *L. nummularia*) near Belturbet and *Mentha rotundifolia* at Dungummin in 1904. *Ir. Nat.* **17** (1908) 37. **W. A. Barnes** of Moynalty, Co. Meath
- 1911** 'Three day excursion to Cavan District'. *Ir. Nat.* **20** (1911) 161-163. Anon. BNFC. July 12-15th 1911.
- 1912** Notes on Irish Plants. *Ir. Nat.* **21** (1912) 235-240. This paper includes records from near Virginia. **George Claridge Druce** (1850-1932). Eminent British botanist.
- 1913** *Mimulus guttatus* between Blacklion and Dowra in 1909. *Ir. Nat.* **22** (1913) 110. **Richard Manliffe Barrington** (1849-1915) of Wicklow, zoologist and botanist.
- 1920** 'The bee orchis in Co. Cavan'. *Ir. Nat.* **29** (1920) 120. **W.J.C. Tomlinson** (d. 1921) of Belfast.
- 1923** Beech fern in Co. Cavan. *Ir. Nat.* **32** (1923) 107. **G.G. Blackwood** of Dundee.
- 1937-1939** Personal Diaries of **Charles Faris** (1911-1984) of Farranseer, Co. Cavan. Solicitor, entomologist and botanist. Husband of Jean M. Cole (see opposite). Records of vascular plant sightings were kindly extracted by his daughters Mrs Rosemary Coetzee and Mrs. Jennifer Milliken. These included excursions with J.P. Brunker (September 1938) and R.L. Praeger (June 1939).

- 1938** Royal and parsley ferns in Co. Cavan. *Ir. Nat. Journal* **7** (1938) 54. **Jean M. Cole** (1914-1999) of Nahillah Park, Cloverhill, Co. Cavan.
 Pale butterwort in Co. Cavan. *Ir. Nat. Journal* **7** (1938) 92. Jean Cole.
 Celery-leaved ranunculus in Co. Cavan. *Ir. Nat. Journal* **7** (1938) 92. Jean Cole.
 Some alien plants at Kilmore, Co. Cavan. *Ir. Nat. Journal* **7** (1938) 92. Jean Cole.
- 1939** Further plant records for Co. Cavan. *Ir. Nat. Journal* **7** (1938) 145-146. Jean Cole.
 Additional Co. Cavan plants. *Ir. Nat. Journal* **7** (1939) 186. Jean M. Cole. See also *Additions* (1946) and *A Further Contribution* (1939)
- 1949** *Carex elongata* L. in Co. Cavan. *Ir. Nat. Journal* **9** (1949) 429. Charles Faris & J.P. Bruncker, 1948 (**DBN**).
- 1954** *Sorbus hibernica* in Cavan and *Lycopodium clavatum* at Cornasuas near Bailieborough. **Thomas J. Barron** of Bailieborough, teacher and local historian. Notification to **DBN**.
- 1969** *Juncus ×diffusus* Hoppe, in Cavan. Notification to **DBN**. **Mary J.P. Scannell**, former head of the National Herbarium (1949-1989); founder member of the BSBI Irish branch (1963); county recorder for West, Mid and East-Cork (H 03, 04 & 05); co-author, with D.A. Webb, of the *Flora of Connemara and the Burren* (1983), and with E.M. Booth, of *The flora of County Carlow*.
- 1970** *Pseudorchis albida* new to Cavan. *Ir. Nat. Journal* **26** (1970) 295. **Con Breen**, President DNFC (1998-1999); BSBI county recorder for Westmeath (H 23).
- 1972** *A preliminary report on areas of scientific interest in county Cavan*. by **L. Farrell**. A report submitted to Cavan County Council by An Foras Forbartha.
- 1973** *Solidago virgaurea*, Glangevlin 1973, at 1700 ft on sandstone rocks (**DBN**). **A.A.P. Toher**.
- 1974** *Carex elongata* in Cos. Cavan and Leitrim. R.C. Faris. *Ir. Nat. Journal* **18** (1974) 392.
 Report on BSBI field trip to Bruse Hill, August 1974. *Watsonia* **10** (1974) 223-224. M.J.P. Scannell.
- 1976** Unpublished ms with details on Loughs Oughter, and Glasshouse, Annagh and Clonty Loughs. By **L. Farrell**.
- 1981** *National Heritage Inventory. Areas of Scientific interest in Ireland*. Editor: **D. Cabot**. Published by An Foras Forbartha.
Dr Helen O'Reilly (1922-1987) President DNFC (1981-1982). *Primula veris*, *Rubus caesius*, at Killykeen. Also recorded at Farnham and Swellan Lough.
- 1982**-An account of a BSBI field trip, held at Kingscourt, Co. Cavan [and sites in Co. Monaghan]. *Watsonia* **14** (1982):114-116. C. Breen and **D.M. Synnott**,

- Director, National Botanic Gardens, Glasnevin (1994); BSBI county recorder for Co. Louth (H 31).
- The distribution of *Leucjum aestivum* L. in Ireland *Ir. Nat. Journal* **20** (1982) 483-489. **Lynne Farrell**, Monk's Wood U.K.
- The changing status of Characeae in four marl lakes in the Irish Midlands **D.M. John, W.S.T. Champ** and **J.A. Moore**. *Journal of Life Sciences, Royal Dublin Society* **4** (1982) 47-71.
- 1983** *Hypericum elodes* in Cavan, notification to **DBN**, R.C. Faris to M.J.P. Scannell.
- 1984** Account of a field trip by British pteridological society to west Cavan. *Bull. Brit. Pter. Soc.* **3** (1984) 15-18. **Clive Jermy**, British Museum, Natural History, London.
- 1985** The progress of *Epilobium ciliatum* Rafin. in Ireland with some notes on its hybrids. *INJ* **21** (1985) 444-446. **Dr Declan Doogue** [President DNFC 1979-1980; BSBI county recorder for Kildare (H 19)], **Dr Daniel Kelly** [TCD, President DNFC 1989-1990], **Dr Peter Wyse Jackson** [Conservation Secretariat, Kew, U.K. President DNFC 1983-1984; BSBI county recorder for north Kerry (H 02)].
- 1986** An Irish bramble foray. *Ir. Nat. Journal* **22** (1986) 62-67. **Alan Newton** of Warwickshire. Authority on Rubi.
- 1987** *Epilobium brunnesens* and *Sisyrinchium bermudiana* in Cavan. Notifications to DBN by **Sean Howard**, BSBI recorder for Longford (H 24)
- 1989** Some new county records and other plants of interest found in Counties Longford (H 24) and Cavan (H 30). *Ir. Nat. Journal* **23** (1989) 25-26. **P.A. Reilly** President DNFC (1987-1988), BSBI recorder for Cavan (H 30). The present author.
- First record of *Chenopodium rubrum* at Mullagh, 1989. **DBN. Catriona Brady** of DNFC, and BSBI recorder for Clare (H 09).
- Species list for the Cavan section of the Ballinamore-Ballyconnell Canal (Unpublished). **Phillip Grant**, DNFC and P. A. Reilly.
- 1990** Some new county records and other botanical notes. *Ir. Nat. Journal* **23** (1990) 216-218. **Ian Rippey** of Armagh. BNFC.
- Two further Irish bramble forays. *Ir. Nat. Journal* **23** (1990) 257-262. **Dr David Allen** of Winchester; BSBI author and authority on Rubi, made several visits to Cavan in 1988, 1989 and 1990. He collected extensively and made a substantial contribution to the National Herbarium, Dublin (**DBN**). He also examined the collections, renamed or confirmed old specimens and determined new material. In the field he generously shared his extensive botanical knowledge and in particular, his enthusiasm for brambles.
- 1991** *Ranunculus penicillatus* (Dumort.) Bab. in Ireland. *Ir. Nat. Journal* **23** (1991) 346-354. **Dr Sarah Webster** of Bristol. BSBI, authority on *Ranunculus*.
- 1993** Further Irish bramble records. *Ir. Nat. Journal* **24**[as '25'] (1993) 249-253.

Dr D.E. Allen.

- 1994** Rubi in southern and mid western Ireland. *Ir. Nat. Journal* **24** (1994) 368–374. Alan Newton.
- 1995** Annotated records for rare, critical or under-recorded vascular plant taxa from Ireland. *Ir. Nat. Journal* **25** (1995) 44–57. **Dr Michael Wyse Jackson**. DNFC and BSBI county recorder for Kerry North (H 02).
 Globe flower *Trollius europaeus* L., new to Co. Cavan (H 30). *Ir. Nat. Journal* **25** (1995) 154–155. **Robert Northridge** of Enniskillen. BSBI county recorder for Co. Fermanagh (H 33).
Equisetum ×willmotti C.N. Page - a new hybrid horsetail from Co. Cavan, Ireland. *Glasra* n.s. **2**(2) (1995) 135–138. **Dr C.N. Page** of Royal Botanic Garden, Edinburgh. Author and authority on Pteridophyta.
 Nicholas John Halpin (1790-1850): a little known Irish botanist. P.A. Reilly. *Glasra* **2**(2) n.s. (1995) 165–177. Contains 59 unpublished records for Co. Cavan plants.
- 1996** **Dr Chris D. Preston**, Institute of Terrestrial Ecology, Monk's Wood, Cambridgeshire U.K. Author and authority on aquatic plants. Co. Cavan survey of aquatic plants and donations to **DBN**. He led many BSBI meetings, determined *Potamogeton* and other aquatic specimens, added new records and contributed generously to the National Herbarium, Glasnevin. He made copies of all his Cavan records available to me.
 Plant records from Co. Cavan. P.A. Reilly. *Ir. Nat. Journal* **25** (1996) 189.
Cardamine amara L. in Co. Cavan 1996 and its history in the literature. P.A. Reilly. The first county record. *Ir. Nat. Journal* **25** (1997) 386–387.
- 1997** *Ophrys apifera* at Bruse Hill, Co. Cavan. P.A. Reilly. *Ir. Nat. Journal* **25** (1997) 385.
Pseudorchis albida in Co. Cavan. P.A. Reilly. *Ir. Nat. Journal* **25** (1997) 388.
Pseudorchis albida, Drumhillagh, north of Stradone. (Not published). C. Breen and P.A. Reilly.
- 1999** *Cardamine amara* L. in Co. Cavan (H 30). P.A. Reilly. *Ir. Nat. Journal* 26:7/8, 287. Second county record.
Chaerophyllum temulentum at Kilmore, Co. Cavan. P.A. Reilly. Note to *Ir. Nat. Journal* (in press).
Leucojum aestivum in Co. Cavan, a new station. P.A. Reilly. Note to *Ir. Nat. Journal* (in press).

APPENDIX 4

AREAS OF SCIENTIFIC INTEREST

'An area of scientific interest is a site with natural or semi-natural features of ecology, geology or land-form. It may be valuable for supporting communities or populations of characteristic or endangered plants and animals, useful in describing the processes or factors that govern their appearance or important in interpreting the structure of the land and its origins' (Cabot 1981).

As part of a National Heritage Inventory, An Foras Forbartha compiled a list of areas of scientific interest divided into county units (Cabot 1981). Co. Cavan has twenty-five such areas.

Lough Oughter is classified as being of International Importance and Killykeen, which is part of the Lough Oughter complex and a Forest Park, was designated a National Heritage Area in 1995. Of the remainder, two are of National Importance, five of Regional Importance and seventeen of Local Importance

The twenty given below are of botanical interest.

INTERNATIONAL IMPORTANCE

Lough Oughter H3405. 8900 ha.

Lake and woodland. The best inland example of a flooded drumlin landscape with rich and varied aquatic plant communities. The area includes old estate woodlands usually established on poorly drained clayey soils. Both the shrub and ground floras contain many species of interest.

NATIONAL IMPORTANCE

Lough Cratty H1628. 500 ha.

Relatively undisturbed blanket bog which is unusual for its size and naturalness. The diversity and range of plant species and lichens is high and the bog is actively growing through the agency of large Sphagnum cushions

Lough Kinale and Derragh Lough N3982. 40 ha.

(On Longford-Westmeath border)

The plant communities around the lake margin contain a variety of species typical of base-rich marshes.

REGIONAL IMPORTANCE

Bruse Hill N3198. 110 ha.

Upland grassland alternates with drier heath communities and wet flushes dominated by sedges. High floral diversity with some uncommon species.

Clonty Lough H2712. 34 ha.

Calcareous lake surrounded in places by dense reed-swamp merging into a more mineral swamp which dries substantially in Summer. Vegetation typical of these habitats except for a large proportion of the uncommon, Elongated sedge, *Carex elongata*.

Corratirrim H0736. 150 ha.

Limestone pavement, small cliffs, grassland and a patch of hazel scrub, which do not occur elsewhere in the county. The flora is species rich but not as well developed as on the Connaught limestones.

LOCAL IMPORTANCE**Annagh Lough** H2918. 62 ha.

Base-rich lake with peat bog and woodland.

Bellavally mountain H1122. 80 ha.

Interesting plants on cliff south of Bellavally Gap. To the south-west, a typical blanket bog shows the first stages of erosion.

Blackrocks Cross H1423. 16 ha.

Blanket bog on upper slopes with wet acidic grassland on lower ground. Trees and shrubs re-establishing themselves in some areas.

Cloughbally Bog N6883. 174 ha.

Best example of a raised bog in the county with typical and relatively undisturbed flora.

Cordonaghy N3194. 74 ha.

Raised bog/fen. Cut-over bog with a diversity of plant communities, including sedges and ferns of interest.

Drumkeen House H4107. 17 ha.

Woodland. Planted beech, sycamore, elm and oak with typical ground flora.

Farren Connell House N4882. 140 ha.

Woodland and raised bog. Mainly beech, sycamore, lime and horse-chestnut, with some pines and firs situated on the remnants of the raised bog. Unplanted north-east section supports a typical bog flora. Many different plant communities of the woodland / bogland transition occur.

Glasshouse Lough H2706. 85 ha.

Small lake with several areas of woodland growing along the shore. Typical woodland ground flora with a rich variety of herbs. Stony ground surrounding the lake supports many sedges and mosses.

Lough Gowna N2889. 377 ha.

A shallow lake set among drumlins in the river Erne system. It has a relatively low base status which allows aquatic plants such as *Lobelia* and quillwort, *Isoetes lacustris* to grow in a pH of 7.5. A woodland fringe covers part of the shore with willow, ash and sometimes oak.

Lough Macnean Upper H0437. 195 ha.

A heath community occurs around much of this limestone lake with scattered shrubs and trees and wet grassland on the lower shores. Plants on the lake edge include *Galium boreale*.

Lough Ramor N6080. 750 ha.

Nutritionally a poor lake, bordered by alder, willow and hazel woodland. Lakeside marshes have many sedges along with a wide range of other plants e.g. bur marigolds, *Bidens* spp. and the Greater spearwort, *Ranunculus lingua*.

Lough Sheelan shore N4785. 5 km section.

Calcareous grassland and marshes cover much of the shore with some acid flushings from raised bogs nearby.

Madabawn H6309. 13 ha.

A small marsh and floating fen with limited vegetation but some interesting plants. (Drainage operations in progress 1997)

Moneenterriff cliffs H0325. 33 ha.

Greatest expanse of cliffs and rock scree in the county supporting a variety of plant communities.

BIBLIOGRAPHY

- Anonymous. 1885-1889.** *Journal of the Royal Geological Society of Ireland* Vol. XVIII. Vol. V111 new series. pp 475. (Granite at Bellananagh).
- Anonymous. 1912.** Ordnance survey six inches to one statute mile maps. Dublin: Ordnance Survey Office, Phoenix Park.
- Anonymous. 1978.** Ordnance survey half inch to one mile maps, Nos. 7, 8, 12 and 13. Dublin: Ordnance Survey Office, Phoenix Park.
- Cabot, D. Ed. 1981.** *National Heritage Inventory. Areas of Scientific interest in Ireland.* Dublin: An Foras Forbartha.
- Charlesworth, J.K. 1953.** *The Geology of Ireland.* pp 227–229. Oliver and Boyd, Edinburgh and London.
- Close, C.F. 1915.** List of Townlands in County Cavan showing the six inch scale sheets and 1/2500 scale plan on which they fall. Ordnance Survey of Ireland. Printed for HMSO by Alex .Thom and Co, Dublin.
- Colgan, N.C. 1906.** Botany notes. The Scientific tourist through Ireland. *Irish Naturalist* 15: 252-253.
- Collins, T. 1985.** *Floreat Hibernica, a bio-bibliography of Robert Lloyd Praeger, 1865-1953.* Dublin: Royal Dublin Society, Historical studies in Irish Science and Technology number 5.
- Conroy, M.J. and Ryan, P. 1967.** *Soils of Co. Carlow. National Soil Survey of Ireland.* Dublin: An Foras Talúntais.
- Coote, Sir Charles. 1802.** Statistical Survey of the county of Cavan. Dublin: Royal Dublin Society.
- Dickie, George. 1864.** *A Flora of Ulster and botanist's guide to the north of Ireland.* London: Lovell and Reeve & Co.
- Donnelly, William, Registrar General, 1861.** Census of Ireland. General Alphabetical Index to the Townlands, and Towns, Parishes and Baronies of Ireland, showing the number of the sheet of the Ordnance Survey maps in which they appear. Printed by Alexander Thom, Abbey Street, Dublin. Reprinted by Genealogical Publishing Company, Inc. Baltimore, Maryland, USA.
- Farrell, L. 1972.** *A preliminary report on areas of Scientific interest in County Cavan.* Dublin: An Foras Forbartha.
- Fitzpatrick, H.M. 1965.** The Forests of Ireland, pp 90–92. Dublin: Society of Irish Foresters, RDS.
- Gardiner, M.J. and Radford, T. 1980.** *Soil associations of Ireland and their land use potential,* pp 139. Dublin: An Foras Talúntais.
- Geological Survey Of Ireland, 1873-1886. [Cavan]: **Wilkinson, S.B. and Cruise, R. J.** 1886 Explanatory memoir to accompany sheet 56 of Geological survey of Ireland. **Leonard, H.** Sheets 68 and 69. **Leonard, W.D. and Cruise, R.J.** 1873 . sheets No 79 and 80.

- Geological Survey Of Ireland 1962. Geological map of Ireland, 3rd edition. (First edition (1928) prepared by **T. Hallissy**, second edition (1979) by **C.E. Williams**, third revision to 1962, by **M.V. O'Brien**). Printed and published by the Director, Ordnance Survey, Phoenix Park, Dublin
- Griffith, Richard, 1818.** *Geological and Mining Survey of the Connaught Coal District in Ireland.* Graisberry and Campbell, printers to the Royal Dublin Society, Dublin.
- Lewis, Samuel, 1846.** *A topographical dictionary of Ireland.* 2nd edition. London: S. Lewis.
- Mackay, J.T. 1836.** *Flora Hibernica, comprising the flowering ferns Characeae Musci Hepaticae Lichenes and Algae of Ireland ...* pp. xxxviii, 271 + 279. Dublin: William Curry jnr.
- McCracken, Eileen, 1971.** The Irish woods since Tudor times: pp 20 and 53–54, 92–93. Institute of Irish Studies, Queens University, Belfast. Newton Abbot: David and Charles.
- More, Alexander Goodman 1872.** On recent additions to the flora of Ireland. *Proc. Roy. Irish Acad.* (2) 256–293.
- Mulqueen, J. and Burke, W. 1967.** A review of drumlin soil research. Dublin: An Foras Talúntais.
- Nelson, E.C. 1997.** Robert Scott's Irish mosses, *Dicranium scottianum* and *Grimmia maritima*: a note about their publication. *Journal of Bryology* **19**: 503–508.
- Nelson, E.C. 1997.** James Townsend Mackay's A systematic Catalogue of the rare plants found in Ireland, the published versions (1806, 1807–8) and a manuscript fragment. *Glasra* n.s. **3**(1): 63–84.
- Nelson E.C. 1998.** 'A willing Cicerone': Professor Robert Scott (ca. 1757-1808) of Trinity College, Dublin, Fermanagh's first botanist. *Glasra* n.s. **3**(2): 115–143.
- Nelson, E.C. and McCracken, E. 1987.** The Brightest Jewel, A History of the National Botanic Gardens Glasnevin, Dublin. Kilkenny: Boethius Press.
- Nelson, E.C. (editor) and Synnott, D.M. 1988.** *The first Irish Flora: Caleb Threlkeld's Synopsis Stirpium Hibernicarum.* (1726). Kilkenny: Boethius Press. [facsimile of Threlkeld's book (1727) with modern introduction.]
- Nelson, E.C. and Walsh, Wendy F. 1993.** *Trees of Ireland.* Dublin: The Lilliput Press.
- Nevill, W.E. 1969.** *Geology and Ireland.* Dublin: Allen & Figgis.
- O'Connell, P. 1963.** A County Cavan itinerary circa 1744. *Journal of the Breifne Historical Society* **2:6**, 254–273.
- O'Mordha, Brian. 1963.** Life in Cavan 1800-1845. *Journal of the Breifne Historical Society* **2:6**, 169.

- Page, C.N. 1995.** *Equisetum ×willmotti* C.N. Page – a new hybrid horsetail from Co. Cavan, Ireland. *Glasra* n.s. **2**(2): 135–138.
- Perring, F.H. and Walters, S.M. 1962.** *Atlas of the British Flora*. London: BSBI.
- Perring, F.H. and Sell, P.D. 1968.** *Critical Supplement to the Atlas of the British Flora*. BSBI: London.
- Praeger, R.LI. 1934.** *The Botanist in Ireland*. Dublin: Hodges Figgis.
- Praeger, R.LI. 1937.** *The way that I went*. Dublin: Allen Figgis.
- Praeger, R.LI. 1949.** *Some Irish Naturalists: A Biographical Notebook*. Dundalk: Dundalgan Press.
- Reilly, P.A. 1995.** Nicholas John Halpin, a little known Irish botanist *Glasra* **2**(2) n.s.: 165–177.
- Reilly, P.A. 1997.** The management of the Bective Estate at Virginia, Co. Cavan, Nov. 1820–1845; memoranda from James Fitzpatrick, gardener and planter to Thomas Taylour, Earl of Bective and 2nd Marquis of Headfort. *Glasra* **3**(1) n.s. 31–53.
- Riphey, Ian. 1990.** Some new county records and other botanical notes. *INJ* **23**: 216–218.
- Roberts, R.U. 1845.** (Granite at Bellanagh). *Journal of Royal Geological Society of Ireland* **8**: 475.
- Rohan, P.K. 1975.** *The Climate of Ireland* pp 112. Dublin: The Stationery Office.
- Rutty, John. 1739.** Annotations on Threlkeld's *Synopsis Stirpium Hibernicarum*. Copy at Royal Irish Academy, Dublin.
- Rutty, John. 1772.** *An essay towards a natural History of the county of Dublin*. vol. 1, pp 171. Dublin: privately published by the Author.
- Ryan, M. and Lee, J. 1965.** Soil survey bulletin No 10, covering the soils of Department of Agriculture College Farm, Ballyhaise, Co. Cavan. Wexford: An Foras Talúntais.
- Scannell, M.J.P. 1974.** Report on BSBI field trip to Bruse Hill, August 1974. *Watsonia* **10**: 223–224.
- Scannell, M.J.P. 1985.** ('1984'). Plant lists from the scientific tourist through Ireland (1818). *Bull. Irish biogeog. Soc.* **8**: 42–62.
- Scannell, M.J.P. and Synnott, D.M. 1987.** *Census catalogue of the flora of Ireland*. 2nd Edition. pp. 171. Dublin: The Stationery Office.
- Scannell, M.J.P. and Synnott, D.M. 1989.** Sources for the census catalogue of the flora of Ireland, references for vice-county records of vascular plants, 1934–1985. *Occasional Papers, National Botanic Gardens, Glasnevin, Dublin*. No. **3**: 1–84. [Lists the sources for all first vice-county records since the publication of *The Botanist in Ireland* (1934) and included in the second edition of the *Census Catalogue of the Flora of Ireland* (1987).]
- Scannell, M.J.P. and Synnott, D.M. 1990.** Records for the Census Catalogue of the Flora of Ireland in the Herbarium, National Botanic Gardens,

- Glasnevin. *Occasional Papers, National Botanic Gardens, Glasnevin, Dublin*. **5**: 1–42.
- Scott, R. 1803.** Application for premium for the discovery of 'plants new to Ireland' (*Dicranum scottianum* and *Grimmia maritima*). *Trans. Dublin Society* **3**(3): 157–161. See Nelson 1998.
- Stace, Clive. 1997.** *New Flora of the British Isles*, 2nd Edition. Cambridge: Cambridge University Press.
- Stewart, S.A. 1882.** Report on the botany of the mountainous portion of Co. Fermanagh to the west of Lough Erne, and the adjoining district of Co. Cavan. *Proc. Roy. Irish Acad.* **2**: 531–544.
- Stewart, S.A. 1883-1886.** Report on the botany of Lough Allen and the Slieveanierin Mountains. *Proc. Roy. Irish Acad.* **4**: 426–442.
- Synnott, D.M. 1978.** The status of *Crataegus laevigata* (Poir.) DC. in Ireland. *Glasra* n.s. **2**: 49–55.
- Synnott, D.M. 1984.** An outline of the Flora of Mayo. *Glasra* n.s. **9**: 13–117.
- Threlkeld, Caleb. 1726.** *Synopsis Stirpium Hibernicarum*, pp 72. Dublin: S. Powell. [A facsimile edition was published in 1988, with an introduction by E.C. Nelson. (See Nelson & Synnott, 1988)]
- Tomlinson, W.J.C. 1929.** The bee orchis in Co. Cavan. *Ir. Nat.* **29**: 120.
- Walford, Thomas. 1818.** *The Scientific Tourist through Ireland*. London: J. Booth.
- Webb, D.A. 1943.** *An Irish Flora*. Seventh edition, 1996, by D.A. Webb, J. Parnell and D. Doogue. Dundalk: Dundalgan Press (W. Tempest) Ltd.
- Webb, D.A. 1981.** The biological vice-counties of Ireland. *Proc. Roy. Irish Acad.* **80**: 179.
- Whittow, J.B. 1974.** *Geology and Scenery in Ireland*. Middlesex: Penguin Books Ltd.
- Wilkinson, G. 1845.** (Granite at Crossdoney). *Practical Geology and Ancient Architecture of Ireland*, pp 300. Explanatory memoir to accompany sheets 78, 79, and 80 of the maps of the Geological Survey of Ireland. E. H and R. J. Cruise. Dublin: Alexander Thom.

TOPOGRAPHICAL INDEX

Four figure references for all locations mentioned in the text have been prepared. Because the location of townlands is sometimes marked in slightly different positions on maps of different dates and scales, these references may not always be exact. In some cases it has been difficult to decide to which site an historical reference may apply. For example Drumhallagh/Drumhillagh occurs in 3 locations and under different spellings on the ½", 1" and 1:50,000 scale maps. The usage of Lough and Lake is not consistent, nor significant, however, it should be remembered that even within Co. Cavan many Lough names are not unique. Some locations have not been found on any map, and are noted as (?).

- Acanon Lough, E of Stradone, **3**
(H5702).
- Acurry Lough, **5** (N5899)
- Acanon Lough, E of Stradone, **3**
(H5702).
- Acurry Lough, **5** (N5899).
- Aghalane Bridge, NE of Ballyconnell, **2**
(H3419).
- Aghaloory, **4** (N4089).
- Amoneen Lough, **2** (H3521).
- Annagh Lough, Ballyconnell, **2**
(H2918).
- Annagh Lough, Butlersbridge, **2**
(H3912).
- Annagharnet, **5** (N6291).
- Annalee River, **2** (H3910-6808).
- Anoneen Lough, **2** (H3521).
- Ardan Lough, **2** (H3512).
- Ardkill Quarry, nr. Carrickboy, **4**
(N4497).
- Ardloughter, **2** (H2813).
- Arley, L. Sheelin, **4** (N4586).
- Arnaghan, Lough Gowna, **4** (N2891).
- Arvagh, **4** (N2797).
- Arvagh Road Station (Closed), **2**
(H345012).
- Ashgrove, **2** (H3713).
- Assan, **5** (N5595).
- Bailieborough, **5** (N6796).
- Bailieborough Lough, **5** (N6796).
- Bakers Bridge, **2** (H3712).
- Ballyconnell, **2** (H2718).
- Ballyhaise, **2** (H4511).
- Ballyheady (Bellaheady), **2** (H2415).
- Ballyheady Station (Closed), **2**
(H247158).
- Ballyhugh, **2** (H3014).
- Ballyjamesduff, **5** (N5290).
- Ballymachugh, **4** (N4486).
- Ballymagauran Lough, SW of
Ballyconnell, **2** (H2013).
- Ballytrust, **4** (N3693).
- Baraghy Lough, E of Cootehill, **3**
(H6612).
- Barragh Lough, W. of Cootehill, **3**
(H5415).
- Bawnboy, **2** (H2119).
- Beaghy Lough, NE of Cavan town, **2**
(H4405).
- Beaghy Lough, S of Stradone, **3**
(H5000).
- Bective Estate (now Virginia Park
Hotel), Lough Ramor, **5** (N5987).
- Bellaheady, **2** (H2415).
- Bellahillan Bridge, **2** (H3501).
- Bellamont House, Cootehill, **3**
(H6015).
- Bellananagh, **4** (N3998).
- Bellavalley Gap, **1** (H1124).
- Belturbet, **2** (H3616).
- Benbrack, **1** (H1021).
- Billis Bridge, **5** (N5693).
- Bingfield, nr. Crossdoney, **2** (H3701).

- Black Battle, nr. Arley Cottage, **4**
(N4586).
- Black Lake, **4** (N3391).
- Black River, N of Dowra, **1** (H0129-
0333).
- Blacklion, **1** (H0838).
- Blackrocks Cross, **1** (H1423).
- Blackwater Bridge, Lough Ramor, **5**
(N6383).
- Blackwater River, **1** (H1816).
- Bloody Pass, N of Belturbet, **2**
(H3823).
- Bracklagh Lough, NW of Finnea, **4**
(N3982).
- Brackley House, **1** (H1921).
- Brackley Lough S of Swanlinbar, **1**
(H1920).
- Bray Wood, N of Ballyconnell, **2**
(H2818).
- Bruse Hill (260 m), **4** (N3198).
- Bun Lough, **2** (H3714).
- Bunnoe, **3** (H5013).
- Burren Forest, **1** (H0735).
- Butlersbridge, **2** (H4010).
- Cabra Castle, **5** (N8096).
- Canningstown, **3** (H6203).
- Carconadas Pond, S of Inishmuck
Lough, **2** (H3609).
- Carn Cottage, **2** (H3014).
- Carndonagh (Cordonaghy) Lough, **4**
(N3194).
- Carrick Mor (Carrickmore; Tower
Hill), **4** (N4083).
- Carrick point; L. Sheelin, **4** (N4182).
- Carrick Quarry, Finnea, **4** (N4083).
- Carrickaaddy Lough, **1** (H0230).
- Carrickallen, Stradone, **3** (H5604).
- Carricknacranogue Lough, **1** (H0331).
- Carricknahurroo Lough, **1** (H0530).
- Carrigabuse Hill, **5** (N6484).
- Carrigan, **4** (N3993).
- Castle Hamilton, Killashandra, **2**
(H3207).
- Castle Lough, nr. Bailieborough, **5**
(N6698).
- Castle Saunderson, **2** (H4119).
- Castlerahan, **5** (N5386).
- Cavan Town, **2** (H4104).
- Chamber's Bay, L. Sheelin, **4** (N4385).
- Clifferna Lough, **3** (H5400).
- Cloggy (near Lough Gowna), **4** (?).
- Clonervey, **2** (H4707).
- Cloninny (Clowninny), **2** (H3620).
- Clonty Lough, W of Ardloughter, **2**
(H2712).
- Cloughbally (Kilconny) Bog, **5**
(N6883).
- Cloverhill, **2** (H4114).
- Colepit (Coalpit) Lough, Farnham, **2**
(H4008).
- Commons Lough, **2** (H3815).
- Coologe Lough S of Ballyconnell, **2**
(H2312).
- Cootehill, **3** (H6014).
- Cootehill (Bellamont) demesne, **3**
(H6015).
- Cordonaghy Bog, N of Scrabby, **4**
(N3194).
- Corfree, Lough Gowna, **4** (N2992).
- Corglass Lake, **4** (N4292).
- Corglass Lake, Lough Oughter, **2**
(H3408).
- Corleckagh NE of Dowra, **1** (H0232).
- Corleckagh, Dowra, **1** (H0327).
- Cornafean, **4** (N3399).
- Cornagee, Blacklion, **1** (H0636).
- Cornaseer, **4** (N4299).
- Cornaseer Lough, **4** (N4198).
- Cornasuas Mountain (306 m), **5**
(N7296).
- Corraneary Lough, **3** (H6405).
- Corratinner Lough, **5** (N6192).
- Corratirrim, **1** (H0736).
- County Hospital, Cavan town, **2**
(H4205).
- Cratty Lake, Cuilcagh, **1** (H1628).
- Cross Keys, **4** (N4896).
- Crossdoney, **2** (H3700).
- Crossdoney Station (closed), **4**
(N376997).
- Crovers Hotel and Island, L. Sheelin,
4 (N4686).

- Cuilcagh Lough, **5** (N6389).
 Cuilcagh Mountain, **1** (H1228).
 Cullies Lough, Knockbride Parish, **3**
 (H6705).
 Danesfort, Crossdoney, **2** (H3704).
 Dargon (Dargan) Lough, **5** (N6093).
 Derreskit (Derryskit) Lough,
 Killashandra, **2** (H2806).
 Derry Lough, S of Killashandra, **2**
 (H2904).
 Derrygid Wood, Farnham, **2** (H3908).
 Derryhoo Bog, N of Cloverhill, **2**
 (H4017).
 Derryhum Crossroads, **5** (N5896).
 Derrynacreeve, S of Swanlinbar, **1**
 (H1822).
 Derryvony, Belturbet, **2** (H3722).
 Derrywhinney (Derrywinny),
 Killykeen, **2** (H3706).
 Devon Cottage, Killykeen, **2** (H3306).
 Dowra, **1** (G9926).
 Drigget Wood, Farnham, **2** (H3906).
 Drumard Lough, **2** (H3520).
 Drumbar, S of Crossdoney, **4** (N3799).
 Drumcarbon (Drumcarban), S of
 Crossdoney, **4** (N3698).
 Drumgorry Lough, **2** (H4116).
 Drumhallagh, Stradone, **3** (H5106).
 Drumhawnagh, **4** (N3592).
 Drumhillagh, N of Stradone, **3**
 (H5009).
 Drumkeen House, **2** (H4107).
 Drumlane, **2** (H3312).
 Drumlaney Lough, **2** (H4217).
 Drumliff, **2** (H4312).
 Drummany Bridge, L. Oughter, **2**
 (H3613).
 Drumore River, **3** (H5512-5915).
 Drumrora (Drumroragh), **4** (N4889).
 Drung,, **2** (H4909).
 Dún an Rí (Kingscourt), **5** (N7895).
 Dún an Rí Forest Park, Kingscourt, **5**
 (N7997).
 Dungummin, N of Oldcastle, **5**
 (N5183).
 Eighter, **5** (N5785).
 Eonish, L. Oughter, **2** (H3308).
 Ervey Lough, **5** (N7694).
 Farnham, **2** (H3906).
 Farnham Woods, **2** (H3906).
 Farranseer, **2** (H3400).
 Farrenconnell (Bobsgrrove), **4**
 (N4882).
 Fartrin bog, Ballyconnell, **2** (H2615).
 Finnea, **4** (N4081).
 Fleming's (Flemyngs) Folly, SE of
 Crossdoney, **4** (N3999).
 Foalies (Foley's) Bridge, L. Erne, **2**
 (H3621).
 Four Half Moons, **4** (N4587).
 Foy's Mill, Bunnoe, **3** (H5013).
 Galbolie Lough, W of Bailieborough,
5 (N6597).
 Gallon Lough, **5** (N5993).
 Garfny Lough, L. Oughter, **2**
 (H3410).
 Gartinadress, NW of Crossdoney, **2**
 (H3302).
 Garty Lough, **4** (N2797).
 Garvalt, **1** (H0626).
 Glangevlan (Glengevlin), **1** (H0727).
 Glasshouse Lough, Killashandra, **2**
 (H2706).
 Gowlan, **1** (H0633).
 Green Lough, **2** (H4203).
 Greenan Rock, **1** (H1628).
 Greenville Lough,, **2** (H2713).
 Guinikin Lough, **4** (N2696).
 Inishmuck, L. Oughter, **2** (H3610).
 Kilbrackan House, **2** (H2504).
 Kilconny (Killyconny) Bog, **5**
 (N6883).
 Kilconny Lough, **2** (H3517).
 Kilinkere, **5** (N6193).
 Killashandra, **2** (H3007).
 Killydoon (Drumman Parish), **4** (?).
 Killygar (Killegar), **2** (H2507).
 Killykeen, **2** (H3405).
 Killykeen Forest Park , **2** (H3506).
 Killynaher Lough, **2** (H3215).
 Killyvalley (Killyvally), **2** (H3504).
 Killywilly Lough, **2** (H2917).

- Kilmore, **2** (H3803).
 Kilnahard, L. Sheelin, **4** (N4385).
 Kingsaleck, **4** (N4490).
 Kingscourt (Dún an Rí), **5** (N7895).
 Knockatemple, **5** (N5984).
 Knocknagiolla (Knocknagillagh), **5** (N5197).
 Knocknagiolla Quarry, **5** (N5197).
 Knocknaveagh, **5** (N6081).
 Lake Cratty, Cuilcagh, **1** (H1628).
 Lanesborough Lodge, NE of Belturbet, **2** (H4021).
 Laragh River, **3** (H5003-5211).
 Lavey Lough, **2/3** (H5002).
 Legalough, **1** (H0834).
 Legnaveagh, **1** (H0735).
 Lisduff, **2** (H4001).
 Lismore Castle, Crossdoney, **2** (H3600).
 Lisnagrea (Lisgrea) Lough, **5** (N5989).
 Lisnagrea (Lisgrea) N of Virginia, **5** (N5890).
 Lisnahanagh Lough, **2** (H4903).
 Loch Gowna, **4** (N3091).
 Lough Acanon, E of Stradone, **3** (H5702).
 Lough Acurry, **5** (N5899).
 Lough Cultra (Cuttragh), **2** (H4602).
 Lough Dawan, Ballinagh (drained), **4** (N3493).
 Lough Derreskit, Killashandra, **2** (H2806).
 Lough Erne, **2** (H3622).
 Lough Gowna, **4** (N2991).
 Lough Inishmuck; L. Oughter, **2** (H3610).
 Lough Kinale, **4** (N3981).
 Lough Macnean Lower, **1** (H1037).
 Lough Macnean Upper, **1** (H0339).
 Lough Mentis (Mentes), Crossdoney, **2** (H3500).
 Lough Naweelion, **1** (G9932).
 Lough Oughter, **2** (H3-0-).
 Lough Quivvy, Belturbet, **2** (H3921).
 Lough Ramor, **5** (N5886-6283).
 Lough Ramor golf course, **5** (N5987).
 Lough Sheelan (Sheelin), **4** (N4182-4685).
 Lough Sheelan marina Crovers, **4** (N4786).
 Lough Sillan, **3** (H7007).
 Lough Swan, **4** (N3191).
 Lough Tacker, **3** (H6807).
 Loughan House, **1** (H0537).
 Loughnafin, **2** (H2703).
 Madabawn, **3** (H6309).
 Maghera Cross Roads, **5** (N6383).
 McShane's Bridge, **3** (H5106).
 Menesk (Monesk), **1** (H0134).
 Milltown, **2** (H3413).
 Mohercrom (330 m), **5** (N7295).
 Moneenterriff, **1** (H0227).
 Moneygashel, **1** (H0533).
 Mount Nugent, **4** (N4985).
 Mountain Lodge, **3** (H5904).
 Moylet, **5** (N5798).
 Mullagh, **5** (N6985).
 Mullagh Bog, **5** (N7084).
 Mullagh dump, **5** (N6489).
 Mullagh Lake, **5** (N6785).
 Mullinure, Arvagh, **4** (N2896).
 Mullymagowan, **5** (N5299).
 Nadreegeel Loughs, **5** (N5392).
 Nahilla (Nahillah) Park, **2** (H4113).
 New Inn, **5** (N5495).
 O'Daly's Bridge, **5** (N6580).
 Oghill Lough, **4** (N3595).
 Oldcastle (Co. Meath) (N5580).
 Oranmore (near Farnham Golf Course), **2** (?).
 Owenmore River, **1** (H0329).
 Parisee Lough, **2** (H3916).
 Peartree Lough, **2** (H4008).
 Poles, **2** (H4704).
 Portaliffe, **2** (H3106).
 Potahee (Lough Gowna), **4** (?).
 Prospect Point Brackley Lough, **1** (H1820).
 Putiaghan Lough, **2** (H3615).
 Rann (Rinn), **2** (H3508).
 Redhills, **2** (H4417).

- Rice Hill (Coolnagor), Kilmore, **2**
(H3802).
- River Blackwater, **5** (N6395-6580).
- River Inny, **4** (N3981-4181).
- Rockfield Lough, **2** (H2703).
- Rockville, Ballyjamesduff, **5** (N5191).
- Roebuck, near Oldcastle, **5** (N5083).
- Roosky Lough, **3** (H6404).
- Rosehill, **5** (N7085).
- Round Lough, **2** (H3915).
- Ryefield, **5** (H6381).
- Sallaghan Bridge, **4** (N3293).
- Scrabby (=Loch Gowna), **4** (N3091).
- Scrabby bridge, Lough Gowna, **4**
(N3290).
- Scrabby Hill, Lough Gowna, **4**
(N3092).
- Shancorn Lough (= Round Lough), **2**
(H3915).
- Shannon Pot (Source of the
Shannon), **1** (H0531).
- Shannon source, **1** (H0531).
- Shantamon (Shantemon) Lough, **2**
(H4506).
- Shantemon Hill (218 m), **2** (H4607).
- Sheelin, Lough, **4** (N4182-4685).
- Shercock, **3** (H7205).
- Sillan Lough, **3** (H7007).
- Skeagh Lough, **3** (H6501).
- Slieve Anierin (Co. Leitrim) (H0115).
- Slieve Glah (320 m), **2** (H4600).
- Slieve Rushen, **2** (H2322).
- Slievenakilla, **1** (H0325).
- St. John's Rock, Cloverhill, **2** (H4014).
- Stradone, **3** (H5003).
- Stramaquerty Bridge, **5** (N5992).
- Swan Lough, E of Lough Gowna, **4**
(N3191).
- Swanlinbar, **1** (H1927).
- Swellan (Sweelan) Lough, **2** (H4104).
- Tacker Lough, **3** (H6807).
- Teemore (Corraback) Lough, **2**
(H3520).
- Tents Mountain, **1** (G9933).
- Tirlahode, **5** (N5499).
- Togher Lough, **2** (H2714).
- Tomkinroad Lough, E of
Ballyconnell, **2** (H3117).
- Tonawally (Tonawolly) Lake, **2**
(H3815).
- Tower Hill, **4** (N4083).
- Town Lough (Lake), Cootehill, **3**
(H6015).
- Town Lough, Killashandra, **2**
(H3007).
- Trinity Island, **2** (H3404).
- Tullyguide Lough, **2** (H3208).
- Tullynamoyle, **1** (G9831).
- Tullyroane Lough, **2** (H3914).
- Tullyvin, **3** (H5511).
- Upper Lough Macnean, **1** (H0439).
- Urney Abbey, **2** (H3811).
- Urney Bridge, **2** (H3811).
- Virginia, **5** (N6087).
- Virginia Park Hotel, **5** (N5987).
- White Lake, **4** (N3392).
- Woodford River, **2** (H2312-3522).

INDEX OF SCIENTIFIC AND COMMON NAMES

Acer	78	APIACEAE	80
ACERACEAE	78	Apium	82
Achillea	103	APOCYNACEAE	84
Aconitum	39	Apple	71
ADIANTACEAE	34	AQUIFOLIACEAE	76
Aegopodium	81	Aquilegia	41
Aesculus	78	Arabidopsis	54
Aethusa	82	Arabis	56
Agrimonia	68	ARACEAE	109
Agrimony	68	ARALIACEAE	79
Agrimony, fragrant	69	Arctium	98
Agrimony, hemp	105	Arenaria	45
Agrostemma	47	Armoracia	55
Agrostis	116	Arrhenatherum	117
Aira	117	Arrowhead	105
Ajuga	87	Artemisia	103
Alchemilla	69	Arum	109
Alder	44	Ash	90
Alexanders	80	Aspen	52
Alisma	105	ASPLENIACEAE	35
ALISMATACEAE	105	Asplenium	36
Alliaria	54	ASTERACEAE	98
Allium	123	Athyrium	36
Alnus	44	Atriplex	45
Alopecurus	117	Autumn gentian	83
Alsike clover	73	Autumn hawkbit	99
Alternate water-millfoil	74	Autumnal water-starwort	89
AMARYLLIDACEAE	124	Avena	117
American willowherb	75		
American winter-cress	55	Baldellia	105
Amphibious bistort	48	Ballota	86
Anacamptis	125	Balm	88
Anagallis	60	BALSAMINACEAE	79
Andromeda	58	Bamboo, Broad-leaved	122
Anemone	40	Barbarea	55
Angelica	82	Barren brome	117
Anisantha	117	Barren strawberry	68
Annual pearlwort	46	Bastard balm	87
Annual wall-rocket	57	Bay willow	52
Antennaria	102	Bearded couch	119
Anthemis	103	Bedstraw	96
Anthoxanthum	117	Bee orchid	127
Anthriscus	80	Beech	43
Anthyllis	72	Beech fern	35
Aphanes	69	Bell heather	58

Bellis	102	Bog-rosemary	58
Bent	116	Bog-sedge	114
Berula	81	BORAGINACEAE	85
Betula	44	Botrychium	33
BETULACEAE	44	Bottle sedge	115
Bidens	104	Box	76
Bifid hemp-nettle	87	Brachypodium	118
Bilberry	59	Bracken	35
Bindweed	84	Brambles	63-67
Bindweed, black	49	Brassica	57
Birch	44	BRASSICACEAE	54
Bird cherry	71	Briar, sweet	70
Bistort	48	Bridewort	62
Biting stonecrop	61	Brittle bladder-fern	36
Bitter-cress	56	Briza	118
Bittersweet	84	Broad buckler-fern	37
Bitter-vetch	73	Broad-leaved helleborine	125
Black bindweed	49	Broad-leaved marsh-orchid	126
Black bog-rush	112	Bromopsis	118
Black bryony	124	Bromus	118
Black currant	60	Brooklime	92
Black horehound	86	Brookweed	60
Black medick	73	Broom	74
Black mustard	57	Broomrape	94
Black nightshade	84	Brown beak-sedge	112
Black poplar	52	Brown-sedge	113
Black spleenwort	36	Bryony, black	124
Blackstonia	83	Buckthorn	77
Blackthorn	70	Buddleja	90
Bladder campion	47	BUDDLEJACEAE	90
Bladder-sedge	116	Bugle	87
Bladderwort	95	Bulbous rush	110
BLECHNACEAE	38	Bulrush	123
Blechnum	38	Bur-marigold	104
Blinks	45	Burnet rose	70
Blue moor grass	122	Burnet-saxifrage	81
Blue sow-thistle	100	Bur-reed	122
Blue water-speedwell	92	Bush vetch	72
Bluebell	123	Butcher's broom	124
Blue-eyed-grass	124	BUTOMACEAE	105
Blunt-flowered rush	109	Butomus	105
Blunt-fruited water-starwort	89	Butterbur	104
Bog asphodel	123	Buttercup	40
Bog pimpernel	60	Butterfly-bush	90
Bog stitchwort	46	Butterfly-orchid	125
Bogbean	84	Butterwort	95
Bog-myrtle	43	BUXACEAE	76

Buxus	76	Cichorium	99
Calamagrostis	118	Cicuta	82
CALLITRICHACEAE	89	Cinquefoils	68
Callitriche	89	Circaea	76
Calluna	58	Cirsium	99
Caltha	39	Cladium	112
Calystegia	84	Cleavers	96
Campanula	95	Clematis	40
CAMPANULACEAE	95	Clubmoss	32
Canadian water-weed	106	Club-rush	111
CAPRIFOLIACEAE	97	CLUSIACEAE	49
Capsella	56	Coeloglossum	126
Cardamine	56	Columbine	41
Carduus	98	Comfrey	85
Carex	112	Common mouse-ear	46
Carlina	98	Common centaury	83
Carnation sedge	115	Common chickweed	46
Carpinus	44	Common dog-violet	51
CARYOPHYLLACEAE	45	Common field-speedwell	92
Catabrosa	118	Common fleabane	102
Catapodium	118	Common gromwell	85
Caucasian stonecrop	61	Common hemp-nettle	87
Celandine, greater	42	Common Knapweed	99
Celandine, lesser	40	Common marsh-bedstraw	96
CELASTRACEAE	76	Common meadow-rue	41
Centaurea	99	Common nettle	43
Centaurium	83	Common orache	45
Centranthus	98	Common poppy	41
Cerastium	46	Common ramping-fumitory	42
Ceterach	36	Common reed	121
Chaenorhinum	91	Common sedge	114
Chaerophyllum	80	Common silver-fir	38
Chamaecyparis	38	Common spike-rush	111
Chamerion	75	Common spotted-orchid	126
Chara	127	Common vetch	73
CHARACEAE	127	Common water-starwort	89
Charlock	57	Common yellow-sedge	116
Chelidonium	42	Compact rush	110
CHENOPODIACEAE	44	Confused bridewort	62
Chenopodium	44	Conium	82
Cherry laurel	71	Conopodium	81
Chicory	99	CONVOLVULACEAE	84
Chinese Teaplant	84	Convolvulus	84
Chrysanthemum	103	Corn Marigold	103
Chrysosplenium	62	Corn mint	88
Cicerbita	100	Corn spurrey	47
		CORNACEAE	76

Corncockle	47	Dandelion	100
Cornflower	99	Danthonia	119
Cornsalad	97	Dark-leaved willow	54
Cornus	76	Darnel	121
Corylus	44	Daucus	83
Cotoneaster	71	Deergrass	111
Cottongrass	111	DENNSTAEDTIACEAE	35
Couch	119	Deschampsia	119
Cow parsley	80	Digitalis	91
Cowbane	82	Dioecious sedge	113
Cowberry	59	DIOSCOREACEAE	124
Cowslip	59	Diplotaxis	57
Cow-wheat	93	DIPSACACEAE	98
Crab apple	71	Dipsacus	98
Crack willow	53	Dock	49
Cranberry	59	Dog rose	70
CRASSULACEAE	60	Dogwood	76
Crataegus	72	Downy birch	44
Creeping bellflower	95	Downy oat-grass	120
Creeping cinquefoil	68	Draba	56
Creeping soft-grass	121	Drosera	50
Creeping willow	54	DROSERACEAE	50
Creeping yellow-cress	55	DRYOPTERIDACEAE	37
Creeping-jenny	59	Dryopteris	37
Crepis	101	Duckweed	109
Crested dog's-tail	118	Dusky crane's-bill	79
Crocoshmia	124	Dwarf cherry	71
Cross-leaved heath	58	Dwarf elder	97
Crowberry	58	Dwarf spurge	77
Cryptogramma	34		
Cuckooflower	56	Eared willow	54
Cudweed, common	101	Early dog-violet	51
Cudweed, heath	102	Early hair-grass	117
Cudweed, marsh	102	Early marsh-orchid	126
Cudweed, small	101	Early-purple orchid	127
CUPRESSACEAE	38	Eastern rocket	54
Cut-leaved crane's-bill	79	Echium	85
Cymbalaria	91	ELATINACEAE	49
Cynosurus	118	Elatine	49
CYPERACEAE	110	Elder	97
Cyperus sedge	115	Elecampane	102
Cystopteris	36	Eleocharis	111
Cytisus	74	Eleogiton	112
		Elodea	106
Dactylis	119	Elongated sedge	113
Dactylorhiza	126	Elymus	119
Daisy	102	Elytrigia	119

EMPETRACEAE	58	Field scabious	98
Empetrum	58	Field wood-rush	110
English elm	43	Field woundwort	86
English stonecrop	61	Fig	43
Epilobium	75	Figwort	91
Epipactis	125	Filago	101
Equal-leaved knotgrass	48	Filipendula	62
EQUISETACEAE	32	Filmy-fern	34
Equisetum	32	Fine-leaved sandwort	45
Erica	58	Fine-leaved water-dropwort	81
ERICACEAE	58	Flea sedge	115
Eriophorum	110	Floating sweetgrass	120
Erophila	56	Flowering-rush	105
Erysimum	54	Forget-me-nots	85
Euonymus	76	Foxglove	91
Eupatorium	105	Foxtail	117
Euphorbia	77	Fragaria	68
EUPHORBIACEAE	77	Fragrant orchid	126
Euphrasia	93	Fraxinus	90
European larch	38	French crane's-bill	79
Eyebright	93	Frogbit	106
		Frog-orchid	126
FABACEAE	72	Fuchsia	75
FAGACEAE	43	Fumaria	42
Fagus	43	FUMARIACEAE	42
Fairy flax	77	Fumitory	42
Fallopia	49		
False brome	118	Galeopsis	87
False fox-sedge	114	Galium	96
False oat-grass	117	Garlic mustard	54
Fat hen	45	GENTIANACEAE	83
Fen bedstraw	96	Gentianella	83
Fern-grass	118	GERANIACEAE	79
Fescue	119	Geranium	79
Fescue, squirreltail	122	Germander speedwell	92
Festuca	119	Geum	68
Festulolium	120	Giant hogweed	83
Feverfew	102	Gipsywort	88
Few-flowered spike-rush	111	Glaucous sedge	114
Ficus	43	Glechoma	87
Field bindweed	84	Globeflower	39
Field horsetail	32	Glyceria	120
Field madder	96	Gnaphalium	102
Field Maple	78	Goat willow	53
Field pansy	52	Golden saxifrage	62
Field penny-cress	57	Goldenrod	102
Field rose	70	Good-King-Henry	44

Gooseberry	60	Hawthorn	72
Gorse	74	Hay-scented buckler-fern	37
Grass of Parnassus	62	Hazel	44
Great fen-sedge	112	Heath bedstraw	96
Great horsetail	33	Heath dog-violet	51
Great Mullein	90	Heath grass	119
Great wood-rush	110	Heath groundsel	104
Great yellow-cress	55	Heath rush	109
Greater burdock	98	Heath speedwell	92
Greater celandine	42	Heath spotted-orchid	126
Greater periwinkle	84	Heath wood-rush	110
Greater plantain	90	Heather	58
Greater pond-sedge	115	Hedera	79
Greater stitchwort	46	Hedge bindweed	84
Greater tussock-sedge	115	Hedge mustard	54
Greater water-parsnip	81	Hedge woundwort	86
Green field-speedwell	92	Hedgerow crane's-bill	79
Green-ribbed sedge	113	Helictotrichon	120
Grey field-speedwell	92	Helleborine	125
Grey poplar	52	Hemlock	82
GROSSULARIACEAE	60	Hemlock water-dropwort	81
Ground-elder	81	Henbit dead-nettle	86
Ground-ivy	87	Heracleum	83
Groundsel	104	Herb-Robert	79
Guelder-rose	97	Hesperis	54
Gymnadenia	126	Hieracium	101
Gymnocarpium	36	Himalayan knotweed	48
Hair-grass, Early	117	HIPPOCASTANACEAE	78
Hair-grass, Silver	117	HIPPURIDACEAE	89
Hair-grass, Tufted	119	Hippuris	89
Hair-grass, Wavy	119	Hogweed	83
Hairy brome	118	Holcus	121
Hairy dog rose	70	Holly	76
Hairy lady's mantle	69	Honeysuckle	97
Hairy rock-cress	56	Hop trefoil	73
Hairy sedge	114	Hornbeam	44
Hairy tare	72	Horse-chestnut	78
Hairy wood-rush	110	Horse-radish	55
HALORAGACEAE	74	Horsetail	32
Hard rush	110	Hottonia	59
Hard shield-fern	37	House-leek	60
Hard-fern	38	Huperzia	32
Harebell	95	Hyacinthoides	123
Hawkbit	99	Hydrocharis	106
Hawk's-beard	101	HYDROCHARITACEAE	106
Hawkweed	101	Hydrocotyle	80
		HYMENOPHYLLACEAE	34

Hymenophyllum	34	Large yellow-sedge	114
Hypericum	49	Large-flowered hemp-nettle	87
Hypochaeris	99	Larix	38
Ilex	76	Lathraea	94
Impatiens	79	Lathyrus	73
Imperforate St. John's-wort	50	Lawson cypress	38
Indian balsam	79	Lemna	109
Intermediate Bladderwort	95	LEMNACEAE	109
Intermediate lady's-mantle	69	Lemon-scented fern	35
Intermediate polypody	34	LENTIBULARIACEAE	95
Intermediate water-starwort	89	Leontodon	99
Inula	102	Lepidium	57
IRIDACEAE	124	Lesser burdock	98
Iris	124	Lesser celandine	40
Irish whitebeam	71	Lesser hawkbit	100
ISOETACEAE	32	Lesser marshwort	82
Isoetes	32	Lesser periwinkle	84
Isolepis	111	Lesser pond-sedge	112
Italian poplar	52	Lesser stitchwort	46
Italian rye-grass	121	Lesser trefoil	74
Ivy	79	Lesser tussock-sedge	113
Ivy-leaved crowfoot	40	Lesser water-parsnip	81
Ivy-leaved duckweed	109	Lesser water-plantain	105
Ivy-leaved speedwell	93	Leucanthemum	103
Japanese knotweed	49	Leucocjum	124
Jasione	95	Ligustrum	90
Jointed rush	109	Lilac	90
JUNCACEAE	109	LILIACEAE	123
JUNCAGINACEAE	106	Lime	50
Juncus	109	LINACEAE	77
Juniper	38	Linaria	91
Juniperus	38	Linum	77
Kidney vetch	72	Listera	125
Knautia	98	Lithospermum	85
Knotgrass	48	Littorella	90
Knotted pearlwort	46	Lobelia	95
Laburnum	74	Lolium	121
Lady-fern	36	London pride	62
LAMIACEAE	86	Long-headed poppy	41
Lamiastrum	86	Long-stalked yellow-sedge	116
Lamium	86	Lonicera	97
Lapsana	99	Lords-and-ladies	109
Large bindweed	84	Lotus	72
Large thyme	88	Lousewort	94
		Luzula	110
		Lychnis	47
		Lycium	84

LYCOPODIACEAE	32	Melica	121
Lycopodium	32	Melissa	88
Lycopus	88	Melittis	87
Lysimachia	59	Mentha	88
LYTHRACEAE	74	MENYANTHACEAE	84
Lythrum	74	Menyanthes	84
		Mercurialis	77
Maidenhair spleenwort	36	Midland hawthorn	72
Male-fern	37	Milkwort	78
Mallow	50	Mimulus	91
Malus	71	Minuartia	45
Malva	50	Moechringia	45
MALVACEAE	50	Molinia	121
Many-stalked spike-rush	111	Monkey-flower	91
Marsh arrow-grass	106	Monk's-hood	39
Marsh cinquefoil	68	Monotropa	59
Marsh fern	35	Montbretia	124
Marsh foxtail	117	Montia	45
Marsh Hawk's-beard	101	Moonwort	33
Marsh horsetail	33	MORACEAE	43
Marsh lousewort	94	Moss campion	47
Marsh-orchids	126	Mossy saxifrage	61
Marsh pea	73	Mountain everlasting	102
Marsh pennywort	80	Mouse-ear hawkweed	101
Marsh speedwell	92	Mugwort	103
Marsh St. John's-wort	50	Musk mallow	50
Marsh stitchwort	46	Myosotis	85
Marsh violet	51	Myrica	43
Marsh woundwort	86	MYRICACEAE	43
Marsh yellow-cress	55	Myriophyllum	74
Marsh-marigold	39	Myrrhis	80
Masterwort	82		
Mat-grass	121	Nardus	121
Matricaria	103	Narrow buckler-fern	37
Mayweed, scented	103	Narrow-fruited water-cress	55
Mayweed, scentless	104	Narrow-leaved marsh-orchid .	126
Mayweed, sea	103	Narrow-leaved vetch	73
Meadow brome	118	Narthecium	123
Meadow crane's-bill	79	Navelwort	60
Meadow foxtail	117	Needle spike-rush	111
Meadow vetchling	73	Neottia	125
Meadow-grass	122	New Zealand willowherb	75
Meadowsweet	62	Nipplewort	99
Meconopsis	42	Nitella	128
Medicago	73	Northern bedstraw	96
Medium-flowered winter-cress .	55	Northern yellow-cress	55
Melampyrum	93	Nuphar	39

Nymphaea	39	Perforate St. John's-wort	49
Oak	44	Persicaria	48
Oak fern	36	Petasites	104
Oat	117	Petroselinum	82
Odontites	94	Petty spurge	77
Oenanthe	81	Peucedanum	82
OLEACEAE	90	Phalaris	121
ONAGRACEAE	75	Phegopteris	35
OPHIOGLOSSACEAE	33	Phleum	121
Ophioglossum	33	Phragmites	121
Ophrys	127	Phyllitis	35
Opium poppy	41	Picea	38
ORCHIDACEAE	125	Pignut	81
Orchis	127	Pill sedge	115
Oreopteris	35	Pilosella	101
Origanum	88	Pimpinella	81
OROBANCHACEAE	94	PINACEAE	38
Orobanche	94	Pineapple weed	103
Orphine	61	Pinguicula	95
Osier	53	Pink water-speedwell	92
Osmunda	33	Pinus	38
OSMUNDACEAE	33	PLANTAGINACEAE	90
Oval sedge	115	Plantago	90
OXALIDACEAE	78	Platanthera	125
Oxalis	78	Plicate sweet-grass	120
Oxeye Daisy	103	Poa	122
		POACEAE	116
Pale persicaria	48	POLEMONIACEAE	85
Pale sedge	115	Polemonium	85
Papaver	41	Polygala	78
PAPAVERACEAE	41	POLYGALACEAE	78
Parietaria	43	POLYGONACEAE	48
Parnassia	62	Polygonum	48
Parsley	82	POLYPODIACEAE	34
Parsley fern	34	Polypodium	34
Parsley-piert	69	Polypody	34
Parsnip	83	Polystichum	37
Pastinaca	83	Pondweeds	106-108
Pearlwort	46	Pondweed, horned	108
Pedicularis	94	Poplar	52
Pellitory-of-the-wall	43	Populus	52
Pendulous sedge	115	Portland spurge	77
Pendunculate oak	44	PORTULACACEAE	45
Peppermint	89	Potamogeton	106
Perennial rye-grass	121	POTAMOGETONACEAE ..	106
Perennial sow-thistle	100	Potentilla	68
		Prickly sow-thistle	100

Primrose	59	Rhynchospora	112
Primula	59	Ribes	60
PRIMULACEAE	59	Ribwort plantain	90
Privet, wild	90	Rock stonecrop	61
Procumbent pearlwort	46	Rorippa	55
Prunella	87	Rosa	70
Prunus	70	ROSACEAE	62
Pseudofumaria	42	Rosebay willowherb	75
Pseudorchis	126	Rough chervil	80
Pteridium	35	Rough hawkbit	99
Pulicaria	102	Round-leaved mint	89
Purple moor-grass	121	Rowan	71
Purple willow	53	Royal fern	33
Purple-loosestrife	74	RUBIACEAE	96
Pyramidal orchid	125	Rubus	63
Pyrus	71	Rue-leaved saxifrage	62
		Rumex	49
Quaking grass	118	RUSCACEAE	124
Quercus	44	Ruscus	124
Quillwort	32	Rustyback fern	36
Ragged-Robin	47	Sagina	46
Ragwort	104	Sagittaria	105
Ramsons	123	Salad burnet	69
RANUNCULACEAE	39	SALICACEAE	52
Ranunculus	40	Salix	52
Rape	57	Sally	53
Raphanus	57	Salmonberry	67
Raspberry	65	Salsify	100
Red bartsia	94	Sambucus	97
Red campion	47	Samolus	60
Red clover	74	Sand couch	119
Red currant	60	Sanguisorba	69
Red dead-nettle	86	Sanicle	80
Red goosefoot	44	Sanicula	80
Red-osier dogwood	76	SANTALACEAE	76
Redshank	48	Saponaria	47
Reed canary-grass	121	Saxifraga	61
Reed sweet-grass	120	SAXIFRAGACEAE	61
Reflexed stonecrop	61	Scabious	98
Remote sedge	115	Scaly male-fern	37
Reseda	58	Scandix	80
RESEDACEAE	58	Scarlet pimpernel	60
RHAMNACEAE	77	Schoenoplectus	111
Rhamnus	77	Schoenus	112
Rhinanthus	94	Scirpus	111
Rhododendron	58	Scots pine	38

Scrophularia	91	Snowberry	97
SCROPHULARIACEAE	90	Snow-in-Summer	46
Scutellaria	87	Soapwort	47
Sea mouse-ear	46	Soft rush	110
Sedum	61	Soft shield-fern	37
Selaginella	32	Soft-brome	118
SELAGINELLACEAE	32	SOLANACEAE	84
Selfheal	87	Solanum	84
Sempervivum	60	Solidago	102
Senecio	104	Sonchus	100
Sesleria	122	Sorbus	71
Sessile oak	44	Sorrel	49
Sharp-flowered rush	110	Southern polypody	35
Shepherd's-needle	80	SPARGANIACEAE	122
Shepherds-purse	56	Sparganium	122
Sherardia	96	Spearwort, greater	40
Shining crane's-bill	79	Spearwort, lesser	40
Shore horsetail	33	Spergula	47
Shoreweed	90	Spiked water-millfoil	74
Silene	47	Spindle	76
Silver birch	44	Spiraea	62
Silver hair-grass	117	Spirodela	109
Silverweed	68	Spring sedge	113
Sinapis	57	Square-stalked St. John's-wort ..	50
Sisymbrium	54	St. John's-worts	49
Sisyrinchium	124	Stachys	86
Sitka spruce	38	Star sedge	113
Sium	81	Starry saxifrage	62
Six-stamened waterwort	49	Stellaria	46
Skull-cap	87	Sticky mouse-ear	46
Slender parsley-piert	69	Stinking chamomile	103
Slender sedge	114	Stone bramble	67
Slender soft-brome	118	Stratiotes	106
Slender speedwell	93	Succisa	98
Slender St. John's-wort	50	Summer snowflake	124
Slender Tufted-sedge	112	Sun spurge	77
Small nettle	43	Sundew	50
Small sweet-grass	120	Sweet briar	70
Small water-pepper	48	Sweet cicely	80
Small-leaved elm	43	Sweet vernal-grass	117
Small-white orchid	126	Sweet violet	51
Smooth brome	118	Sycamore	78
Smooth lady's mantle	69	Symphoricarpos	97
Smooth sow-thistle	100	Symphytum	85
Smooth-stalked sedge	114	Syringa	90
Smyrnium	80		
Sneezewort	103	Tall ramping-fumitory	42

Tamus	124	Tripleurospermum	103
Tanacetum	102	Trisetum	122
Tansy	102	Trollius	39
Taraxacum	100	Tufted hair-grass	119
Tasteless water-pepper	48	Tufted sedge	113
Tawny sedge	114	Tufted vetch	72
TAXACEAE	39	Tunbridge filmy-fern	34
Taxus	39	Tussilago	104
Teasel	98	Tutsan	49
Teucrium	87	Twayblade	125
Thale cress	54	Typha	123
Thalictrum	41	TYPHACEAE	123
THELYPTERIDACEAE	35	Ulex	74
Thelypteris	35	ULMACEAE	42
Thesium	76	Ulmus	42
Thin-spiked wood-sedge	116	Umbilicus	60
Thistle, carline	98	Upright hedge-parsley	83
Thistle, creeping	99	Urtica	43
Thistle, marsh	99	URTICACEAE	43
Thistle, meadow	99	Utricularia	95
Thistle, musk	99	Vaccinium	59
Thistle, slender	99	Valerian	97
Thistle, spear	99	Valeriana	97
Thistle, welted	98	VALERIANACEAE	97
Thlaspi	57	Valerianella	97
Three-nerved sandwort	45	Various-leaved water-starwort ..	89
Thyme-leaved sandwort	45	Verbascum	90
Thyme-leaved speedwell	92	Veronica	92
Thymus	88	Viburnum	97
Tilia	50	Vicia	72
TILIACEAE	50	Vinca	84
Timothy	121	Viola	51
Toad rush	109	VIOLACEAE	51
Toadflax	91	Violet	54
Toadflax, bastard	76	Vulpia	122
Tolypella	128	Wall rue	36
Toothwort	94	Wall speedwell	92
Torilis	83	Wall-flower	54
Tormentil	68	Water avens	68
Tragopogon	100	Water horsetail	32
Trailing St. John's-wort	50	Water lobelia	95
Trailing tormentil	68	Water mint	88
Treacle mustard	54	Water pepper	48
Trichophorum	111	Water plantain	105
Trifid bur-marigold	105		
Trifolium	73		
Triglochin	106		

Water sedge	112	Wood vetch	72
Water-cress	55	Woodruff	96
Water-crowfoot	41	Wood-sedge	116
Water-dropwort	81	Wood-sorrel	78
Water-milfoil	74	Woundwort	86
Water-purslane	74	Wych elm	42
Water-soldier	106		
Water-violet	59	Yarrow	103
Wavy hair-grass	119	Yellow archangel	86
Weld	58	Yellow bird's-nest	59
Welsh poppy	42	Yellow corydalis	42
White beak-sedge	112	Yellow iris	124
White campion	47	Yellow loosestrife	60
White clover	73	Yellow oat-grass	122
White dead-nettle	86	Yellow pimpernel	59
White mustard	57	Yellow rattle	94
White sedge	113	Yellow water-lily	39
White stonecrop	61	Yellow-juiced poppy	42
White water-lily	39	Yellow-wort	83
White willow	53	Yew	39
Whitlowgrass	56	Yorkshire-fog	121
Whorl-grass	118		
Wild angelica	82	Zannichellia	108
Wild carrot	83	ZANNICHELLIACEAE	108
Wild cherry	71	Zigzag clover	74
Wild marjoram	88		
Wild mignonette	58		
Wild oat	117		
Wild pansy	52		
Wild pear	71		
Wild Plum	70		
Wild privet	90		
Wild radish	57		
Wild strawberry	68		
Wild Teasel	98		
Wild thyme	88		
Wild turnip	57		
Willowherb	75		
Winter heliotrope	104		
Winter-cress	55		
Wood anemone	40		
Wood avens	68		
Wood horsetail	33		
Wood melic	121		
Wood sage	87		
Wood small-reed	118		
Wood speedwell	92		