ARALIACEAE

Hedera

helix L.

Ivy.

1,2,3,4,5.

Abundant in woods and hedges, on trees and walls in all areas and in some rocky places by Lough Ree shores.

C.C.

UMBELLIFERAE

Hydrocotyle

vulgaris L.

Marsh pennywort.

1,2,3,4,5.

Very frequent, on most lakeshores throughout the county.

4A. Common, growing on the shore of Lough Kinale near Abbeylara. N3881.
28-7-71.

Commonly occurring but no other details recorded by the shores of:- Lough Gowna, Lough Ree, Killeen Lough, Gorteen Lough and by the Shannon river near Cloondara.

C.C.

Sanicula

europaea L.

Wood sanicle.

-,2,-,4,-.

- 2. In Derrycassan wood near Dring, occasional. N3186. 19-6-71.
- 4. Commicn around Barley Harbour on Lough Ree. NO358. 19-5-84.
- 4. Frequent, growing in wooded areas near Lough Ree shore at Cashel Lodge, Newtowncashel. NCC61. 26-5-85.
- 4. H&R.
- C,C.

Chaerophy11um

temulentum L.

Rough chervil.

Not seen recently.

4. Miss Rcsa Smith per R.L.P.

C.C.

Anthriscus

sylvestris (L.) Hcffm.

Cow parsley.

1,2,3,4,5.

-,-,-,4,-.

Very common, seen in all the botanical districts. C.C.

Scandix

pecten-veneris L.

Shepherd's needle.

-,-,(3),(4),-.

3.and 4. R.L.P.

Nct seen since 1930.

UMBELLIFERAE

Myrrhis

odorata (L.) Scop.

Sweet cicely.

Nct seen by this writer.

Recorded for Cc. Longford in "Atlas of the British Flora." 1962.

C.C.

Smyrnium

olusatrum L.

Alexanders.

Reported by most authorities as occuring throughout Ireland but not seen by this writer in Cc. Longford.

C.C.

Conopodium

majus Loret & Barrandon

Pig-nut.

1,2,3,4,5.

In all districts, very common in wccds and on field margins near hedges. C.C.

Pimpinella

saxifraga L.

Burnet saxifrage.

-,-,-,4,-.

4. Occasional, on Lough Ree shore at Cashel Lodge. NOO61. 30-9-84.

C.C.

Aegopodium

pcdagraria L.

Bishop's weed.

1,2,3,4,5.

Abundant, growing on shaded roadside verges and in neglected gardens. Locally named "Garden pest".

3. B&V.

C.C.

Sium

latifolium L.

Water parsnip.

-,-,3,4,5.

5. Occasional, growing in boggy ground by the Shannon river at Cloonbony near Lanesborough. NC171. 16-8-84.

3. R.L.P.

3&4. B&V.

DBN. C.C.

Berula

erecta Coville

Narrow-leaved water parsnip.

-,-,3,-,-.

Not seen by this writer.

3. R.L.P.

UMBELLITEERAE

Oenanthe

fistulosa L.

Tubular water dropwort.

-,-,3,-,5.

- 5. Occasional, by the river Camlin in a marshy field near Cloondara lock where the Camlin joins the Shannon. NC676. 8-86-84.
- 5. Rare, on boggy ground near the river Shannon at Cloombony, Lanesborough. NO171. 16-8-84.
- 3. B&V.
- 3. R.L.P.

C.C.

aquatica Pciret

Fine-leaved water dropwort.

-,-,3,-,5.

Occasional in streams and rivers in the south of the county.

- 5. A small number of plants growing in the Rcyal canal near the first lock south of Cloondara. NC575. 18-6-84.
- 3. In the river Inny near Newcastle House, N1858 and 1km. downriver from Newcastle bridge, fairly common. N1757. 21-6-84.
- 3. Occasional, growing in the Camlin river at Rhine near Ballinalee. N1979. 19-8-84.
- 3. H&R. At Scrule bridge and Killashee, this is the first record for Co. Longford.

Aethusa

cynapium L.

Fcol's parsley.

-,-,3,4,5..

Seen but not documented in south Longford. C.C.

Conium

maculatum L.

Hemlock.

1,2,3,4,-.

An occasional species in gardens and waste places and on roadside verges. Dates or exact locations have not been recorded for this species but it has been seen near Ballinamuck (1), in gardens around Granard (2), near Newcastle, Ballymahon (3) and by a roadside near Newtowncashel (4). C.C.

Api.um

nodiflorum (L.) Lag.

Focl's water cress.

- 1. Common, in wet places near Lough Gowna shore close to the Granard-Gowna road. N3289. 1-7-71.
- 2. Common, growing in a drain near Purth cross, Dring. N2885. 29-7-71.
- 5. In the Royal canal near Richmond Harbour, Cloondara, very common. NC677. 18-6-84.
- 4A. Abundant, in a drain at the junction of the road from Abbeylara to Derragh. N3779. No date recorded, probably July 1984.
- 4. On Lough Ree share at Cashel Lodge near Newtowncashel, very common. NCO61. 23-9-84.

UMBELLIFERAE

Apium

inundatum (L.) Reichenb.

Lesser marshwcrt.

1,-,-,-.

1. Occasional, on Lough Gowna shore near the Granard-Gowna road. N3289. 24-7-71.

Probably in other districts.

C.C.

inundatum x nodiflorum

Recorded by Praeger for the county. "Botanist in Ireland." 1934. C.C.

Petroselinum

crispum A.W. Hill

Parsley.

-,2,-,4,-.

2. Seen occasionally in gardens around Granard, obviously left over from recent cultivation.

4. R.L.P.

C.C.

Cicuta

virosa L.

Cowbane.

1,2,3,4,4A,5.

- 1. Frequent on Lough Gowna shore near the Granard-Gowna road, N3289. 24-7-71.
- 4A. Growing in drains near the shcres of Lough Kinale. N3881. 20-6-71 and 15-6-84.
- 1. Occasional, near the shcres of Lough Sallagh near Ballinamuck. N1692. 9-6-84.
- 2. Occasional, around the shores of Killeen Lough near Granard. N2882. 16-6-84.
- 5. Near the Royal canal banks at Clochdara, common. NC677. 18-6-84.
- 1. Common, at the waters edge on Lough Gowna shore near Aughracliffe. N2788. 26-6-84.
- 4A. Very common, in the marshy area near Derragh Lough by the river flowing into Lough Kinale. N398C. 26-6-84.
- 5. Frequent, along the banks of the river Rinn from Clocnart bridge on the N4 road to Lough Fcrbes. NO883. 15-8-84.
- 4. Seen on Lough Ree shcre, no date or map reference recorded.
- 3 and 4. R.L.P.
- 4. B&V.

DBN. C.C.

Carum

carvi L.

Caraway.

- -,2B,-,4A,-. 2B. Occasional, in a field ajoining the state forest 1km south of Ardagh. N1868. 3-6-73.
- 4A. Occasional, in a sand and gravel pit near Feinsborough, Abbeylara. N3880. 13-11-83 and 28-7-84. C.C.

UMBELLIFERAE

Angelica

sylvestris L.

Angelica.

1,2,3,4,5.

Seen in all botanical districts, common in wet places. C.C.

Peucedanum

ostruthium (L.) Koch

Masterwort.

-,2,-,-,-.

2. A small number of plants growing in a wet field by the banks of the Camlin river at Rhine near Ballinalee. N1979. 19-9-84. Nct previously recorded in Co. Longford.

Heracleum

sphondylium L.

Cow parsnip.

Located in all of the botanical districts, common. C.C.

Torilis

nodosa (L.) Gaertner

Knotted hedge parsley.

-,-,3,-,-.

1,2,3,4,5.

Not seen recently.

3. R.L.P.

C.C.

japonica (Houtt.) DC

Upright hedge parsley.

1,2,3,4,5.

Common in all districts. C.C.

Daucus

carota L

Wild carrot.

-,-,3,4A,5.

- 5. Growing along the Rcyal canal banks near Cloondara, occasional. N0676. 18-6-84.
- 3. Occasional, on the dry rocky banks dredged from the river Inny at Scrule bridge near Ballymahon. N1456. 21-6-84.
- 3. Very common, in a habitat similar to above by the Inny river between Newcastle House and Newcastle bridge, Ballymahon. N1857. 21-6-84.
 4A. Common, in a gravel pit at Fernsborough, Abbeylara. N3880. 24-6-84. This species has not been seen in the north of the county.

ERICACEAE

Erica

tetralix L.

Bell heather.

1,2,3,4,5.

Seen in all botanical districts.

3. H.&R.

C.C.

cinerea L.

1,2,3,4,5.

Common on most bogs throughout the county.

1. Very frequent on Corn Hill. N1984. 14-10-83 C.C.

Calluna

vulgaris (L.) Hull.

Ling heather.

1,2,3,4,5.

Abundant on bogs throughout the county. C.C.

Rhododendron

ponticum L.

1,2,3,-,-.

- 2. Naturalised in Derrycassan wood near Dring, very frequent. N3086. 19-6-71.
- 1. Also at Woodville, Dring. 19-6-71. N2999.
- 3. Occurs very frequently in hedges by the roadside and in fields around Currycrane House near Ballinalee. N2379. 4-6-84. C.C.

Andromeda

polifolia L.

Bcg rosemary.

- -,-,3,4,4A,5.
- 4A. Common on bog, Abbeylara-Coole road. N3878. 13-6-73.
- 3. Common on Coolamber bog. N3273. 13-11-83.
- 5. Common on the bog in the delta between the Camlin and the Shannon rivers near Tarmonbarry. NO678. 18-6-84. 3&4. R.L.P.

C.C.

Vaccinium

oxycoccos L.

Cranberry.

-,2,3,4,5.

Occasional throughout the county.

- 5. H.&R.
- 4. R.L.P.
- 4. B.&V.

C.C.

myrtillus L.

Bilberry.

1,2,3,4,5.

Very common on shady banks, woodland edges and bogs. C.C.

EMPETRACEÀE

-,-,-,5.

Empetrum

nigrum I.

Crowberry.

5. R.L.P.

Nct seen by this writer in Co. Longford C.C.

PRIMULACEAE

Primula

vulgaris Huds.

Primrose.

1,2,3,4,5.

Very commer on shaded banks in all districts. C.C.

veris L.

Ccwslip.

1,2,3,4,5.

Common in all the botanical districts but obviously decreasing. Found, mainly on roadside verges but abundant in some pasture fields at Cullentragh (M9963.) and Carrool (NC456.) which are both near Lough Ree shore. Abundant in the corner of a field by the Granard-Edgeworthstown road at Ramore. (N3279.)

4&5. R.L.P.

C.C.

veris x vulgaris

Common Oxlip.

-,2,3,4,4A,-.

- 4. Rare, a single specimer observed at the edge of a field at Carool near Lough Ree. NO657. 19-5-84.
- 2. A clump of plants growing by the roadside near the bridge over the river Rhine on the Granardkille road about lkm. west of Granardkille cemetery, N3180, 24-4-85.
- 4A. One plant in an open space in the gravel pit at Feinsborough, Abbeylara. N3880. 14-5-85.
- 4. Occasional, growing with P. veris and P. vulgaris in "Burren like" pastures at Cullentragh near Lough Ree shore. NCC62. 11-5-86.
- A specimen from this habitat was sent to Miss M. Scannel who confirmed it as a first record for Co. Longford.
- 3. Rare, one plant growing by the bank of the Rcyal Canal near a bridge at Kilcommock just off the Lanesborough-Ballymahon road. N1261. 1-6-86. DEN.

Lysimachia

vulgaris L.

Yellow loosestrife.

1,-,3,4,4A,5.

- 1. Frequent on Lough Gowna shore near Deirycassan wood. N3085. 2-8-71. 4A. Common on the banks of the river between Deiragh Lough and Lough
- Kinale, Abbeylara. N398C. 24-6-84. 1. Occasional in rocky places on Lough Gowna shore at Woodville, Dring. N2889. 12-7-84.
- 3. Commuce by the side of the Inny river near Newcastle House. N1858. 31-7-84.
- 5. Common on the side of the river Camlin near Cloondara lock where the Camlin joins the Shannon, NO677, 8-6-84.
- 4. On Lough Ree shores, no date documented.

1&5. R.L.P.

PRIMULACEAE

Lysimachia

nummularia L.

Mcneywort.

-,-,-,4,5.

- 5. Occasional on the bank of the Shannon river at Cloombony near Lanesborough. NC171. 16-8-84.
- 4. Occasional by the shcres of Lough Ree at Cullentragh. M9862. 30-9-84.
- 4. Raie, on Lough Ree shore at Cashel Lodge. NCC61. 6-8-84. C.C.

nemorum L.

Yellow pimpernel.

1,2,-,4,-.

- 1. Common under Quercus petraea in small wooded area near Doogary Lough, Ballinamuck. N9420. 9-5-84.
- 2. Seen but not recorded in the Granard area.
- 4. H.&R. Elfeet bay, also seen there by this writer. C.C.

Anagallis

tenella L.

Bog pimpernel.

1,2,3,4,4A,-.

- 4A. Frequent in wet fields on the shore of Lough Kinale. N38El. 28-7-71.
- 2. On the south shore of Lough Annagh on the Ballinamuck-Arva road, common. N2192. 10-6-84.
- 3. Abundant in a small rocky area about 1.5 km. downriver from Newcastle bridge on the right bank of the river Inny, Ballymahon. N1758. 21-6-84.
- 1. Common on woodland paths at Woodville, Dring. N2889. 12-7-84.
- 1. Rare on the shore of Lough Sallagh, Ballinamuck. N1691. 22-9-84.
- 4. Fairly common on the shore of Lough Ree at Cashel Lodge, Newtowncashel. $NCC61.\ 6-8-85.$

C.C.

arvensis L.

Scarlet pimpernel.

-,2,3,4A,-.

- 2. Occasional near disused sandpit near Creevy. N3783. 30-6-71.
- 4A. On gravel from excavated drains near Lough Kinale. N3881. 1-10-83.
- 3. Occasional on waste ground beside the new cemetry near Darogue House, Ballymahor. N1357. 21-6-84.
- 4A. Common on paths and in disused gravel pit at Fernsborough, Abbeylara. $N3880.\ 6-7-84.$
- 3. H.&R.

PRIMULACEAE

Samclus

valerandi L.

Brockweed.

1,-,3,4,4A,5.

- 1. A few specimens growing on Lough Gowna shore near Granard-Gowna road. N3289. 1-7-71.
- 1. Occasional on Lough Gowna shore between Dring carpark and Derrycassan wood. N3086.
- 4A. On shcres of Lough Kinale, occasional. N3881. 1-10-83.
- 3. Fairly common by the banks of the river Inny about .5 km downriver from Newcastle bridge towards Ballymahon. N1757, 21-6-84.
- 5. Common by the river Shanron between Tarmonbarry and Cloondara. NC577. 6-8-84.
- 5. Common on the shore of Lough Forbes near the mouth of the Rinn river. NC983, 15-8-84.
- 5. Occasional by the side of the river Shannon at Cloombony near Lanesborough. NC171. 16-8-84.
- 3. H.&R.

C.C.

OLEACEAE

Fraxinus

excelsior L.

Ash.

1,2,3,4,5.

Very common in hedges in all districts. C.C.

Liqustrum

vulgare L.

Privet.

1,2,3,4,5.

Established in all districts, usually near houses. C.C.

Syringa

vulgaris L.

Lilac.

1,2,3,4,5.

Occasionally naturalised theroughout the county. Usually growing in hedges near houses.

3. A white form is well established near the Rcyal canal at Island Bridge, Kenagh. N1163. 25-5-85.

Status as a naturalised species is doubtful.

GENTI ANACEAE

Blackstonia

perfoliata (L.) Huds.

Yellow wort.

-,-,-,4,-.

Not seen recently.

4. R.L.P.

C.C.

Centaurium

erythraea Rafn.

Centaury.

1,-,3,4A,-.

1. Frequent on Lough Gowna shore, Granard-Gowna road. N3289. 24-7-71. 4A. Rare in grassy places in the disused gravel pit at Fernsborough, Abbeylara. N3880. 28-7-84.

3. Occasional in the field by the river Inny at the crossroads at Newcastle bridge. N1857. 31-4-84. C.C.

Gentianella

campestris (L.) Borner

Field gentian.

-,-,3,4,-.

3&4. R.L.P. DBN. C.C.

amarella (L.) Bcrner

Autumn gentian.

-,-,3,4,-.

Found by Praeger in 1900 but not seen recently.

3&4. R.L.P.

C.C.

Felwort.

MENYANTHSCEAE

Menyanthes

trifoliata L.

Bog bean.

1,2,3,4,5.

Located in all areas in bog drains, very common. Also common in the Royal canal.

C.C.

APOCYNACEAE

Vinca

minor L.

Lesser periwinkle.

1,-,3,-,-.

1. Abundant, naturalised on a stream bank in Derrycassan wood, Dring. N3087. 22-6-71.

3. Naturalised by the roadside near an old house at Barney on the Ardagh-Edgeworthstown road. N2268. 13-5-85. Not previously recorded for Co. Longford.

APOCYNACEAE

Vinca

major L.

Periwinkle.

1,2,3,4,5.

Seen in all areas. Usually near houses. Not previously recorded, status doubtful as a naturalised species.

RUBIACEAE

Sherardia

arversis L.

Field madder.

-,-,3,4,-.

- 4. Occasional in a disused quarry near Cashel Lodge on Lough Ree shore. NOO61, 23-9-84.
- 4. Also on Lough Ree shore at Cullentragh. M9862. 30-9-84.
- 3. H.&R.

Not seen in other districts.

C.C.

Galium

bcreale I.

Northern bedstraw.

-,-,-,4,-.

- 4. Fairly common in rocky places on Lough Ree shore near Barley harbour. NC358. 16-10-83.
- 4. Comm.cn on Lough Ree shore at Cleraun, Newtowncashel. NO456. 20-6-84.
- 4. R.L.P.
- 4. R. Vowell

DEN. C.C.

odoratum (L.) Scop.

Weodruff.

-,2,2A,-,4,-. 2A. Common at edge of Ardagh wood. N1968. 16-10-83.

- 2. Common on shaded wall on Longford road, Granard. N3381. 24-5-84.
- 4. Very common in hazel woods around Lough Ree shore at Cashel Lodge. NCO61. 26-5-85.
- 4. H.&R.

C.C.

uliginosum L.

Fen bedstraw.

1,-,3,4A,5.

- 1. Common in wood near Lough Gowna shore, Woodville, Dring. N2889. 25-7-81.
- 4A. Very common in fields near Lough Kinale. N3881. 28-7-71 & 1-10-83.
- 5. Comm.cn in the marshy field by the river Shannon near Clochdara lock where the Camlin joins the Shannon. NO677.
- 3. R.L.P.

RUBIACEAE

Galium

palustre L.

Marsh bedstraw.

1, -, 3, 4A, 5.

- 1. Occasional on the shore of Lough Gcwra near Granard-Gcwra road. $N3289.\ 13-6-71.$
- 1. Common in marshy places on the shore of Lough Sallagh near Ballinamuck. N1791. 10-6-84.
- 5. Common by the edge of the Royal canal near Cloondara, N0677, 18-6-84.
- 3. Fairly common on the banks of the river Inny about .5 km. downriver from Newcastle bridge. N1757. 21-6-84.
- 4A. Very common in marshy area near the bank of the river between Derragh Lough and Lough Kinale, Fernsborough, Abbeylara. N3880. 24-6-84 & 28-7-84.
- 5. Occasional on the banks of the Camlin river between Cloondara and the new bridge on the N5 road. NC677. 6-8-84. C.C.

elongatum C. Presl

Great marsh bedstraw.

-,-,-,5.

5. H.&R. Clocndara. A first record for this species.

verum L.

Lady's bedstraw.

1,2,3,4,5.

Very frequent on sunny banks.

mollugo I.

Hedge bedstraw.

-,2,-,4A,-.

- 2. On motte behind church in Granard, N3281, 14-6-71.
- 4A. Occasional by the edge of the coniferous forest at Derragh, Abbeylara.
- 4A. Common on dry mossy clumps in a field near the above forest at Fernsborough, Abbeylara. N3880. 6-7-84.

4. R.L.P.

DBN. C.C.

saxatile L.

Heath bedstraw.

1,2,-,4A,-.

- 1. Common on the shore of Lough Gowna near the Granard-Gowna road. N3289. 13-6-71.
- 2. Common on tanks around fields on Corn Hill. N1984. 14-10-83.
- 1. Comm.cn in rocky places in fields near Lough Sallagh, Ballinamuck. $N1692.\ 9-6-84.$
- 1. Abundant in boggy fields near the stream flowing into Lough Fearglass. N1792. 9-6-84.
- 4A. Common in a boggy field near the forest at Fernsborough, Abbeylara. N3880. 24-6-84. C.C.

aparine I.

Robin-run-the-hedge. Cleavers.

1,2,3,4,5.

Abundant.

CONVOLVULACEAE

Calustegia

sepium (L.) R. Br.

Bindweed.

1,2,3,4,5.

Very common in hedges. C.C.

silvatica (Kit.) Griseb.

1,-,-,-.

1. Abundant in hedges on the roadside by the Drumlish-Arvagh road near Ballinamuck. N1990. 21-7-84.

Found by Dr. P.L. Curran and reported in I.N.J. Vol.22. No. 1, 1986.

A first record for Cc. Longford

C.C.

pulchra Brummit & Heywood
Not seen by this writer.
C.C.

Convolvulus

arvensis L.

Small bindweed.

-,2,3,4,-.

No records, locations or dates but seen around Granard in gardens. Also seen on waste ground near Coolamber bog, occasional.
4. R.L.P.

C.C.

BORAGINACEAE

Lithosper mum

officinale L.

Growwell.

-,-,3,-,-.

Not seen recently.

3. R.L.P.

C.C.

Buglossides

arvensis (L.) I.M. Johnson

Field gromwell.

-,-,-,4,-.

4. B.&V. DEN. C.C.

Symphytum

officinale L..

Comfrey.

1,2,3,4,5.

Common in all districts but usually near houses.

- 2A. Abundant on roadside near Ardagh village on turn for Longford. N1969.
- 5. Occasional near the new bridge on the N5 road over the Camlin river near Cloondara. N0677. 8-6-84.
- 2. Common in neglected gardens at Granard. N3381. 3-7-84.
- 3. Abundant near Island bridge over the Royal Canal, Kenagh. N1163. 26-5-85.

Not previously recorded for the county

BORAGINACEAE

Symphytum

asperum x officinale

-,-,3,-,5.

- 3. Occasional on the verge by the side of the road between Drumnacor House and Scrule bridge, Ballymahon. N1356. 1-6-86.
- 5. H.&R. Castle Forbes, a first record for the county.

Myosotis

arvensis (L.) Hill.

Field forget-me-not.

1,2,3,4,5.

Common in all districts.

3. H.&R.

C.C.

discolor Pers.

Changing forget-me-nct.

-,2,3,4,-.

Occasional at Granard, Ballymahon and near Lough Ree at Newtowncashel. 2. R.L.P.

C.C.

secunda A. Murr.

Creeping forget-me-not.

1,2,-,-,-.

- 2. Frequent near summit of Corn Hill. N1984. 28-6-71.
- 2. Common in bog drain, Purth Cross near Dring. N2885.
- 1. Occasional on the shore of Lough Sallagh near Ballinamuck. N1791. 10-6-84.
- 1. R.L.P.

C.C.

laxa Lehm.

Tufted forget-me-not.

subsp. caespitosa Nordhagen

1,2,-,-,-.

- 1. Common on Lough Gowna shore, Granard-Gowna road. N3289. 13-6-71.
- 1. Common around Lough Sallagh near Ballinamuck. N1791. 10-6-84.
- 2. R.L.P.

DEN. C.C.

scorpioides L.

Marsh forget-me-not.

1,2,3,4A,5.

- 4A. Muddy places on Lough Kinale shore near Ballywillin, occasional. N3882. 15-6-71 & 25-8-71.
- 1. Common around the edges of Lough Fearglass near Ballinamuck and on the side of the river leading into this lake. N1792. 9-6-84.
- 4A. Common in the marshy area near Derragh Lough, by the river which leads to Lough Kinale, Fernsborough, Abbeylara. N3980. 24-6-84.
- 5. Common along the banks of the river Camlin between the new bridge on the N5 road and Cloondara. NO677. 6-8-84.
- 2. Very common on the banks of the same river at Killoe about 1 km. upriver from the bridge. N2078. 7-8-84.
- 3. H.&R.

CALLITRICHACEAE

Callitriche

stagnalis Scop.

Common water starwert.

1,2,3,4,5.

Growing in slow-flowing drains in all districts, very common. $C \in \mathcal{C}$

obtusangula Le Gall.

Blunt-fruited water starwort.

1, -, 3, -, 5.

- 1. Very commuce on the river leading into Lough Fearglass near Ballinamuck. N1791. 9-6-84.
- 5. Frequent in the Royal canal near Richmond Harbour, Clochdara. NO677. 18-6-84.
- 3. Occasional in the river Inny near Newcastle House, Ballymahon. N1857. 21-6-84.

Not previously recorded in the county.

platycarpa Kutz.

Various-leaved water starwort.

1,-,-,-.

1. Occasional in a muddy drain by Lough Gowna shore near Scrabby bridge. N3289. 22-5-71.

Not previously recorded for Co. Longford.

LABIATAE

Ajuga

reptans L.

1,2,3,4,5.

Bugle.

Very common in hedges and woods throughout the county.
4. H.&R.

C.C.

Teucrium

scorodonia L.

Wood sage.

1,2,3,4,5.

1. Occasional on road near Woodville, Dring. N2989. 25-7-71. Seen in other districts but dates not documented. C.C.

scordium L.

Water germander.

-,-,3,4,5.

- 4. Common on Lough Ree shore rear Rathcline House, Lanesborough. M9867. 16-9-84.
- 4. Common on Lough Ree shore near Cashel Lodge. NOO61. 23-9-84 & 5-8-85. Not seen in other districts recently. 3,4&5. R.L.P. DEN. C.C.

LABIATAE

Scuttelaria

galericulata L.

Skull cap.

-,-,3,4,-.

4. Occasional by Lough Ree shore at Cullentragh. M9862. 30-9-84. 3&4. R.L.P.

C.C.

Galeopsis

speciosa Mill.

Large flowered hemp-nettle.

Not seen by this writer.

Recorded for Co. Longford in the 1987 Census Catalogue.

tetrahit L.

Hemp-nettle.

1,2,-,4,5.

- 1. Occasional by roadside near Lough Gowna, Dring. N2885. 7-9-71.
- 2. A single plant on waste ground at Carragh, Granard. N3491. 7-8-84.
- 5. Occasional on boggy ground near Castle Forbes. N0981. 15-8-84.
- 4. Also seen near Lough Ree shore.

C.C.

Lamium

album L.

White dead-nettle.

-,2,3,4,4A,-.

Local in most parts of the county.

- 3. A large colony by the roadside near the Ballymahon public dump near Newcastle bridge. N1758. 18-5-85.
- 2. Well established on the side of the narrow road between Robinstown and Abbeylara. N3679. 29-5-84.
- 4A. Common on the roadside near Abbeylara village on the Granard road. N3680. 3-6-84.
- 4. Seen occasionally around Newtowncashel. No dates recorded.
- 3. Specimens recieved from the Fdgeworthstown area.

2&3. R.L.P.

C.C.

purpureum L.

Red dead-nettle.

1,2,3,4,5.

Common in gardens and waste places. C.C.

hybridum Vill.

1,-,-,5.

This species has not been seen recently. The infrequent occurance of these Lamium species is probably due to the virtual absence of tilled ground in many parts of the county.

1&5. R.L.P.

DEN. C.C.

LABIATAE

Lamium

molucellifolium Fr.

-,-,3,-,-.

Not seen recently.

3. R.L.P.
DBN. C.C.

amplexicaule I.

Henbit.

-,-,-,(4),-.

Not seen since 1930.

4. R.L.P.

C.C.

Stachys

officinalis (L.) Trev.

Woundwort.

-,-,-,4,-.

Not seen recently.

4. R.L.P.

DBN. C.C.

sylvatica L.

1,2,3,4,5.

Hedge woundwort.

Very common all over the county in shady places.

C.C.

palustris x sylvatica

-,-,3,-,-.

3. Seen near Ballymahon by R. Vowell. 8-8-1896.

DEN. C.C.

palustris L.

Marsh woundwort.

1,2,-,4,-.

1. Common on the shores of Lough Cornacullew, near Ballinamuck. N1792.

22-9-84.

This species occurs frequently on Lough Ree shcre, by the Camilin and Royal canal at Cloondara, on Lough Gowns and in gardens at Granard.

C,C

Nepeta

cataria L.

Catmint.

-,-,-,4,-.

Nct seen recently.

4. R.L.P.