

An Outline of the Flora of Mayo

D. SYNNOTT

National Botanic Gardens, Glasnevin, Dublin 9

INTRODUCTION

References to the Mayo flora have been gathered together and are here presented in the form of a bibliography and annotated botanical list. Records for the two vice-counties, East Mayo (H26) and West Mayo (H27), are included. In addition, those collectors whose names appear in the botanical literature are listed and an indication of their principal contributions to the study of the Mayo flora is given. There is a topographical index with mostly six figure grid references.

THE VICE-COUNTY BOUNDARIES

The vice-county boundaries are as defined by Praeger (1901) and clarified by Webb (1981), being essentially as illustrated in the map which forms the frontispiece to *Irish Topographical Botany* (Praeger 1901) and which was reproduced with some place-name changes in the *Census Catalogue of the Flora of Ireland* (Scannell & Synnott 1972).

A number of changes in county boundaries resulted from the Irish Local Government Act of 1898. No account was taken of the changes affecting the Mayo border by Praeger (1901) when he adapted Babington's suggestion (1859) for a division of the country for botanical recording.

Three changes in the Mayo boundary did take place as a result of the 1898 Act:

1. Part of the modern boundary between West Mayo and Connemara is further south than the older one on which the vice-county is based. The eastern slopes of Maumtrasna, including Lough Nadirkmore and all of the Owenbrin River and the shores of Lough Mask to about Churchfield, although now in Mayo for administrative purposes, belong to the vice-county of West-Galway




Fig. 1. The vice-counties of Mayo. The areas numbered 1, 2, 3 are those areas where the vice-comital boundaries differ from those of the modern administrative county of Mayo.

(H16), and records from this area have been included in the *Flora of Connemara and the Burren* (Webb & Scannell 1983).

2. "An area on the east bank of the River Moy opposite Ballina, transferred in 1898 from Sligo to Mayo but still in vice-county H28, Sligo" (Webb 1981). The area has not been much botanised.
3. On the east side of the county there is an area to the west of Lough Gara which has been transferred to County Roscommon but which belongs to the vice-county of East Mayo (H26). This area includes the town of Ballaghaderreen from where many of Praeger's first records for vice-county 26 were reported.

The boundary between East and West Mayo was first defined by Babington (1859). This definition was accepted by Praeger (1901). A more precise definition of the boundary was given by Webb (1981) and is repeated here:

"The line separating H26 from H27 runs from near the middle of Lough Mask to the mouth of the Cloon River at the northern end of the lake, then up this river and its tributary through Cooley Lough, Ballyhean Village and Buncam Lough to the small lake immediately west of the hamlet of Tully. From here it follows the road to Castlebar, then down the Castlebar River, across Lough Cullin and down the River Moy till it meets the former boundary with County Sligo 2½ miles above Ballina".

THE PLANT RECORDS

The check-list is based on the published records of the flora but includes additions from a card index of plant records kept at Glasnevin for the second edition of *Census Catalogue of the Flora of Ireland* (Scannell & Synnott, in press), from the field record cards of the Botanical Society of the British Isles, and from personal field notes.

Records published in the *Atlas of the British Flora* (Perring & Walters 1962) and its *Critical Supplement* (Perring & Sell 1968) presented a special problem. Information for the atlases was collected on the BGX Grid system and all of the Irish field cards (now housed at the Irish Biological Records Centre, An Foras Forbartha) had the BGX grid reference. It has been possible to assign many of these cards to a 10km square of the National Grid, and so to include most of the *Atlas* records in the list of grid squares following each species. Closer scrutiny of the *Atlas* records may make it possible to assign many more to a National Grid square but considering the time involved in attempting this, it seems hardly justifiable at this stage.

"THINGS LEFT UNDONE"

Much work remains to be done before a *Flora of Mayo* can be written. In addition to the need for an extensive fieldwork programme, herbarium collections should be combed for unpublished records and for voucher material, literature records need to be critically assessed, individual record cards should be assigned as far as possible to the 10km squares of the National Grid, a more thorough search of the botanical literature

would undoubtedly add useful records and observations, and many observations on the botany of Mayo possibly languish in the notebooks of botanists who have visited the county.

Meanwhile it is hoped that this check-list may provide a stimulus for further work and be a useful source of reference to the botany of Mayo.

CONTRIBUTORS TO THE FLORA

A formal history of the botany of Mayo has not been attempted. However, the following annotated list may give an indication of the contributions of individuals to the botany of the county. Dates refer to entries in the bibliography; place names and plant names associated with some botanists are given. The list is essentially those names which appear in the Check-list of the Flora.

Argent, G.: (Halliday *et al.* 1967).

Babington, C. C.: Erris (1838). Vice-counties (1859).

Ball, J.: (1839). Lough Carra.

Ball, R.: (Scannell 1984).

Barnes, Mrs. —: White-flowered *Daboecia* (Webb 1970).

Barrington, R. M.: *Alisma lanceolata*.

Barry, T. A.: Discovered the iron flush at Bellacorick which contains *Saxifraga hirculus*, *Cochlearia alpina* and *Thelypteris palustris*, and the rare mosses, *Messia triquetra* and *Homalothecium nitens* (see King & Scannell 1960). *Eulogy on Western Achill* (1975).

Booth, E. M.: *Taraxacum*.

Breen, C.: *Calystegia soldanella* and *Senecio viscosus* (1975).

Brewis, Lady A.: *Taraxacum*.

Browne, P.: The *Fasciculus* (1788) contains records for 46 Mayo species and is one of the oldest documents to refer to the Mayo flora; it also contains Irish and English names for many species.

Browning, F. R.: *Hieracium hebridense*.

Cabot, D.: (1969). *Spiranthes spiralis*.

Carvill, P.: *Lathyrus japonicus*.

Colgan, N.: Mayo Highlands (1900). Irish plant names, Clare Is. (1911).

Curtis, T.: *Orchidaceae*.

Dickie, G.: (1864). Some Mayo plant records in *Fl. Ulster* — *Verbascum thapsus* and *Carex bigelowii*.

Dillwyn, H. D. B.: *Saxifraga hirculus* (Ballycastle). *Daboecia* (Corraun).

Donnelly, J.: *Sorbus hibernica*.

Doyle, G. J.: (1982; 1986). Vegetation studies. History.

Druce, G. C.: (1929; 1931). Achill.

Farran, G. P.: *Sambucus ebulus* and *Inula helenium*.

- Foot, S.: With Joseph Hooker — *Erica erigena* on Mweelrea (Mackay 1836a).
- Foss, P. J.: *Erica erigena*.
- Gainsborough, Earl of: *Trifolium micranthum*.
- Goodwillie, R.: *Lathyrus japonicus*.
- Gough, Mrs. —: *Veronica peregrina*, etc. (Praeger 1939). Halliday, G.: (et al. 1967). Lough Mask.
- Halliday, G.: (1967).
- Harmon, Lady: *Spiranthes spiralis*.
- Hart, H. C.: Botany of the Mayo mountains (1883).
- Heslop-Harrison, J.: (1949). *Orchidaceae*.
- Hooker, J.: With Simon Foot — *Erica erigena* on Mweelrea (Mackay 1836a).
- Hudson, H. J.: (1943).
- Ingrouille, M.: *Limonium*.
- Jackson, Miss M. F.: Records from about Cong in *Cybele Hibernica*, 2nd ed. and *Irish Topographical Botany*.
- Kane, W. deV.: Achill.
- Kelly, D. L.: (1985). *Salix*, etc., TCD.
- Kenny, S.: *Geranium pusillum*.
- Kertland, M. P. H.: (1968). *Sarracenia*.
- Kinahan, G. H.: (1871). Ferns — *Botrychium*, *Adiantum*, *Asplenium viride*.
- King, A. L. K.: (1960). Mineral flush at Bellacorick. Bryophytes.
- Knowles, M. C.: Garden form of *Saxifraga hirsuta* (Praeger 1911). Louisburgh. DBN.
- Knox, Lady Louisa: *Erica erigena* on Achill.
- Knox, Mrs. U.: *Cichorium intybus*.
- Lambert, A. B.: *Saxifraga spathularis*, Croaghpatrick (Templeton MS).
- Lawless, Hon. Emily: *Carduus nutans*.
- Lewin, Miss A. C.: *Cichorium intybus*.
- Lindsay, Miss —: *Ranunculus trichophyllus*.
- McArdle, D.: *Callitricha hamulata*. Mweelrea.
- McClintock, D.: (1966, 1969, 1971). *Ericaceae* and various plant records.
- Mackay, J. T.: (1806, 1830, 1836a, 1836b).
- Marshall, E. S.: (1899a, 1899b, 1900). Mallaranny. Clonbur (1896).
- Melville, Prof. —: *Humulus lupulus*. Old Abbey of Mayo.
- Miller, Agatha: *Epilobium brunnescens* (Praeger 1939).
- Moon, J. McK: *Cicendia filiformis* on Achill.
- Moore, D.: (1852, 1859, 1860). *Erica erigena*. Botany of Erris.
- Moore, Prof. J. J.: (1970). Glenamoy; International Biological Programme coordinator.
- Montford, J. O. and K. C.: *Mycelis*. *Erinus*.

- More, A. G.: (1860, 1889). *Erica erigena* and other records.
More, Miss Frances M.: (1904). *Iris foetidissima*.
Nelson, E. C.: (1979, 1982). *Ericaceae*.
Newman, E.: (1839). Achill.
Newton, A.: *Rubus*.
O'Donnell, H.: DBN.
O'Hare, P. J.: Officer in Charge, Glenamoy research station 1959-1970. Ecological study of blanket bog (1959). *Erica erigena*.
O'Malley, J.: Serpentine form of *Asplenium adiantum-nigrum*.
Parnell, J.: (1982). *Jasione montana*.
Perring, F. H.: (1966) B.S.B.I. Westport Meeting. *Atlas and Critical Suppl.*
Persse, Mrs. D. D.: *Epipactis helleborine*. Ballinrobe (Praeger 1901).
Praeger, R. Ll.: (1898, 1900, 1901, 1903a, 1903b, 1903c, 1904, 1905, 1906a, 1906b, 1906c, 1907, 1909a, 1909b, 1909c, 1911a, 1911b, 1912, 1913, 1922, 1927, 1932a, 1932b, 1934, 1937, 1943).
Praeger's interest in the flora of Mayo, amounting almost to an obsession, began about Easter 1898, when he spent a week in Achill. Further work on the islands was deferred until the completion of *Irish Topographical Botany*. For this latter work he has marked his itineraries on maps from Philips' *Handy Atlas of the Counties of Ireland* (e. 1886). These maps are kept at Glasnevin together with the *London Catalogues* on which are marked the field records for *Irish Topographical Botany*.
Despite his comment on the poverty of the Achill flora he went back for a further ten days in July 1904 to complete his field-work for the *Flora of Achill*. Further studies followed of Clare Island, Inishturk, Inishkea Islands, the peninsulas of Corraun and Mullet and the coastal area of Dooaghtry, which prepared the way for the Clare Island Survey. Reports were published also of the inland areas of Lough Conn, Lough Carra and Lough Mask. In addition to his own records Praeger published notes on the Mayo flora from Mrs. Gough, Miss M. F. Jackson, W. deV. Kane, Mrs. D. D. Persse, J. Sheridan, and others.
Rake, Dr. G. R.: *Wahlenbergia*.
Reid, Fionola: *Epilobium pedunculare*.
Reilly, J.: *Ranunculus auricomus* (Barrington 1877).
Rodén, C.: (1986). Mountains of Mayo and Galway.
Rohu, R. L. C.: *Mycelis muralis*. *Polygonum bistorta*. *Lysimachia punctata*. *Calystegia soldanella*.
Sayers, Miss —: *Erigeron acer*.
Scannell, M. J. P.: (1958, 1972, 1982, 1984, see King 1960). *Pilularia*. *Rumex hibernicus*. Bellacorick. R. Ball and W. Thompson.
Scourfield, D. J.: *Cephalanthera longifolia*.
Sheridan, J.: *Erica erigena*. Achill.

- Shoolbred, A.: With Marshall 1896, Clonbur.
 Shuttleworth, R. J.: *Aquilegia*.
 Sledge, W. A.: *Thalictrum alpinum*.
 Stelfox, A. W.: *Cephalanthera* at Dooaghtry.
 Synnott, D.: (1970, 1983). Achill Beg. Bellacorick. Westport. Corraun.
 Thelypteris palustris. *Malaxis paludosa*. *Saussurea alpina*.
 Teacher, Mrs. Dorothy: *Allium schoenoprasum*.
 Thompson, W.: (Scannell 1984).
 Vanden Berghen, C.: (1972). Vegetation of Achill and Corraun.
 Vowell, R. P.: *Frangula alnus*. *Carex limosa*.
 Wade, W.: *Conopodium majus*. *Nepeta cataria*. *Calamintha ascendens*.
 Wallace, W. A.: *Pyrola minor*.
 Walsh, F. E. R.: (1968). *Vicia sepium*.
 Watson, W.: *Drosera*.
 Watts, T.: *Asplenium ruta-muraria* on Achill.
 Webb, D. A.: (1948, 1952, 1953, 1954, 1957, 1959, 1969, 1970).
 Saxifraga. *Erica*. *Pedicularis sylvatica* subsp. *hibernica*. *Hypericum canadense*.
 Vice-counties. Mapping. *An Irish Flora*.
 Webster, M. McCallum: *Stellaria palustris*.
 White, J.: Vegetation studies.
 White, R. M.: (1968). Corraun.
 Wynne, J.: *Arctostaphylos*.

SELECTED BIBLIOGRAPHY

As a general rule only those papers which have added to our knowledge of plant distribution in the county have been listed but some historical, ecological and phytosociological papers have crept in.

- Akeroyd, J. R. and Curtis, T. G. F. (1980)** Some observations on the occurrence of machair in Western Ireland. *Bull. Irish Biogeog. Soc.*, 4: 1-12.
Anon. (1900) Achill and the West of Ireland: Practical Handbook to Galway, Connemara and the Midland Great Western Railway.
Anon. (1971) The International Biological Programme. Irish contribution. (Chapter 2 — The Glenamoy Project).
Babington, C. C. (1836) [results of his visit to Connemara in 1835]. *Loudon's Mag. Nat. History*, 9: 129.
Babington, C. C. (1838) On the botany of Erris. *Mag. Zool. & Bot.*, 2: 119.
Babington, C. C. (1841) On *Cuscuta epithilum*. *Trans. Linn. Soc.*, 18 (4): 563.
Babington, C. C. (1859) Hints towards a Cybele Hibernica. *Nat. Hist. Review*, 6 (2): 533-537.

- Babington, A. M. (1897)** Memorial Journal of C. C. Babington (cf. pp 44, 52, 92).
- Baker, J. G. (1863)** On *Hypericum lineolatum* *J. Bot.*, 1: 227-278.
- Baker, J. G. (1865)** Thirsk Botanical Exchange Club: Curator's report for 1864. *J. Bot.*, 3, 115-122.
- Ball, J. (1839)** Botanical notes of a tour of Ireland. *Ann. Nat. Hist.*, 2: 35.
- Ball, J. (1843)** *Saxifraga stellaris* (var. on Corslieve). *Ann. Mag. Nat. Hist.*, 11: 483.
- Barrington, R. M. (1877)** Plants of Ireland. *J. Bot.*, 15: 179-179.
- Barry, T. A. (1975)** The back of beyond: North-West Achill, beyond the mountains, an area of great scientific interest and extraordinary beauty. *Capuchin Annual*.
- Belfast Nat. Field Club (1895)** Report of excursion to Benmore and Murlough. *Report Belfast Nat. Field Club*, 2 (4): 165.
- Bennett, A. E. (1883)** *Saxifraga pedatifida* Sm. as a British plant. *J. Bot.*, 21: 152.
- Bennett, A. E. (1894)** Notes on *Potamogeton*. *J. Bot.*, 32: 204.
- Bennett, A. E. (1919)** *Potamogeton longifolius* in England. *Trans. Bot. Soc. Edin.*, 27: 312.
- Boatman, D. J. (1962)** The growth of *Schoenus nigricans* on blanket bog peats: 1 — The response to pH and the level of potassium and magnesium. *J. Ecol.*, 50: 823-832.
- Boatman, D. J. (1972)** The growth of *Schoenus nigricans* on blanket bog peats: 2 — Growth on Irish and Scottish peats. *J. Ecol.*, 60: 469-477.
- Breen, C. (1975)** *Calystegia soldanella* (L.)R.Br. and *Senecio viscosus* L. in West Mayo. *Irish Nat. J.*, 18: 255.
- Browne, P. (1788)** Fasciculus Plantarum Hiberniae — a catalogue of plants observed chiefly in the counties of Mayo and Galway, 1788. Manuscript in Linnean Society, London.
- Cabot, D. (1969)** *Spiranthes spiralis* in West Mayo. *Irish Nat. J.*, 16: 177.
- Carrothers, E. N. (1952)** Giesecke's report of *Ledum palustre* and *Papaver nudicaule* L. in Ireland. *Irish Nat. J.*, 10: 264 [quoting *Parliamentary Gazetteer of Ireland*, 1846].
- Colgan, N. (1900)** Botanical notes on Galway and Mayo highlands. *Irish Nat.*, 9: 111.
- Colgan, N. (1911)** Gaelic plant and animal names. Clare Island Survey. *Proc. Roy. Irish Acad.*, 31 (4): 1.
- Colgan, N. and Scully, R. W. (1898)** Contributions towards a *Cybele Hibernica*. 2nd. edition. Dublin.
- Collins, T. (1985)** *Floreat Hibernia — a biobibliography of Robert Lloyd Praeger*. Dublin: Royal Dublin Society.
- Corry, T. H. (1883)** *Saxifraga pedatifida*. *J. Bot.*, 21: 181.
- Crofts, R. (1971)** Sand movement in the Emlybeg dunes, Co. Mayo. *Irish Nat. J.*, 17: 132-136.
- Curtis, T. G. F., McGough, H. N., and Akeroyd, J. R. (1981)** The flora of the Mullet Peninsula, West Mayo. *Irish Biogeographical Soc. Bulletin*, 5: 38-46.
- Dandy, J. E. and Taylor, G. (1967)** Notes on the British Flora — *Potamogeton* ... *Watsonia*, 6: 314.
- Dickie, G. (1864)** *Flora of Ulster and Botanist's Guide to the North of Ireland*. Belfast.

- Doyle, G. J. (1982)** The vegetation, ecology and productivity of Atlantic blanket bog in Mayo and Galway, western Ireland. *J. Life Sciences, Roy. Dublin Soc.*, 3: 147-164.
- Doyle, G. J. and Foss, P. J. (1986a)** *Vaccinium oxycoccus* L. growing in the blanket bog area of West Mayo (H27). *Irish Nat. J.*, 22 (in press).
- Doyle, G. J. and Foss, P. J. (1986b)**. A resurvey of the Clare Island flora. *Irish Nat. J.*, 22 (in press).
- Doyle, G. J. and Moore, J. J. (1980)** Western blanket bog (*Pleurozio purpureae-Ericetum tetralicis*) in Ireland and Great Britain. *Colloques Phytosociologiques*, 7: 213-223.
- Doyle G. J. and Moore, J. J. (1983)** Floristic changes in developing conifer plantations growing on blanket peat in the West of Ireland, in H. Dierschke (ed.), *Struktur und Dynamic von Waldern*. pp. 699-716. Cramer. Vaduz.
- Druce, G. C. (1929)** New or rare plants of Ireland. *Irish Nat. J.*, 2: 163-165.
- Druce, G. C. (1931)** *Dryopteris filix-mas* var *linearis* on Achill. *Irish Nat. J.*, 3: 218.
- Focke, W. O. (1891)** List of the British and Irish Rubi in the herbarium of the late Mr. John Ball, F.R.S., *J. Bot.*, 29: 162-163.
- Foss, P. J., Doyle, G. J., and Nelson, E. C. (1987)** The distribution of *Erica erigena* R. Ross in Ireland. *Watsonia*, 16 (in press) pt. 3.
- Foss, P. J., Rushe, E. M., and Doyle, G. J. (1984)** *Andromeda polifolia* L. in West Mayo. *Irish Nat. J.*, 21: 343.
- Gay, P. A. (1957)** *Aspects of the phytogeography of some Lusitanian Ericaceae of the British Isles*. Unpublished PhD thesis, University College, London.
- Gorham, E. (1954)** The soils and vegetation of a western relict woodland. *J. Ecol.*, 42: 479-504.
- Greville, R. K. (1826)** *Ledum palustre* and *Papaver nudicaule*. *Edin. Phil. J.*, 14: 181.
- Halliday, G., Argent, G. C., and Halliday, D. L. (1967)** Some Irish plant records. *Irish Nat. J.*, 15: 313-316.
- Hart, H. C. (1883)** Report on the flora of the Mayo and Galway Mts. *Proc. Roy. Irish Acad.*, 2 (ser. 3): 694. (Reference in *J. Bot.*, 21: 251.)
- Heslop. Harrison, J. (1949)** A new Irish marsh orchid. *Irish Nat. J.*, 9: 329.
- Heslop-Harrison, J. (1950)** *Orchis cruenta* Mull in the British Islands. *Watsonia*, 1: 364-375.
- Holland, P. G. (1972)** The pattern of species density on old stone walls in western Ireland. *J. Ecol.*, 60: 799-805.
- Hudson, H. J. (1943)** *Cephalanthera ensifolia* in West Mayo. *Irish Nat. J.*, 8: 85.
- Kane, W. F. de V. (1898)** Achill — impressions of. *Irish Nat.*, 7: 135.
- Kelly, D. L. (1985)** *Salix cinerea* L. subsp. *cineraria* in Ireland, and some other new records in *Salix* subgenus *Vetrix*. *Irish Nat. J.*, 21: 412-414.
- Kelly, D. L. (1985)** Plant records from about Ireland, 1965-1983. *Irish Nat. J.*, 21: 416-419.
- Kertland, M. P. H. (1968)** *Sarracenia purpurea* as an introduced plant in Ireland. *Irish Nat. J.*, 16: 60-51.
- Kinahan, G. H. (1871)** Ferns observed in Iar or West Connaught, and also South West Mayo. *Nat. Hist. Soc. Dublin*, 3 (6): 67; *J. Bot.*, 9: 187.

- King, A. L. K., and Scannell, M. J. P. (1960)** Notes on the vegetation of a mineral flush in Co. Mayo. *Irish Nat. J.*, 13: 137-140.
- King, J. J. F. X. (1888)** *Ceterach officinarum* exhibited from Westport. *Nat. Hist. Soc. Glasg.*, Proc. N. S., 2: 9.
- Lamb, J. G. D. (1964)** On the possible occurrence of *Erica mackiana* Bab. in Co. Mayo. *Irish Nat. J.*, 14: 213-214; *J. Roy. Hort. Soc.*, 92: 224.
- Lambert, A. B. (1832)** (in P. Smith 1832).
- Lewin, A. C. (1899)** Chicory in Co. Mayo. *Irish Nat.*, 8: 228.
- Linton, E. F. and W. R. Linton (1886)** Notes on a botanical tour in West Ireland. *J. Bot.*, 24: 18-21.
- Lousley, J. E. (1961)** Notes on *Rumex acetosa* L. *Watsonia*, 5: 67.
- Mackay, J. T. (1806)** A systematic catalogue of rare plants found in Ireland. *Trans. Dublin Soc.*, 5: 121-184.
- Mackay, J. T. (1825)** Catalogue of the indigenous plants found in Ireland. *Trans. Roy. Irish Acad.*, 14: 103-198.
- Mackay, J. T. (1830)** Notice of a new indigenous heath found in Connemara. *Trans. Roy. Irish Acad.*, 16: 127-128.
- Mackay, J. T. (1836a)** A brief view of the botany of Ireland, in J. Fraser (ed.) *Guide through Ireland — Handbook for Travellers*. Dublin.
- Mackay, J. T. (1836b)** *Flora Hibernica*. Dublin.
- Magor, E. W. M. (1981)** Riddles of the Irish heaths — an Irish tour. *Yearbook of the Heather Society*, 1981: 52-62.
- Malato-Beliz, J. (1982)** Some reflections on Mediterranean plants in Ireland. *J. Life Sciences, Roy. Dublin Soc.*, 3: 277-282.
- Marshall, E. S. (1899a)** *Allium schoenoprasum* in Ireland. *Irish Nat.*, 8: 182; *J. Bot.*, 37, 327.
- Marshall, E. S. (1899b)** Remarks on the Cybele *Hibernica* ed. 2. *J. Bot.*, 37: 269.
- Marshall, E. S. (1900)** Plants observed in West Mayo. *J. Bot.*, 38: 184.
- Marshall, E. S. (1909)** The plants of the West [review and comment on *A Tourist's Flora of the West of Ireland*] *Irish Nat.*, 18: 154-155.
- Marshall, E. S. and Schoolbred, A. (1896)** Irish plants observed in July 1895. *J. Bot.*, 34: 250-258.
- McClintock, D. (1966)** The Irish 'heathers'. *Gardeners' Chronicle*, 160 (No. 11, 14th Sept.): 12.
- McClintock, D. (1969)** Some notes on *Erica mediterranea*. *Irish Nat. J.*, 16: 154-158.
- McClintock, D. (1971)** *Daboecia cantabrica* 'Praegerae'. *Irish Nat. J.*, 17: 24.
- McClintock, D. (1979)** *Acaena* in Ireland. *Irish Nat. J.*, 19: 365-367.
- Mitchell, G. F. and Watts, W. A. (1970)** The history of the Ericaceae in Ireland during the Quaternary epoch, in D. Walker and R. West (eds.) *Studies in the Vegetational History of the British Islands*. Cambridge.
- Moon, J. McK. (1949)** *Cicendia filiformis* in Achill. *Irish Nat. J.*, 9: 339.
- Moore, D. (1852)** On the distribution of *Erica mediterranea* var *hibernica* and some other plants in Ireland. *Phytologist*, 4: 179-599.
- Moore, D. (1859)** Observations on the prevailing and rare plants of Erris and of some other portions of the county of Mayo. *Dublin Univ. Zool. & Bot. Assoc.*, 1859. *Nat. Hist. Review*, 7: 414-417 (1860).

- Moore, J. J. (1970)** Report on the Glenamoy (Ireland) I.B.P. ecosystem study. *I.B.P. Proc. 1970 Tundra Biome Symposium, Kevo, Finland.* pp. 92-100.
- Moore, N.W., Hooper, M. D. and Davis, B. N. K. (1967)** Hedges: 1 — Introduction and reconnaissance studies. *J. Applied Ecol.*, 4: 201-220.
- More, A. G. (1860)** Localities for some plants observed in Ireland, with remarks on the geographical distribution of others. *Proc. Dublin Univ. Zool. & Bot. Assoc.*, 2: 54-65; *Nat. Hist. Review*, 7: 434-443.
- More, A. G. (1889)** *Erica mediterranea* var *hibernica* Hook. on Achill Island (and other plants). *J. Bot.*, 27: 118.
- More, F. M. (1904)** *Iris foetidissima* in West Mayo. *Irish Nat.*, 13: 42.
- Morley, B. and Scannell, M. J. P. (1972)** *Erica erigena* R. Ross — the mediterranean heath in Ireland. *Irish Nat. J.*, 17: 203-204.
- Nelson, E. C. (1979)** Historical records of the Irish Ericaceae, with particular reference to the discovery and naming of *Erica mackiana*. *J. Soc. Bibl. Natural Hist.*, 9: 289-299.
- Nelson, E. C. (1982)** Historical records of the Irish Ericaceae — additional note on *Arbutus unedo*, *Daboecia cantabrica*, *Erica erigena*, *E. mackiana*, and *Ledum palustre*. *Irish Nat. J.*, 20: 364-369.
- Newman, E. (1839)** Notes on Irish Natural History. *Magazine of Natural History*, 3 (New series): 548-551; 569-577.
- O'Connell, M. and Sheehy Skeffington, M. J. (1985)** Botanical notes from three sites in East Mayo and Sligo. *Irish Nat. J.*, 21: 419-420.
- O'Hare, P. J. (1959)** *An ecological study of certain blanket bogs in County Mayo*. Unpublished M. Agr. Sci. Thesis, University College Dublin.
- Parnell, J. (1982)** Abnormal plants of *Jasione montana* L. *Irish Nat. J.*, 20: 507.
- Perring, F. H. (1961)** The Irish Problem. *Bournemouth Nat. Hist. Soc.*, 52: 1-13; *Ber. Internat. Sympos. Statzau/Weser* (1962), 257-268.
- Perring, F. H. (1966)** New plant records for Co. Mayo. *Irish Nat. J.*, 15: 236-240.
- Perring, F. H. and Walters, S. M. (1962)** *Atlas of the British Flora*. Cambridge.
- Perring, F. H. and Sell, P. D. (1968)** *Critical Supplement to the Atlas of the British Flora*. Cambridge.
- Praeger, R. Ll. (1898)** Achill — flowering plants. *Irish Nat.*, 7: 141.
- Praeger, R. Ll. (1900)** Round Lough Conn. *Irish Nat.*, 9: 224.
- Praeger, R. Ll. (1901)** Irish Topographical Botany. *Proc. Roy. Irish Acad.*, 23: (3rd. ser., 7).
- Praeger, R. Ll. (1903a)** The flora of Clare Island. *Irish Nat.*, 12: 227.
- Praeger, R. Ll. (1903b)** New plants for West Mayo. *Irish Nat.*, 12: 269.
- Praeger, R. Ll. (1903c)** *Hieracium orarium* and *H. rivale* in Ireland. *Irish Nat.*, 12: 311.
- Praeger, R. Ll. (1904)** The flora of Achill Island. *Irish Nat.*, 13: 265-289; *Irish Nat.*, 14: 220-221.
- Praeger, R. Ll. (1905)** The flora of the Mullet and Inishkea. *Irish Nat.*, 14: 229.
- Praeger, R. Ll. (1906a)** *Asplenium ruta-muraria* on Achill Island. *Irish Nat.*, 15: 42.
- Praeger, R. Ll. (1906b)** *Euphrasia foulensis* in Ireland. *Irish Nat.*, 15: 43.
- Praeger, R. Ll. (1906c)** On the botany of Lough Carra. *Irish Nat.*, 15: 207.

- Praeger, R. Ll. (1907)** The flora of Inishturk. *Irish Nat.*, 16: 113.
- Praeger, R. Ll. (1909a)** *Agrostis nigra* not in Ireland. *Irish Nat.*, 18: 53.
- Praeger, R. Ll. (1909b)** Botanical notes chiefly from Lough Mask and Kilkee. *Irish Nat.*, 18: 32.
- Praeger, R. Ll. (1909c)** *A Tourist's Flora of the West of Ireland*. Dublin.
- Praeger, R. Ll. (1911a)** Clare Island. Phanerogamia and Pteridophyta. *Proc. Roy. Irish Acad.*, 31: (110).
- Praeger, R. Ll. (1911b)** Dooaghtry — a note on. *Irish Nat.*, 20: 193.
- Praeger, R. Ll. (1912)** West Mayo plants. *Irish Nat.*, 21: 27.
- Praeger, R. Ll. (1913)** *Trifolium filiforme* in West Mayo. *Irish Nat.*, 22: 119.
- Praeger, R. Ll. (1927)** The vegetation of Curraun. *Irish Nat. J.*, 1: 288.
- Praeger, R. Ll. (1932a)** The flora of the turloughs. *Proc. Roy. Irish Acad.*, 41 (B4): 37.
- Praeger, R. Ll. (1932b)** Some noteworthy plants found in Ireland. *Proc. Roy. Irish Acad.*, 41 (B4): 122.
- Praeger, R. Ll. (1934)** *The Botanist in Ireland*. Dublin.
- Praeger, R. Ll. (1937)** *The Way that I Want*. Dublin.
- Praeger, R. Ll. (1943)** *Cephalanthera ensifolia* in West Mayo. *Irish Nat. J.*, 8: 85.
- Rechinger, K. H. (1961)** Notes on *Rumex acetosa* in the British Isles (Beitrag zur Kenntnis von *Rumex* No. xv). *Watsonia*, 5: 64-66.
- Richards, A. J. (1972)** The *Taraxacum* Flora of the British Isles. *Watsonia*, 9 (Supplement).
- Roden, C. (1979)** A note on the flora of Lough Corrib region including some records for West Galway (H16), North-East Galway (H17) and South (sic) Mayo (H26). *Bulletin of Irish Biogeographical Soc.*, 3: 34-36.
- Roden, C. (1986)**. A survey of the flora of some mountain ranges in the west of Ireland *Irish Nat. J.*, 22: 52.
- Rohu, R. L. C. (1982)** Plant records from West Mayo and Longford. *Irish Nat. J.*, 20: 506.
- Scannell, M. J. P. (1958)** *Saxifraga hirculus* in Co. Mayo (Dooloeg). *Irish Nat. J.*, 12: 248.
- Scannell, M. J. P. (1972)** *Pilularia globulifera* L. new to E. Mayo and a second record for West Donegal. *Irish Nat. J.*, 17: 280.
- Scannell, M. J. P. (1973)** *Dactylorhiza traunsteineri* (Sauter) Só in East Cork, Mid Cork, Offaly, Meath, Leitrim and East Mayo. *Irish Nat. J.*, 17: 426.
- Scannell, M. J. P. (1982)** *Rumex hibernicus* in Ireland. *Irish Nat. J.*, 20: 558-559.
- Scannell, M. J. P. (1983)** *Erica erigena* R. Ross and *Daboecia cantabrica* (Huds.) C. Koch. — some further notes on the historical records. *Irish Nat. J.*, 21: 29-30.
- Scannell, M. J. P. (1984)** Robert Ball and William Thompson — plant lists compiled after a visit to Western Ireland in 1834. *Bulletin of Irish Biogeographical Soc.*, 8: 78-90.
- Scannell, M. J. P. and McClintock, D. (1974)** *Erica mackaiana* Bab. in Irish localities and other plants of interest. *Irish Nat. J.*, 18: 81.
- Scannell, M. J. P. and Synnott, D. M. (1972)** *Census Catalogue of the Flora of Ireland*. Dublin.
- Scannell, M. J. P. and Synnott, D. M. (in press)** *Census Catalogue of the Flora of Ireland*. Dublin (2nd edition).

- Smith, P.** (editor) (1832) Croagh Patrick — *Memoirs and correspondence of J. E. Smith*. (see Lambert, A.B.).
- Sommerville, A.** (1981) *Bidens cernua* near Ballina. *Nat. Hist. Soc. Glasg. Proc. N.S.*, 3: lxi.
- Stelfox, A. W.** (1943) *Cephalanthera ensifolia* in West Mayo. *Irish Nat. J.*, 8: 85.
- Stelfox, A. W.** and **Wood, P. W.** (1960) What is the origin of the heath *Daboecia cantabrica* var *praegerae*. *Irish Nat. J.*, 13: 121-122.
- Syngle, F. M.** (1836) The glaciation of West Mayo. *Irish Geography*, 5: 372-386.
- Syngle, F. M.** and **Stephens, N.** (1960) The Quaternary period in Ireland — an assessment. *Irish Geography*, 4: 121-130.
- Synnott, D. M.** (1970) *Thelypteris palustris* and *Malaxis paludosa* in N.W. Mayo. *Irish Nat. J.*, 16: 282.
- Synnott, D. M.** (1974) *Polystichum* hybrids in Ireland. *Irish Nat. J.*, 18: 94.
- Synnott, D. M.** (1983) *Wahlenbergia* in Mayo — another station. *Irish Nat. J.*, 21: 139-140.
- Synnott, D. M.** (1984) *Saxifraga x polita* (Haw.) Link on Achill Island. *Irish Nat. J.*, 21: 367.
- Vanden Berghe, C.** (1972) Le vegetation de l'ile Achill et de la presqu' ile de Corraun (comte de Mayo, Irlande). *Les Naturalistes Belges*, 4: 170-200.
- Wade, W.** (1802) Catalogus Plantarum rariorium in comitatu Gallovidiae praecipue Cunnamara inventarum. *Trans. Dublin Soc.*, 2 (2): 103-127.
- Walsh, F. E. R.** (1968) An interesting form of *Vicia sepium* L. on Duvillaun More Island, Co. Mayo. *Irish Nat. J.*, 16: 77-78.
- Webb, D. A.** (1948) The Robertsonian saxifrages of Galway and Mayo. *Irish Nat. J.*, 9: 105.
- Webb, D. A.** (1952) Narrative of the ninth International Phytogeographical Excursion. *Veroff. Geobot. Inst. Zurich*, 25: 9-31.
- Webb, D. A.** (1953) A new subspecies of *Pedicularis sylvatica* L. *Watsonia*, 3: 329.
- Webb, D. A.** (1954) Notes on four Irish heaths. *Irish Nat. J.*, 11: 215-219.
- Webb, D. A.** (1957) *Hypericum canadense* L. a new American plant in western Ireland. *Irish Nat. J.*, 12, 113; *Watsonia*, 4: 140.
- Webb, D. A.** (1959) New records for *Eriophorum latifolium*. *Irish Nat. J.*, 13: 21.
- Webb, D. A.** (1969) An early gathering of *Hypericum canadense* L. *Irish Nat. J.*, 16: 209.
- Webb, D. A.** (1970) White-flowered *Daboecia cantabrica*. *Irish Nat. J.*, 16: 319.
- Webb, D. A.** (1981) The biological vice-counties of Ireland. *Proc. Roy. Irish Acad.*, 80 (B12): 179-196.
- Webb, D. A.** and **Scannell, M. J. P.** (1983) *Flora of Connemara and the Burren*. Cambridge.
- Westhoff, V.** (1971) Enkele gegcoens over de standplants van *Hypericum canadense* L. *Gorteria*, 5: 239-248.
- White, R. M.** (1968) The vegetation of the Corraun Peninsula, Co. Mayo. *Irish Nat. J.*, 16: 67-62.
- Wolley-Dod, A. H.** (1942) *Rosa x mayoensis* — Some new British roses. *J. Bot.*, 62: 202.

THE FLORA LIST

Arrangement and nomenclature are according to the second edition of *Census Catalogue of the Flora of Ireland* (Scannell & Synnott, in press).

Following each species name there is a list of numbers from the series E 1-33 and W 1-62, representing the 10km squares of the National Grid, covering East Mayo and West Mayo respectively, from which the species was recorded in field-work for the *Atlas of the British Flora* (Perring & Walters, 1962), and which could with confidence be referred to a National Grid square. The numbers are arbitrary codes for the grid squares and are related to the National Grid as indicated in Fig. 3.




Fig. 2. British Grid Extension in relation to Irish National Grid for Mayo.

The published records for all but the commonest species are then listed, first for East Mayo and then for West Mayo. The published record is so overwhelmingly the work of R. Ll. Praeger that his name has not been used throughout and it may be taken that an unqualified record is attributable to him. My own records are indicated by an exclamation mark (!); others are attributed to the finder or recorder whose name appears in brackets. Dates are given only occasionally since it should be clear in most cases which publication is referred to from the location of the records, e.g. Clare Island (Praeger 1911), Mullet (Praeger 1905).




Fig. 3. Mayo, with National Grid and arbitrary code numbers (see text).

PTERIDOPHYTA

LYCOPODIACEAE

<i>Lycopodium clavatum</i>	W	9, 30.
W: Bengorm (Hart).		
<i>Lycopodiella inundata</i>	W	5, 28.
W: Achill — Sraheens Lough. West shore of Lough Mask.		
<i>Huperzia selago</i>	E	18, 30.
	W	2, 13, 16, 19-20, 26-27, 32, 38, 40, 47, 50, 60.
E: Glenaduff.		
W: Nephin. Mullet. Achill. Clare Island.		
<i>Diphasiastrum alpinum</i>	W	1, 9, 20.
W: Mweelrea; Loughy; Corraun Plateau (Hart). Sheeffry (Colgan).		

SELAGINELLACEAE

<i>Selaginella selaginoides</i>	E	10-12, 17-18, 23, 27.
	W	1-2, 7-9, 13, 17, 19-21, 23, 27, 32-33, 39-40, 47, 55-56, 62.
E: Callow. Claremorris. Lough Carra.		
W: Mallaranny (Marshall). Sheeffry (Colgan). Killala. Pontoon. Lough Conn. Lough Bawn. Dooaghtry. Achill. Inishturk.		
<i>Selaginella kraussiana</i>	W	2, 15.
W: Ditch in woodland at Old Head, and below ruins of Doolough House, in woodland (Perring).		

ISOETACEAE

<i>Isoetes lacustris</i>	E	(10).
	W	7, 20, 22-23, 26-27, 30, 53, 60.
E: (North shore of Lough Mask, 1963, Field Card - confirmation desirable).		
W: N.W. end of Lough Pollagowly (Marshall). Cushcamcarragh (Colgan).		
Achill — Bunafreva Lough East, Keel Lough, and Annagh Lough. Inishturk — Lough Namucka.		
<i>Isoetes echinospora</i>	W	20.
W: N.W. end of Lough Pollagowly (Marshall).		

EQUISETACEAE

<i>Equisetum x trachyodon</i>	E 6, 10, 26. W 33.
-------------------------------	-----------------------

E: Lough Carra, Lough Mask — near the bridge over to Inishcoog (Halliday).
W: Drummin Wood, Lough Cullin (More).

<i>Equisetum variegatum</i>	E 10. W 27.
-----------------------------	----------------

E: Rush Is., L. Carra. (J. Ball's L. Carra record was *E. x trachyodon*).
W: 03/60.

<i>Equisetum fluviatile</i>	E 10-12, 16, 18, 23, 25, 27. W 1-2, 7-8, 10, 13, 16-17, 20-24, 27, 29-33, 39-41, 45-48, 50, 53, 55, 61.
-----------------------------	---

E: Ballaghaderreen.
W: Ballina. L. Conn. Achill. Mullet. Clare Is. Inishturk.

<i>Equisetum arvense</i>	E 6, 10-12, 16, 18, 22-23, 25, 27, 31. W 1-2, 4, 7, 13, 15-17, 19-24, 27-32, 35, 38, 43, 45-48, 50, 52, 55-56, 61-62.
--------------------------	---

E: Ballaghaderreen.
W: Ballina. Achill. Clare Is. Inishturk. Mullet.

<i>Equisetum x litorale</i>	W 33.
-----------------------------	-------

W: Peat banks, N.W. shore of L. Cullin.

<i>Equisetum sylvaticum</i>	E 16, 27. W 17, 30, 33, 38-39, 60, 62.
-----------------------------	---

E: Gallow.
W: Pontoon.

<i>Equisetum palustre</i>	E 10-11, 16, 18, 23, 25, 27. W 1, 7-8, 13, 16-17, 20, 22-24, 27, 30, 32-33, 39-42, 46-48, 50, 52-53, 55-56, 61-62.
---------------------------	--

E: Ballaghaderreen.
W: Ballina. Achill. Clare Is. Inishturk. Mullet. Inishkea.

<i>Equisetum telmateia</i>	E ? W 1, 13, 15-16, 20, 22, 24, 30, 46, 61.
----------------------------	--

E: Recorded in *Irish Topographical Botany* but the record has not been traced.
W: Leckany, Clare Is.

OPHIOGLOSSACEAE

<i>Botrychium lunaria</i>	W 7, 14, 28, 49-50. W: Near Louisburg (Kinahan), Rathroeen Lough. Clare Island. Inishturk.
---------------------------	---

<i>Ophioglossum vulgatum</i>	E 3. W 1, 7, 13, 18, 27-28, 42, 50, 56.
------------------------------	--

E: S. of L. Mask (Marshall and Shoolbred).
W: Dooagharry, Clare Island. Achill. Inishkea. Mullet. (Inishturk ?).

<i>Ophioglossum azoricum</i>	W 7, 28. W: Inishturk — hill 588. 03/70.
------------------------------	---

OSMUNDACEAE

<i>Osmunda regalis</i>	E 6, 10-12, 18, 23-24, 26-27.
	W 1-2, 4, 7, 9-10, 13, 15-17, 19-21, 23, 26-33, 35-37, 39-43, 45-48, 50-53, 55, 60-61.

E: Kilmoevee. Lake N.W. of Claremorris.

W: Mallaranny (Marshall). Ballina, Pontoon, Achill, etc. . . . A fine cristate form found near Ballytoohy, Clare Island, is figured in *Irish Naturalist*, vol. 12, p. 291.

ADIANTACEAE

<i>Adiantum capillus-veneris</i>	W 10, 26.
W: Croaghaun (Hart). Sheeffry (Kinahan) — “Five miles from E. end of Killary Harbour, on the hill NNE of Sheeffry — only a few small stools”.	

HYMENOPHYLLACEAE

<i>Hymenophyllum tunbrigense</i>	W 20, 26-27, 31, 39.
W: Croaghaun, at 1,900ft. (Colgan). On rock ledge in gully of Glendavolagh stream, Nephin Beg (Perring).	

<i>Hymenophyllum wilsonii</i>	E 30.
	W 1-2, 9, 13, 19-20, 26-27, 32, 38-39, 53.
E: Glenaduff.	
W: Nephin. Lough Brawn. Achill. Achill Beg. Clare Island — forming bosses with <i>Mnium hornum</i> .	

POLYPODIACEAE

<i>Polypodium vulgare</i>	W 20, 22, 50.
W: Achill Beg !	
<i>Polypodium interjectum</i>	W 16, 21, 23, 30.
W: (All Atlas records).	

HYPOLEPIDACEAE

<i>Pteridium aquilinum</i>	E 3, 6, 10-12, 16-18, 23, 25, 27.
	W 1-2, 4, 7-8, 10, 13, 15-17, 19-24 [°] , 26-33, 35-38, 40-43, 45-48, 50-53, 55-56, 60-62.
E: Ballaghaderreen.	
W: Ballina. Achill. Clare Island. Inishturk. Inishkea. Mullet.	

THELYPTERIDACEAE

<i>Thelypteris palustris</i>	E 10. W 27.
E: Lake View, Cloonee, L. Carra (Miss Jackson). Moore Hall (J. Ball).	
W: Mineral flush, Bellacorick (Synnott).	

Phegopteris connectilis

W 10.
W: Sheeffry Hills. Half a mile east of Lugacolliwee on basic rocks (Perring).

Oreopteris limbosperma

W 1, 10, 27, 29.
W: Mweelrea (Hart). Owenmore River (Moore). Ditch S. W. of Dugort.

ASPLENIACEAE

Phyllitis scolopendrium

E 6, 10-12, 16-18, 22-23, 25, 27, 31.
W 1-2, 7, 13, 15-17, 20-24, 27-33, 39-40, 45, 47-48,
55-56, 62.

E: Ballaghaderreen.

W: Killala. Achill. Clare Island. Inishturk.

Asplenium marinum

W 2, 7, 13, 19-20, 26-27, 42, 57, 62.
W: Achill. Achill Beg. Clare Island. Inishturk. Inishkea. Mullet.

Asplenium trichomanes agg. cf. ssp. *quadriovalens*

E 6, 10-12, 16-18, 22-23, 27.
W 1-2, 4, 10, 13, 16-17, 20-24, 27-33, 40, 45-46,
48, 55-56, 62.

E: Lake N.W. of Claremorris.

W: Achill. Pontoon. Clare Island.

Asplenium viride

W 9-10, 13, 16.

W: Croaghpatrick (Hart). S.W. of Dromin Chapel (Kinehan). L. Brawn. Clare
Island. Half mile E. of Lugacolliwee Lough (Perring).

Asplenium adiantum-nigrum

E 3, 10, 16, 18, 23, 27, 30-31.

W 1-2, 7, 13, 16, 20, 23-24, 27-28, 30-33, 49, 56, 62.

E: Between Cross and Kilmaine and near Rectory, Cong (Miss Jackson). Carrow
Kerrily Lake. Glennaduff.

W: L. Conn. Achill. Achill Beg. Rosserk. Clare Island. Inishturk.

Serpentine forms somewhat resembling *Asplenium cuneifolium* have been found at
Croagh Patrick.

Asplenium ruta-muraria

E 6, 10-12, 16-18, 23, 27.

W: 1-2, 4, 10, 13, 16-17, 20-24, 27-33, 40, 45-46,
48, 55-56, 62.

E: N. of Claremorris.

W: Pontoon. L. Conn. Inishturk — an old ruined tower. Rectory at Dugort (T.
Watts). Clare Island (Doyle & Foss).

Ceterach officinarum

E 6, 10-12, 16-18, 22-23, 27.

W 2, 4, 10, 15-17, 21-24, 27, 29-33, 37, 39-40,
46, 48, 50, 55-56, 62.

E: S. of Claremorris.

W: Pontoon. Achill — signal tower W. of Slievemore. var *crenatum* — L. Conn.

ATHYRIACEAE

<i>Athyrium felix-femina</i>	E 11-12, 16-17, 23, 25, 27, 30-31. W 1-2, 4, 7, 10, 13, 15-17, 19-24, 26-33, 35, 39-41, 45-48, 50, 52-53, 55, 60-62.
E: S. of Claremorris. Ballymore Lough. Glennaduff. Ballaghaderreen. W: Ballina. L. Conn. Achill Beg. Clare Island. Inishturk. Mullet.	

<i>Gymnocarpium robertianum</i>	E 4. E: Low limestone hill of Cloghmoyne, three miles N.W. of Headford (Praeger, '34).
---------------------------------	---

<i>Cystopteris fragilis</i>	E 4, 12, 24, 27. W 9, 13, 21. E: S. of Claremorris. Callow. Kilmoevee. Cloghmoyne. W: Rocks near L. Ard, Mallaranny (Marshall). Loughty Mt. (Hart). Near Cong (Marshall and Shoolbred). Lough Brawn. Slievemore, Achill. Clare Island.
-----------------------------	---

ASPIDIACEAE

<i>Polystichum lonchitis</i>	W 9, 13. W: Lough Brawn. Croaghmore, Clare Island.
------------------------------	---

<i>Polystichum aculeatum</i>	E 12. W 10, 13, 27. E: S. of Claremorris. W: Clare Island. Sheffry Hills — half mile E. of Lugacolliwee (Perring).
------------------------------	---

<i>Polystichum x bicknellii</i>	E 12. E: S. of Claremorris, 1900, Praeger (Synnott 1974).
<i>Polystichum setiferum</i>	E 10, 16, 25. W 4, 13, 16, 24, 28, 30, 49, 59-60. E: Ballaghaderreen. W: Killala, Clare Island.

<i>Dryopteris filix-mas</i>	E 6, 10-12, 16-18, 22-24, 27. W 1-2, 4, 13, 16-17, 19-24, 27-28, 30-32, 35-36, 39-40, 45-48, 53, 55-56, 60, 62. E: Kilmoevee. W: Achill.
-----------------------------	--

<i>Dryopteris affinis</i>	E 6, 12, 17, 22-23, 25, 27. W 1-2, 4, 13, 15-17, 19-20, 22-23, 26-33, 36, 39-40, 45, 47-48, 52-53, 55-56, 60-62. E: Ballaghaderreen. W: 03/91 etc.
---------------------------	--

<i>Dryopteris aemula</i>	E 12, 27, 30. W 2, 7, 13, 15, 20-21, 23, 26-30, 33, 40, 45, 47, 51, 53, 60-61. E: Claremorris. Callow. Glenaduff. W: Mallaranny (Marshall). Lough Conn. Achill — common at all elevations. Clare Island. Inishturk.
--------------------------	--

Dryopteris carthusiana E 7, 11, 24.
W 2, 16, 21-22, 33.

E: Kilmoevee. Hollymount.

W: Mallaranny and Newport (Marshall). Drummin Wood, L. Cullin (More).

Dryopteris dilatata E 10-12, 16-18, 23, 25, 27.
W 2, 4, 7, 10, 13, 15-17, 19-24, 25-33, 35-40,
45-48, 50, 52-53, 55, 60-62.

E: Ballaghaderreen.

W: Achill. Clare Island. Inishturk. Mullet.

BLECHNACEAE

Blechnum spicant E 10-12, 16-18, 22-23, 27.
W 1-2, 4, 7, 10, 13, 15-17, 19-24, 26-33, 35-38, 40,

45-47, 50-53, 55, 60-62.

E: 12/28, etc.

W: Mullet. Achill. Achill Beg. Clare Island. Inishturk.

var. *anomalum* — Freaghillaun near Pontoon; "this form has the barren and fertile fronds similar and intermediate in character" (Praeger '39).

MARSILIACEAE

Pilularia globulifera E 6.
W 13.

E: E. shore of Lough Mask — in muddy pools by the track road going towards hill 107, W. of Keel Bridge (Scannell).

W: Bare peat pools, S. of Srah, near shore of L. Mask (Perring).

GYMNOSPERMAE

PINACEAE

Pinus sylvestris E 10, 12, 17.
W 2, 4, 10, 12, 16-17, 20, 29-30, 32-33, 40, 48, 61.

E: Regenerating on limestone pavement at Keel Bridge (Kelly 1985).

W: "There is one large old tree, supposed to be a last relic of the ancient forests, still growing on an open bog near Crossmolina, at the head of L. Conn, and this tree, which is probably the same as referred to by Mackay as growing near Nephin, has been lately fenced in and is carefully preserved by the Earl of Arran who is the owner of the lands" (*Cybele*, 1866).

CUPRESSACEAE

Juniperus communis E 3-4, 10.
W 1-2, 7, 9, 13, 16, 19-21, 26-27, 29, 33, 50, 60-61.

E: L. Carra (Mrs. Persse). Cloghmoyne.

W: Delphi Mt. (Hart). Glencullin Mt. (Colgan). Mallaranny (Marshall).

Pontoon. Lough Brawn. Dooagharry. Achill — Croaghaun. Mweelrea. Croagh Patrick. Mullet. Clare Island. Curraun. Inishturk.

TAXACEAE

<i>Taxus baccata</i>	E 6, 10. W 32.
----------------------	-------------------

E: By L. Mask below Ballinrobe (Mrs. Persse) — probably introduced (Praeger '06). W. shore of Lough Carra.

W: Rocks on S.W. shore of L. Conn.

ANGIOSPERMAE DICOTYLEDONES

SALICACEAE

<i>Salix pentandra</i>	E 10-11, 16, 27. W 1, 16, 19-20, 23-24, 27-28, 30, 32, 40-41, 45, 48.
------------------------	--

E: Lough Carra (Mrs. Persse).

W: Lough Conn. Ballina. Achill.

<i>Salix fragilis</i>	E 12. W 16-17, 43, 53.
-----------------------	---------------------------

<i>Salix fragilis x pentandra</i>	E 3.
-----------------------------------	------

E: Cong (Marshall).

<i>Salix alba</i>	E 10-11, 16, 23. W 16-17, 21, 24, 32, 40.
-------------------	--

E: 12/17, etc.

W: Lough Conn.

<i>Salix triandra</i>	W 37.
-----------------------	-------

W: Near Ballycroy — probably planted (Perring).

<i>Salix herbacea</i>	W 9, 13-14, 20, 26-27, 30, 32. W: Nephin Beg (Hart). Nephin. Sheeffry (Colgan). Lough Bawn. Curraun. Achill — Croaghau ridge at c. 1,200ft., Menaun summit at 1,530ft., West end of Slievemore at c. 1,500-1,700ft. Clare Island — Croaghmore at 1,000ft. and 1,400ft.
-----------------------	---

<i>Salix cinerea</i> subsp. <i>cinerea</i>	W 41.
--	-------

W: Roadside ditch near Ballina, 1945, C. Pearson (Kelly).

<i>Salix cinerea</i> subsp. <i>oleifolia</i>	E 6, 10-12, 16-18, 23, 27, 31. W 1-2, 4, 10, 15-17, 19-25, 29-33, 38-40, 45-48, 50-53, 55-56, 60-62.
--	--

E: 12/16, etc. — Common.

W: 02/76, etc. — Common.

<i>Salix aurita</i>	E 10-12, 16-18, 23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-24, 26-32, 38-40, 45-48, 52-53, 55, 60-62.
---------------------	--

<i>Salix aurita x cinerea</i>	W 33.
-------------------------------	-------

W: Lough Cullin.

<i>Salix caprea</i>	E 6, 10, 16, 30-31.
	W 2, 15-16, 21, 30, 32, 38-39, 43, 48, 55-56, 62.
E: Carrow Keribly. Glennaduff.	
W: Killala. Lough Conn.	
<i>Salix repens</i>	E 10, 12, 16-17.
	W 1-2, 7-8, 13, 15-17, 19-20, 23-24, 26-29, 32-33,
	39-40, 42-43, 45, 48, 50-52, 56, 60-61.
E: Turlough N.W. of Claremorris.	
W: Killala. Pontoon. Lough Conn. Achill. Achill Beg. Mullet. Inishturk. Inishkea.	
Clare Island.	
<i>Salix viminalis</i>	E 11-12, 16-18, 23, 27.
	W 15-17, 19-24, 27-28, 30-32, 39-40, 42-43, 45-48,
	50, 53, 55-56, 60-62.
E: N. of Claremorris.	
W: Killala. Inishkea — cultivated in a few tiny beds.	
<i>Salix purpurea</i>	E 11-12, 14, 16-18, 23, 25, 27.
	W 2, 17, 22-23, 27, 32, 39-40, 48, 55-56.
E: Ballyhaunis. Ballaghaderreen.	
W: Newport (Marshall). Lough Conn. Killary Harbour.	
<i>Salix purpurea x viminalis</i>	E
E: (Botanist in Ireland).	
<i>Populus tremula</i>	E 10, 16, 30.
	W 1, 7, 20, 32, 48, 55.
E: Glenaduff. Lough Carra.	
W: Lough Conn. Dooaghtry. Achill Sound (Marshall). Inishturk — widespread,	
and seldom three feet in height.	
<i>Populus nigra</i>	W
W: Louisburgh, Knowles (DBN).	
MYRICACEAE	
<i>Myrica gale</i>	E 10-12, 16-18, 23, 25, 27, 31.
	W 1-2, 4, 10, 13, 16-17, 19-24, 27-33, 36-40, 45-47,
	49-50, 53, 55, 60-61.
E: Lake N.W. of Claremorris. Ballaghaderreen.	
W: Lough Conn. Rathroeen Lough. Mullet. Achill. Clare Island.	
BETULACEAE	
<i>Betula pendula</i>	E 3, 10, 12, 16.
	W 2, 4, 16, 20, 23-24, 32-33, 38, 45.
E: Clonbur (Marshall). S. of Claremorris.	
W: "To 1,500ft (Hart in Cybele). Frequent in Pontoon district.	
<i>Betula pendula x pubescens</i>	W 33.
W: Frequent about Pontoon.	

Betula pubescens E 3, 10-12, 17, 23, 27.
W 1-2, 4, 10, 13, 15-17, 20, 22-23, 29-33, 37, 39-40,
47-48, 61.

Alnus glutinosa E 6, 10-12, 16-18, 23, 25, 27, 31.
W 1-2, 4, 15-17, 20-24, 27-33, 37, 40-41, 43, 45-48,
50, 53, 55-56, 60, 62.

E: Ballaghaderreen.
W: Ballina. Achill.

CORYLACEAE

Corylus avellana E 3, 6, 10-11, 16, 23, 27, 31.
W 1-2, 8, 10, 13, 15-17, 20-23, 29-30, 32-33, 39-40,
43, 45, 47-48, 52, 55.

FAGACEAE

Fagus sylvatica E 6, 10-12, 16, 18, 23.
W 2, 4, 15-17, 22-23, 32, 40, 45, 48, 55.

Quercus petraea E 10, 16, 23.
W 1-2, 10, 13, 15-17, 20, 22-23, 29-33, 38-39.
E: 12/17, etc.
W: Dooaghtry. Clare Island.

Quercus petraea x robur E
E: (fide D. L. Kelly)

Quercus robur. E 6, 10-12, 24, 27.
W 15, 27, 29, 32-33, 55.
E: Turlough N.W. of Claremorris. Kilmovée. Lough Carra.
W: Pontoon. Lough Conn. Achill.

ULMACEAE

Ulmus glabra E 10-11, 23.
W 15-17, 22, 30, 48.
E: Lough Carra.
W: Unquestionably native on the limestone cliff which overhangs the Caves of Aille
(Praeger 1912).

Ulmus procera E 6, 16.
W 16, 31, 48.

Ulmus minor E
E: (fide D. L. Kelly).

CANNABACEAE

Humulus lupulus

E: Foxford. Near Old Abbey of Mayo (Melville — *Cybele Hibernica*).

E 11, 26.

URTICACEAE

Urtica dioica

E 6, 10-12, 16-18, 22-23, 27, 31.
W 1-2, 4, 10, 13, 15-16, 19-24, 27-33, 35-36, 38-40,
43, 45-48, 50, 52-53, 55-56, 61-62.

Urtica urens

E 6, 10, 16, 23, 25.
W 13, 27-28, 30, 56.

E: Ballaghaderreen.

W: Ballina. Achill. Clare Island. Inishturk. mullet. Inishkea.

Soleirolia soleirolii

W

W: Delphi, McClintock (DBN).

Parietaria judaica

E 6, 16.
W 41.

E: 12/16, etc.

W: Ballina.

POLYGONACEAE

Polygonum oxyspermum

W 14, 27, 42, 48, 50.

W: Bartraw. Achill. Clare Island. Mullet. Inishkea.

Polygonum aviculare

E 6, 10-12, 16-18, 23, 27.
W 1-2, 4, 10, 13, 15-17, 19-24, 27-31, 35, 38-40,
43, 45, 47-48, 50-51, 53, 55-56, 62.

Polygonum arenastrum

W 16.

W: 02/98.

Polygonum minus

E 26.
W 32-33.

E: Lough Cullin (More).

W: Lough Conn. Lough Cullin (More).

Polygonum hydropiper

E 11-12, 17-18, 23.
W 1-2, 4, 7, 10, 13, 15, 17, 19-20, 23, 27-32, 38-41,
45-48, 50, 53, 55, 62.

E: N. of Claremorris.

W: Ballina. Lough Conn. Achill. Mullet. Clare Island. Inishturk.

Polygonum persicaria

E 10-12, 16-18, 23, 27.

W 1-2, 4, 10, 13, 15-17, 19-23, 27-32, 35,,38-40,
43, 45-48, 50, 52-53, 55-56, 60-62.

<i>Polygonum lapathifolium</i>	E 10, 16, 31. W 1, 13, 20, 23, 27-29, 33, 39, 50, 53.
E: Ballymore Lake. W: Pontoon. Mullet. Achill. Clare Island.	
<i>Polygonum amphibium</i>	E 10-12, 16-17, 23. W 1, 13, 16-17, 19-21, 24, 27-29, 40, 43, 48, 52, 55, 61.
<i>Polygonum bistorta</i>	E 6. W 8.
E: Carrigeendaau Island, Lough Mask — associated with lesser black-backed gulls. W: Post Office, Carrownisky (Rohu).	
<i>Polygonum amplexicaule</i>	W 55.
W: Roadside near Palmerstown, W. of Killala (McClintock).	
<i>Polygonum polystachyum</i>	W 24.
W: 12/19.	
<i>Fallopia convolvulus</i>	E 10, 16, 18. W 1, 13, 16, 19-20, 27-28, 32, 39-40, 56.
No localised record.	
<i>Reynoutria japonica</i>	E 10. W 4, 15-16, 21-22, 31, 33, 35, 45, 47, 50.
No localised record.	
<i>Fagopyrum esculentum</i>	E.
E: Foxford, 1900, Praeger (DBN).	
<i>Oxyria digyna</i>	W 1, 9-10, 13-14, 17, 27, 30.
W: Loughy Mt., Ben Gorm, Mweelrea and Croaghpatrick (Hart). Sheeffry; Cush- camcarragh, Nephin Beg (Colgan). Lough Brawn. Achill — Slievamore. Half mile E. of Lugacolliwee Lough (Perring).	
<i>Rumex acetosella</i>	E 16-18, 23, 27, 31. W 1-2, 4, 10, 13, 16-17, 19-24, 26-33, 35-40, 43, 45-48, 50-53, 55, 60-61.
<i>Rumex acetosa</i>	E 6, 10-12, 16-18, 23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 35-36, 38-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Rumex hibernicus</i>	W 26, 43, 50.
W: Mullet — Annagh Bay and sand-dunes N. of Glash, M. Scannell; Achill Head, rocky pasture, M. Scannell (Rechinger, 1961). Type specimen in DBN.	
<i>Rumex hydrolapathum</i>	W 17.
W: Westport (Babington 1838).	

<i>Rumex crispus</i>	E 6, 10-12, 17-18, 23, 27, 31. W 1-2, 4, 8, 10, 13, 15-17, 19-23, 27-31, 35-36, 38-40, 43, 45-48, 50, 52-53, 55-56, 61-62.
<i>Rumex crispus x obtusifolius</i>	E & W: (Praeger 1951 — no localities).
<i>Rumex conglomeratus</i>	E 10-11, 16, 23, 27. W 4, 13, 16-17, 22, 27-28, 31, 39, 43, 48, 52, 55.
<i>Rumex sanguineus</i>	E 10-12, 16. W 2, 4, 15-16, 22-24, 32, 40-41, 43, 47-48, 55-56, 62.
E: N. of Claremorris. W: Ballina. Mullet — Binghamstown Castle.	
<i>Rumex obtusifolius</i>	E 6, 10-12, 16-18, 23, 27, 31. W 1-2, 4, 13, 15-17, 19-24, 27-31, 33, 38-40, 43, 45-48, 51-53, 55, 61-62.

CHENOPodiACEAE

<i>Beta maritima</i>	W 7, 13, 20, 27-28, 35, 42, 50. W: Mullet. Achill. Achill Beg. Clare Island. Inishturk. Inishkea.
<i>Chenopodium bonus-henricus</i>	E 3, 6. W 16, 56. E: Neale, and near Ballinrobe (Miss Jackson, <i>Cybele</i> 2). W: Killala.
<i>Chenopodium rubrum</i>	E 6. E: An Foras Taluntais, Creagh (Kelly 1985).
<i>Chenopodium album</i>	E 16, 23, 27. W 2, 13, 16, 19-20, 24, 27-28, 40, 45, 47, 56, 62.
<i>Atriplex patula</i>	E 10-12, 17-18, 23, 27 W 7, 13, 16-17, 19-22, 27-29, 35, 38-39, 43, 45, 47, 50, 55-56, 62. E: 12/17, etc. W: Achill; Mallaranny; Newport (Marshall). Clare Island. Inishturk.
<i>Atriplex prostrata</i> (<i>A hastata</i>)	W 7, 13, 15-16, 20, 22, 27-29, 42-43, 50, 52. W: Achill. Mullet. Clare Island. Inishturk. Inishkea.
<i>Atriplex glabriuscula</i>	W 16, 19, 21, 27-29, 35, 37, 42-43, 50. W: Achill. Inishkea.
<i>Salicornia europaea</i> agg.	W 1, 16, 20-22, 27-30, 50, 56. W: Dooaghtry. Killala. Mullet. Achill.
<i>Suaeda maritima</i>	W 16, 21-22, 27-28, 50, 52, 56. W: Killala. Mullet. Achill.
<i>Salsola kali</i>	W 13, 15, 27, 42-43, 50, 56. W: Killala. Mullet. Achill. Clare Island. Inishkea.

PORFULACACEAE

<i>Montia fontana</i> agg.	E 16, 30.
	W 1-2, 4, 10, 13, 15, 17, 19-21, 23, 26-30, 38-39,
	45, 50, 52-53, 60-61.
E: Glennaduff.	
W: 02/77, etc.	

CARYOPHYLLACEAE

<i>Arenaria serpyllifolia</i>	E 6, 10-12, 23, 27.
	W 1, 21, 27-28, 35, 42-43, 45, 50, 52, 56, 62.
E: N. of Claremorris.	
W: Killala. Mullet. Achill. Inishkea.	

<i>Arenaria leptoclados</i>	E (Praeger 1934, no locality).
	W 16.

<i>Moehringia trinervia</i>	E 12.
	W 17.
E: S. of Claremorris. Castlemagarett (Browne).	
W: Ballina.	

<i>Minuartia hybrida</i>	E
E: BGX 95/54 and 94/57.	

<i>Honkenya peploides</i>	W 1, 7, 13, 16, 20, 22, 26, 35, 42, 43, 50, 52, 62.
W: Mullet. Achill. Clare Island. Inishturk. Inishkea.	

<i>Stellaria media</i>	E 6, 10, 12, 16-18, 22-23, 27.
	W 1-2, 4, 10, 13, 15-17, 19-24, 26-31, 35, 37-40,
	43, 45-48, 50, 52-53, 55-56, 60-62.

<i>Stellaria holostea</i>	E 24.
	W 16, 23.
E: Kilmoeve.	
W: Westport Demesne (Praeger 1903). Roadside banks — two miles N.E. of Westport and on E. side of Beltra Lough (Perring).	

<i>Stellaria alsine</i>	E 23, 27.
	W 1-2, 4, 10, 13, 15-17, 19-23, 26-31, 33, 36, 38-39,
	47-49, 52-53, 55, 61-62.

<i>Stellaria palustris</i>	E 7.
	W 33.
E: Hollymount (More).	
W: Meadow S. of bridge at S. end of L. Culbin (<i>sic</i>) (L. Cullin ?), M. McCallum Webster (<i>Proc. B.S.B.I.</i> , 5, 129).	

<i>Stellaria graminea</i>	E 11-12, 16-18, 22-23, 27.
	W 1-2, 4, 13, 16-17, 22-24, 29-31, 38-40, 45-48,
	53, 55, 61-62.

<i>Cerastium fontanum</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 8, 10, 13, 15-17, 19-24, 26-33, 36, 38-40, 43, 45-48, 50, 52-53, 55-56, 61-62.
<i>Cerastium glomeratum</i>	E 11, 16-18, 23, 27. W 1-2, 13, 17, 19, 23, 29, 39-40, 45-47, 53, 55, 61.
<i>Cerastium semidecandrum</i>	W 21.
W: Mallaranny (Marshall).	
<i>Cerastium diffusum</i>	E 3, 6-7, 10, 18. W 1, 8, 13, 15-16, 20-21, 27-28, 32, 36, 40, 52, 62. E: Hollymount and Foxford (More). S. of Lough Mask. Ballinrobe. W: Common round Lough Conn and on coast.
<i>Sagina nodosa</i>	E 10-12, 16-18, 23, 27, 31. W 1, 7-8, 13, 16-17, 20, 22, 24, 27, 33, 41-43, 45-48, 50, 55-56, 62.
E: Ballymore Lake. Callow. N. of Claremorris. W: Ballina. Killala. Pontoon. Mullet. Dooaghtry. Achill. Clare Island. Inishturk. Inishkea.	
<i>Sagina subulata</i>	W 2, 20.
W: Clare Island — rocks near the harbour and near the lighthouse and frequent in West end. Achill Beg. Inishturk — sparingly distributed along the N. and W. coasts, generally on dry ledges of rock. E. of Glennacully bridge on gravelly bank and lower part of stone wall (Perring).	
<i>Sagina procumbens</i>	E 6, 10-11, 18, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-23, 26-33, 36-40, 43, 45-48, 51-53, 55-56, 60-62.
<i>Sagina apetala</i>	E 6, 10-11, 16, 23, 27. W 16, 19, 22, 27, 35, 38, 43, 50, 52.
<i>Sagina maritima</i>	W 7, 13, 21, 27, 42, 50, 61.
W: Mallaranny and Achill (Marshall). Achill — "var <i>densa</i> Jord. forming dense round tufts near Dooagh". Mullet. Clare Island. Inishturk. Inishkea.	
<i>Scleranthus annuus</i>	W 32.
W: Near Levally Lough.	
<i>Spergula arvensis</i>	E 16-17, 23, 27. W 1-2, 4, 7, 10, 13, 15, 17, 20, 23, 27-32, 35-26, 38-40, 43, 45, 48, 50, 52-53, 55, 62.
W: <i>vulgaris</i> and <i>sativa</i> forms recorded for Clare Island and Inishturk.	
<i>Spergularia rupicola</i>	W 7, 13, 19, 26, 42, 50.
W: S. shore of Achill from Achill Head to Camport. Mullet. Clare Island. Inishturk. Inishkea N. & S.	
<i>Spergularia media</i>	W 16, 21-22, 27-30, 37, 42-43, 45, 50, 56.
W: Achill. Mullet. Inishkea N.	

<i>Spergularia marina</i>	W	1, 13, 20, 27, 42, 50, 52.
W: Achill. Mullet. Clare Island. Inishkea N. & S.		
<i>Lychnis flos-cuculi</i>	E	10-11, 16, 22-23.
W	1, 4, 10, 13, 15, 17, 19-23, 27-28, 30, 32-33, 39-40, 43, 46-48, 50, 52, 55, 61-62.	
<i>Agrostemma githago</i>	E	6, 10.
E: Ballinrobe (Mrs. Persse). Among crops at Ballintober, Lough Carra.		
<i>Silene vulgaris</i>	E	6, 10, 12, 16, 18, 23.
W	17, 41.	
E: Ballyhaunis. N. of Claremorris.		
W: Ballina.		
<i>Silene maritima</i>	W	2, 7, 13, 16, 20-21, 26-28, 32, 35, 40, 42-43, 50-51, 56, 60-61.
W: Birreencorragh and Nephin (Hart). Killala. Achill. Mullet. Clare Island. Inish-turk. Inishkea N. & S.		
<i>Silene acaulis</i>	W	13.
W: Clare Island — Croaghmore scarp. "The Clare Island station is the most southerly in Ireland. Small falls of stone and earth are continually dragging down clumps of vegetation. <i>Silene acaulis</i> . . . easily maintains its abundance by means of seedlings despite the ravages of the slug, <i>Arion ater</i> , which feeds voraciously upon the blossoms" (Praeger).		
<i>Silene alba</i>	E	6.
E: Ballinrobe (Mrs. Persse).		
<i>Silene dioica</i>	E	10.
W	7, 13.	
E: 12/17.		
W: Inishturk (More; Praeger). Clare Island — cliffs on N. side of Knocknaveen and Croaghmore at 800ft.		
<i>Saponaria officinalis</i>		
W: (Praeger 1934, no locality).		
NYMPHAEACEAE		
<i>Nymphaea alba</i>	E	11-12, 16, 23, 25.
W	1, 9, 13, 16, 21, 23, 27-33, 37, 39.	
E: N. of Claremorris. Ballaghaderreen.		
W: Pontoon. Lough Conn. Achill. Clare Island.		
<i>Nuphar lutea</i>	E	10, 16-18, 23, 27.
W	9-10, 13, 16-17, 21, 27, 31, 33, 45, 48.	
E: 12/17, etc.		
W: Achill. Clare Island.		

CERATOPHYLLACEAE

- Ceratophyllum demersum* W 43.
W: Mullet — Newtown Lough, choked with the plant.

RANUNCULACEAE

- Caltha palustris* E 10-12, 16-18, 22-23, 27, 31.
W 1, 13, 15, 17, 22, 27-29, 31-33, 37, 39-40, 43, 45-48, 50, 53, 55, 61-62.

- Anemone nemorosa* E 3, 10, 24.
E: Kilmoevee.
W 13, 16, 22, 32-33.
W: Lough Conn. Clare Island.

- Clematis vitalba* E 3.
E: Near Cong (Marshall).

- Ranunculus repens* E 6, 10-12, 16-18, 22-23, 27, 31.
W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 35-40,
43, 45-8, 50-53, 55-56, 60-62.

- Ranunculus acris* E 6, 10-12, 16-18, 22-23, 27.
W 1-2, 4, 10, 13, 15-17, 19-24, 27-33, 35-36, 38-40,
43, 45-48, 50-53, 55-56, 60-62.

- Ranunculus bulbosus* E 16, 23, 25, 31.
W 1-2, 8, 15-17, 20-21, 24, 27-28, 36, 39, 56, 62.
E: Ballaghaderreen.
W: Dooaghtry. Achill. Clare Island (Doyle and Foss).

- Ranunculus auricomus* E 6.
W 16.
E: Ballinrobe (Mrs. Persse).
W: Westport Demense (J. Reilly per R. Barrington).

- Ranunculus sceleratus* E 26.
W 16, 22, 56, 62.
E: Foxford.
W: Killala. Salt marsh near Newport. 'Scruffy' pond near Westport Quay (Perring).

- Ranunculus ficaria* E 10, 16, 31.
W 1-2, 13, 16, 19, 21-23, 26-27, 29, 33, 38-40,
51, 56, 61.

- Ranunculus ficaria* subsp. *bulbifer* W
W: Westport Demesne!

- Ranunculus flammula* E 10-12, 16-18, 22-23, 27.
W 1-2, 4, 9-10, 13, 15-17, 19-24, 26-33, 35-36, 38,
40, 43, 45-48, 50, 52-53, 55, 60-62.

<i>Ranunculus flammula</i> subsp. <i>scoticus</i>	E W
E: Island S. of Devenish, Lough Mask. Shore of Lough Corrib near Cong. W: Achill — Sraheens Lough (Marshall — first Irish record). Frequent in Western Achill lakes. Levally Lough. Lough Conn.	
<i>Ranunculus lingua</i>	E 3, 6, 10. W 1, 12.
E: Ballinrobe (W. de V Kane). Cong (Marshall and Shoolbred). Stream which enters Lough Carra S.E. of Moore Hall. W: Marsh on dune near Tonakerra Point. Cloon River, S. of Srah to Partry road.	
<i>Ranunculus hederaceus</i>	E 11-12, 24. W 1, 13, 16-17, 20-21, 23, 27-29, 31, 33, 39, 43, 45, 47, 52-53, 56, 61-62.
E: Near Claremorris. Kilmoeve. W: Pontoon. Killala. Achill. Clare Island.	
<i>Ranunculus baudotii</i>	W 27.
W: Mullet — Cross Lough and Newtown Lough. Inishkea N. & S.	
<i>Ranunculus peltatus</i>	E 26. W 33.
E: E. of Foxford. W: Near Foxford and Lough Cullin (More).	
<i>Ranunculus penicillatus</i>	E 26. W 41.
E: Foxford, etc. (Praeger). W: Ballina.	
<i>Ranunculus aquatilis</i>	E 3. W 27.
E: Cong (Marshall). W: Achill — Keel Lough and Sruhill Beg Lough.	
<i>Ranunculus trichophyllum</i>	E 6-7, 10, 18. W 1, 27-28, 43.
E: Hollymount (More). Ballinrobe, Miss Lindsey (<i>Cybele</i> 2). Lough Carra. W: Mullet — Cross Lough. Achill — Keel Strand.	
<i>Aquilegia vulgaris</i>	E 3-4, 6, 10.
E: Ballinrobe (Mrs. Persse). Lough Corrib (<i>Cybele</i>). Between Headford and Cong, Shuttleworth (<i>Fl. Hib.</i>). Cloghmoyne. Lough Carra — W. shore (Praeger), N. shore (Perring).	
<i>Thalictrum alpinum</i>	W 1, 9, 16.
W: Lough Brawn. Sheeffry (Colgan). Croaghpatrick (Hart). Mweelrea, W. A. Sledge (Praeger 1946).	
<i>Thalictrum minus</i>	E 10. W 17, 40.
E: Lough Carra (J. Ball). S. of Lough Mask (Marshall and Schoolbred). W: Dooaghtry. Mweelrea. Doo Lough. Glencullen. Beltra Lough. Lough Conn. Pontoon.	

PAPAVERACEAE

<i>Papaver somniferum</i>	E	26.
E: Foxford.		
<i>Papaver rhoeas</i>	E	6.
E: Ballinrobe (Mrs. Persse).	W	22.
W: Garden weed, Mallaranny (Marshall).		
<i>Papaver dubium</i>	E	18.
E: N. of Claremorris. Ballyhaunis.	W	16.
W: Ballina. Garden weed, Mallaranny (Marshall). Old railway lines, W. of Westport (Perring).		
<i>Papaver lecoqii</i>	E.	
E: BGX 94/21.		
<i>Papaver argemone</i>	W.	
W: Garden weed, Mallaranny (Marshall).		
(<i>Papaver nudicaule</i>) — Achill Head, c. 1828, c. Giesecke (Carrothers; Nelson). An error!		
<i>Chelidonium majus</i>	E	
E: no	localised	record.
W: Westport Demesne.	W	16.

FUMARIACEAE

<i>Fumaria capreolata</i>	W	7, 27, 42.
W: Achill — Old Dugort. Mullet. Inishturk. Inishkea N. & S.		
<i>Fumaria bastardii</i>	E	10.
E: 12/17.	W	1, 13, 23.
W: Mallaranny (Marshall). Achill. Clare Island. Inishturk. Inishkea N. & S.		
<i>Fumaria officinalis</i>	E	18.
E: 12/48.	W	17.
W: Mullet. Roadside weed near Halfway House between Westport and Castlebar (Perring).		

CRUCIFERAE

<i>Sisymbrium orientale</i>	W	16.
W: Rubbish tip at Westport Quay (Perring).		
<i>Sisymbrium officinale</i>	E	11-12, 16, 22-23, 27.
W	2, 13, 16-17, 22, 39-40, 45, 48, 50, 55-56, 62.	

<i>Alliaria petiolata</i>	W 49.
W: Killala.	
<i>Arabidopsis thaliana</i>	E 6. W 16.
E: Ballinrobe (Mrs. Persse). W: Moyne Abbey.	
<i>Hesperis matronalis</i>	E 6, 11-12. W 17, 21, 30, 40, 48.
E: (Botanist in Ireland — no locality). W: 12/08, etc. Clare Island (Doyle & Foss).	
<i>Barbarea vulgaris</i>	E 6, 10, 16. W 17, 23, 45, 48. 62.
E: Ballaghaderreen. W: Ballina. Achill. Westport Demesne (<i>B. arcuata</i>).	
<i>Rorippa amphibia</i>	E 11. W 33.
E: Ballinrobe (Mrs. Persse). Hollymount (More). W: Stream into Castlebar Lake (Marshall). Ballina.	
<i>Rorippa sylvestris</i>	W 16.
W: Roadside on the N. outskirts of Westport (Marshall).	
<i>Rorippa palustris</i>	E 3. W 16.
E: S. of Lough Mask (Marshall and Shoolbred). W: Ballina. By the Moy, Foxford (More).	
<i>Nasturtium officinale</i>	E 12, 16, 22, 27. W 1, 17, 19-20, 23-24, 27-38, 30, 36, 38, 46-47, 55-56, 61.
<i>Nasturtium microphyllum</i>	E 11, 17-18, 27. W 16-17, 22, 33, 35, 39, 43, 50.
<i>Cardamine pratensis</i>	E 6, 10-12, 16, 18, 23, 27. W 2, 4, 10, 16-17, 20-23, 26-31, 33, 38-40, 43, 45-48, 50-53, 55, 61-62.
<i>Cardamine flexuosa</i>	E 10-11, 16, 18. W 1-2, 10, 13, 20, 22-24, 27, 29-30, 32, 39-40, 46, 55, 61.
<i>Cardamine hirsuta</i>	E 6, 10-12, 16, 23, 31. W 1-2, 13, 16-17, 20-24, 28, 30, 33, 39, 45, 47, 51.
<i>Arabis hirsuta</i>	E 3, 6. W 28, 50.
E: Ballinrobe (Mrs. Persse). About Cong (Marshall). W: Killala (Moore). Dunes W. of Belmullet.	

<i>Arabis brownii</i>		W 1.
W: Dunes at Tonakeera Point (Perring).		
<i>Draba incana</i>		W 56.
W: Sandhills, Killala.		
<i>Erophila verna</i>		W 10.
E: Ballaghaderreen.		W 2.
W: Achill.		
<i>Cochlearia danica</i>		W 13, 16, 20, 30.
W: Achill — signal tower. Clare Island. Inishturk. Inishkea N.		
<i>Cochlearia officinalis</i>	W 1-2, 13, 16, 19-21, 27-28, 30, 35-36, 43, 45, 50, 52, 55-56, 61-62.	
<i>Cochlearia alpina</i>		W 47.
W: Bellacorick iron flush (King and Scannell).		
<i>Cochlearia anglica</i>		W 16.
W: Newport. Around Westport Quay.		
<i>Cochlearia scotica</i>		W 13, 21, 29, 37.
W: Cliffs close to Achill Head. Clare Island. Inishturk.		
<i>Camelina sativa</i>		
W: Foxford (Thirsk Soc. 1865). Frequent in fields on the Mullet in 1836 (Babington) — not seen by Praeger in his survey.		
<i>Capsella bursa-pastoris</i>	E 6, 10-12, 16-18, 23, 27. W 2, 13, 16-17, 19-24, 26-28, 33, 35, 39-40, 43, 45, 47-48, 50, 55-56, 62.	
<i>Lepidium heterophyllum</i>		E 16. W 23.
E: 12/28.		
W: One plant, roadside E. of Beltra Lough (Perring).		
<i>Cardaria draba</i>		W 16.
W: Westport Quay, well established. Still there 1966 (Perring).		
<i>Coronopus squamatus</i>		W 13.
W: Killala. Downpatrick Head (Dickie). Clare Island. Inishturk. Mullet. Inishkea N. & S.		
<i>Coronopus didymus</i>		W 16, 43, 50.
W: Newport and Achill Sound (Marshall). Newport (Miss M. F. Jackson). Achill. Mullet. Clare Island (Doyle & Foss).		
<i>Subularia aquatica</i>		W
W: Mweelrea Mt. (Mackay). Lugaloughaun (Hart). N. end of Fin Lough at Delphi.		

<i>Brassica napus</i>	E 12. W 21.
E: 12/37. W: 02/89.	
<i>Brassica rapa</i>	E 6, 10, 16, 18. W 1, 13, 16-17, 20, 22, 27-29, 35-36, 47-48, 52-53, 55, 61.
E: Foxford. S. shore of Lough Mask (Marshall). W. of Claremorris. W: 01/76, etc.	
<i>Sinapis arvensis</i>	E 6, 11-12, 17-18, 22, 27. W 13, 16-17, 19-21, 23, 27-30, 39-40, 47-48, 53, 55-56.
<i>Sinapis alba</i>	E 18, 27. W 13, 16, 55.
<i>Cakile maritima</i>	W 20.
W: Achill. Bartraw. Inishkea N. (as a weed in the potato fields). Clare Island (Doyle & Foss).	
<i>Raphanus raphanistrum</i>	E 17. W 13, 16-17, 20, 23, 29, 31, 52, 55, 62.
E: Claremorris, Ballymore Lake. Foxford. W: Mallaranny (Marshall). Lough Conn. Pontoon. Killala. Achill. Mullet. Clare Island.	
RESEDACEAE	
<i>Reseda luteola</i>	E 12. W 33, 41.
E: Claremorris. W: Pontoon. Ballina.	
<i>Reseda lutea</i>	W 22, 40.
W: Newport (Marshall). Roadsides near Rake street (Perring).	
SARRACENIACEAE	
<i>Sarracenia purpurea</i>	W 39.
W: Planted in extreme oceanic blanket bog at Moneyieras Td., between Crossmolina and Bangor Erris, 1963, T. A. Barry. Surviving 1984 (Foss <i>et al.</i> 1984).	
DROSERACEAE	
<i>Drosera rotundifolia</i>	E 10-12, 16-18, 23, 27. W 1-2, 4, 9-10, 12-13, 16-17, 19-21, 23-24, 26-33, 36-40, 45-48, 50, 53, 55, 60-62.

<i>Drosera anglica</i>	E 11-12, 18, 23.
W 1-2, 9-10, 13, 17, 19-20, 23, 26-29, 31-32, 36-40, 46-47, 53, 61.	
<i>Drosera anglica x rotundifolia</i>	W 27.
W: Bog between Dugort and Keel, W. Watson (Praeger 1939).	
<i>Drosera intermedia</i>	E 11.
W 1-2, 9, 16-17, 19-20, 26-30, 32-33, 36-39.	
E: N. of Claremorris. Lough Carra.	

CRASSULACEAE

<i>Umbilicus rupestris</i>	E 16-17, 23, 27, 31.
W 2, 4, 13, 16-17, 20, 22, 24, 27, 29-30, 33, 39-40, 55, 61-62.	
E: Foxford. W. of Claremorris.	
W: Killala. Pontoon. Lough Conn. Achill. Clare Island. Inishturk.	
<i>Sedum acre</i>	E 10, 16-18, 23.
W 1-2, 13, 16, 20-21, 27-28, 36, 43, 50, 56.	
E: Lake N.W. of Claremorris. Ballaghaderreen.	
W: Mallaranny (Marshall). Killala. Achill. Mullet. Clare Island. Inishkea N.	
<i>Sedum anglicum</i>	E 6.
W 1-2, 13, 19-22, 26-29, 51, 61.	
E: Ballinrobe (Mrs. Persse).	
W: 02/76, etc.	

<i>Sedum album</i>	E 10, 16-17.
W 16, 30-31, 33, 40, 55-56, 62.	
<i>Rhodiola rosea</i>	W 20, 26-27, 60-61.
W: Sheeffry and Cushcamcarragh, Nephin Beg (Colgan). Mweelrea and Croaghpatrick (Hart). Achill — Slievemore, and on Croaghaun from sea to summit; sea cliffs from Keem road to Dugort, descending to within 20ft. of sea level. Mullet. Clare Island — abundant all around N. and W. cliffs from storm level to 1,450ft., inland on rocks E. of the Signal Tower at 800ft., and sparingly on the cliffs on the N. slope of Knocknaveen. Inishturk. Achill Beg.	

SAXIFRAGACEAE

<i>Saxifraga stellaris</i>	W 2, 26-27.
W: Nephin. Sheeffry (Colgan). Cushcamcarragh and Nephin Beg (Colgan).	
Achill — Slievemore cliffs, abundant from c. 1,700ft., more sparingly near Croaghaun summit and on rocks near Bunafreva Lough West, at c. 1,100ft.	

Saxifraga spathularis

E 26, 30.

W 1-2, 4, 13, 16, 19-20, 26-27, 29-30, 33, 38-39.

E: Hills N.E. of Foxford. Glennaduff.

W: Nephin. Croaghpatrick (A. B. Lambert; Templeton MS). Mweelrea. Lough Cullin and Lough Conn about Pontoon (More). On all the summits of Connemara and West Mayo (Hart). Achill Beg I. Derreen. Clare Island — on rough ground at all elevations, from the round stones of the boulder beach at Portlea to the summit of Croaghau. Inishturk — "We noticed that when a cottage falls into ruin, this and *Sedum anglicum* are the first plants to establish themselves on the ruined walls, while *Athyrium filix-femina* takes possession of the deserted floor".*Saxifraga hirsuta x spathularis*

W

W: Clare Island — Two spots on the Croaghmore cliff at about 1,200ft. in small quantity. Achill — Crevice in rocks above Lough Bunafreva West (Synnott). On the N.W. slopes of Mweelrea by a stream, at c. 900ft. — a low grade *hirsuta* hybrid (Webb 1948).(*Saxifraga hirsuta*)

W

W: Old Head — a garden form (Knowles; see Clare Island Survey). This form also appears naturalised along woodland tracks in Westport Demesne (Synnott).

Saxifraga hirculus

W 47.

W: Bog near Ballycastle (H. D.B. Dillwyn — *Cybele* 2). Iron flush Bellacorick, T. A. Barry (King and Scannell).*Saxifraga tridactylitis*

E 6, 10-11, 17.

W 16-17, 43.

E: Ballinrobe (Mrs. Persse). Clonbur (Marshall).

W: Achill — sands at Dugort and Trawmore, with *Erophila verna*, apparently the only habitat of either.*Saxifraga rosacea*

W 13.

W: Clare Island — Descends to sea level (i.e. storm level) on cliffs at Altnamarnagh — very strong-growing, hairy form.

Saxifraga oppositifolia

W 13.

W: Cushcamcarragh, very rare, (Colgan). Mweelrea (Hart). Sheeffry (Colgan). Nephin Beg range (Colgan). Clare Island — sparingly in one spot on Croaghmore cliffs c. 1,200ft. with *Asplenium viride*.*Chrysosplenium oppositifolium*

E 27.

E: Glennaduff. Kilmoevee.

W 1-2, 13, 16, 20, 23, 30, 33, 38, 45, 55, 61-62.

PARNASSIACEAE

Parnassia palustris

E 10-12, 16-18, 23.

W 1, 16-17, 35, 40, 43, 48, 50, 55-56, 62.

E: Clare. Callow. N. of Claremorris. Lough Mask.

W: Lough Conn. Killala. Castlebar. Dooaghtry. Mullet. Achill.

GROSSULARIACEAE

Ribes rubrum E 10.

E: Glenageary Island, Lough Carra (Kelly).

Ribes uva-crispa W 40.

Ribes sanguinea E 11.
W 17, 33.

ROSACEAE

Filipendula ulmaria E 6, 10-12, 16, 18, 22-23, 27, 31.
W 1-2, 4, 10, 13, 15-17, 19-24, 27-33, 35, 39-40, 43, 45-48, 50, 53, 55-56, 61-62.

Rubus saxatilis E 10.
W 13.

E: N. of Claremorris. Lough Mask. Lough Cullin (More). Lough Carra (Moore).
W: Lough Conn. Doo Lough and Croaghpatrick (Hart). Mweelrea (Hart).
Lough Bawn. Clare Island.

Rubus idaeus E 16, 23.
W 4, 16-17, 31-32, 39.

Rubus spectabilis W
W: Rosturk, 1951, Scannell (DBN).

Rubus fruticosus (agg) E 6, 10-12, 16-18, 23, 27, 31.
W 1-2, 4, 8, 10, 13, 15-17, 19-24, 26-33, 35-40,
43, 45-48, 50-53, 55-56, 60-62.

Mayo records for the following brambles have been approved by Mr. A. Newton.

<i>R. altiarctuus</i>	W
<i>R. cardiophyllum</i>	W
<i>R. dentatifolius</i>	W
<i>R. hesperius</i>	E and W
<i>R. iricus</i>	E and W
<i>R. lanatacaulis</i>	E
<i>R. leptothrysos</i>	W
<i>R. mucronulatus</i>	W
<i>R. nemoralis</i>	E and W
<i>R. plicatus</i>	E and W
<i>R. polyanthemus</i>	W
<i>R. pyramidalis</i>	W
<i>R. ulmifolius</i>	E and W
<i>R. vestitus</i>	E

Rubus caesius E 6, 10, 16.
W 2, 17.

E: Lough Carra, J. Ball (Focke). Lough Mask — E. shore. South of Lough Mask
(Marshall and Shoolbred).
W: Inishkea N. & S.

<i>Rosa arvensis</i>	E 16. W 16.
E: Balla, 1958, Miss Anderson. W: Westport (Marshall).	
<i>Rosa pimpinellifolia</i>	E 3, 6, 10-22, 31. W 1-2, 13, 16, 40, 56.
E: Killala. Pontoon. W: Turlough N.W. of Claremorris. Shores of the larger lakes. Clare Island. Mullet. Inishturk.	
<i>Rosa rugosa</i>	W 2, 20, 27, 29, 35-36, 50.
<i>Rosa canina</i>	E 10, 12, 23, 27. W 1-2, 4, 13, 17, 23, 31-33, 48, 55, 60.
<i>Rosa dumetorum</i>	E
E: Clonbur (Marshall).	
<i>Rosa tomentosa</i>	E W
E: Turlough N.W. of Claremorris. Lough Carra. W: Lough Conn.	
<i>Rosa sherardii</i>	W 32.
W: Roadside at Terrybaun, near Pontoon (Kelly). Roadside near Laherdaun (Kelly).	
<i>Rosa x mayoensis</i>	W
W: Castlebar & Louisburgh, Knowles; Clonbur, Marshall (DBN).	
<i>Rosa agrestis</i>	E
E: Lough Corrib, S. of Cong, Marshall (DBN).	
<i>Agrimonia eupatoria</i>	E 6, 10-11, 16. W 2, 16-17, 22, 24, 40, 47-48, 55-56, 62.
<i>Agrimonia procera</i>	W 1, 40, 62.
W: Lough Conn. Bartragh Island (More). Dooaghtry. Tourmakeady. Near Tonakeera Point (Perring).	
<i>Sanguisorba officinalis</i>	W 40, 48.
W: Lough Conn. Lough Cullin. Pontoon.	
<i>Acaena ovalifolium</i>	W
W: Aasleigh, 1935, Mrs. Gough (McClintock).	
<i>Acaena anserinifolia</i>	W
W: Aasleigh (McClintock).	
<i>Acaena pusilla</i>	W
W: Aasleigh, 1965, J. E. Lousley (McClintock). Devil's Mother Mt., 1961, D. A. Ratcliffe (McClintock).	

*Geum rivale*E 27.
W 13.

E: Ballinrobe (Mrs. Persse). Derrinrush Wood, Lough Carra.

W: Derreen. Loughty Mt. (Hart). Achill. Clare Island.

*Geum x intermedium*E
W

E: Ballinrobe (Mrs. Persse).

W: (Praeger 1951, no locality).

Geum urbanum

E 6, 10-11, 16-18, 22, 27, 31

W 1, 15-17, 21-22, 30, 32, 40, 47-48, 55-56.

Potentilla fruticosa

E 1.

E: Between Ballycurrin and Castletown (Miss Jackson, *Cybele* 2). On the shore opposite Morris Island (L. Corrib) at Castletown, . . . near but apparently not identical with Miss Jackson's *Cybele* station and could be Moore's old station.*Potentilla palustris*

E 9-11, 15-17, 21-22, 26.

W 1, 9, 13, 16-17, 20-24, 27, 29-33, 36, 39-40, 43,
45-48, 50, 53, 55, 61.*Potentilla anserina*

E 6, 10-12, 16-18, 22-23, 27, 31.

W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 35-40, 43,
45-48, 50, 52-53, 55-56, 60-62.*Potentilla erecta*

E 3, 10-12, 16-17, 23, 27.

W 1-2, 4, 10, 12-13, 15-17, 19-24, 26-33, 35-40,
45-48, 50-53, 55, 60-62.*Potentilla anglica*

E 10-11, 17-18, 23, 27.

W 1-2, 4, 13, 15-17, 23, 28-32, 38-40, 45-48, 53,
55-56, 61.*Potentilla anglica x erecta*

E

E: Clonbur (Marshall & Schoolbred).

Potentilla reptans

E 10-11, 16, 31.

W 16, 20-21, 23-24, 30, 32-33, 48, 53, 55.

E: Ballaghaderreen.

W: Ballina. Achill.

Potentilla sterilis

E 10, 16, 27.

W 1-2, 13, 15, 17, 23, 30, 39, 55, 62.

Fragaria vesca

E 3, 6, 10-11, 16, 18, 23, 27, 31.

W 1-2, 13, 15-17, 22-24, 32-33, 40, 45, 48, 56, 62.

Alchemilla xanthochlora

E 18

W 13, 23-24, 32-33.

E: N. of Ballyhaunis, 1958 (B.S.B.I. Field Card).

W: Lough Conn; Clare Island (*I.N.J.*, 10, 299).

<i>Alchemilla vestita</i>	E 10, 23, 27. W 39, 62.
E: Keel Bridge; Kilkelly; Swinford (B.S.B.I. Field Cards). W: Downpatrick Head (B.S.B.I. Field Card). (39 — no locality).	
<i>Alchemilla glabra</i>	E 23, 27. W 1, 13, 17, 23.
E: N.W. of Claremorris (<i>I.N.J.</i> , 10, 300). W: Clare Island (<i>I.N.J.</i> , 10, 300).	
<i>Aphanes arvensis</i>	E 16, 18, 22-23. W 30, 43.
E: Balla, 1958, Miss Anderson; N. of Ballyhaunis; Swinford. Kilkelly (B.S.B.I.). W: BGX 85/80; 94/07; 94/17.	
<i>Aphanes microcarpa</i>	E 27. W 2, 16-17, 20, 23, 28, 31-33., 39, 53, 62.
E: Swinford (B.S.B.I. Field Card). W: DBN — Clare Island, Praeger; Belmullet and Pontoon, Scannell.	
<i>Malus sylvestris</i>	E 12, 16. W 13, 16, 28, 31, 40, 48.
E: Carrowkeribly Lake. Ballaghaderreen. W: Lough Conn. Clare Island — very old tree by the Dooghaganny stream near the West end. Inishturk.	
<i>Sorbus aucuparia</i>	E 10-11, 16, 23, 27. W 1-2, 4, 10, 13, 15-17, 20-24, 26-31, 33, 36-40, 45-47, 53, 60, 62.
E: Glenaduff. Turlough N.W. of Claremorris. Lough Carra. W: Lough Conn. Clare Island.	
<i>Sorbus aria</i> agg.	
E: S. of Claremorris. About Clonbur (Marshall and Shoolbred). Lough Carra. E.: Shore of Lough Mask. W: Shores of Lough Conn.	
<i>Sorbus hibernica</i>	
E: BGX 94/26.	
<i>Sorbus rupicola</i>	
E: BGX 94/37. W: By Lough Conn at Pontoon (Praeger 1934).	
<i>Cotoneaster simonsii</i>	W 28.
W: 30/70.	
<i>Cotoneaster microphyllus</i>	E W 16.
E: W: Tarn in the Nephin Begs. Cliff over Maumtrasna Bay on Lough Mask. Clare Island (Doyle & Foss); H. O'Donnell (DBN).	

<i>Crataegus monogyna</i>	E 6, 10-12, 16-18, 22-23, 31. W 1-2, 4, 10, 15-17, 21-24, 27-33, 37, 39-40, 43, 45-48, 50, 55-56, 62.
<i>Prunus spinosa</i>	E 3, 6, 10-12, 16-18, 23, 27, 31. W 1-2, 4, 13, 15-17, 20, 22, 30-31, 39-40, 48, 55-56, 61-62.
<i>Prunus domestica</i> subsp. <i>insititia</i>	W 17, 23, 48.
W: E. of Killavally in hedge (Perring).	
<i>Prunus cerasus</i>	E 11, 16, 18, 23. W 20, 23, 39-40, 62.
E: Carrowkerribly Lough. Ballyhaunis. W: Newport; Mallaranny; Achill Island and the Sound (Marshall). Lough Conn. In the demesne of Ld. Knox Gore at Ballina (Moore, <i>Cybele</i>).	
<i>Prunus avium</i>	W 45.
W: 02/82.	
<i>Prunus padus</i>	E
E: In extensive natural wood at Derrinrush, Lough Carra.	

LEGUMINOSAE

<i>Cytisus scoparius</i>	E 11-12, 18, 23. W 2, 16-17, 22-23, 29, 32, 37, 40, 50-51, 61.
E: Callow. N. of Claremorris. W: Pontoon. Achill — only seen as a kind of hedge on Inishbiggle.	
<i>Ulex europaeus</i>	E 3, 6, 10-12, 16-18, 23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 35-40, 43, 45-48, 50-53, 55-56, 61-62.
E: N. of Claremorris. Shangorman Islands, Lough Mask. W: Pontoon. Achill. Mullet. Clare Island.	
<i>Ulex gallii</i>	W 4.
W: Achill — on bank by roadside, half a mile N. of Mweelin, in an old gorse hedge. The occurrence of a single plant of so gregarious a species suggests introduction, but the place has been derelict for many years (Praeger 1904).	
<i>Vicia orobus</i>	E 4.
E: Cloghmoyne Townland.	
<i>Vicia cracca</i>	E 6, 10-12, 16-18, 22-23, 27. W 1, 4, 13, 16-17, 19-20, 22-24, 27-32, 35, 39-40, 46-48, 52-53, 55-56, 62.
<i>Vicia sylvatica</i>	E
E: Near Houndswood (Miss Jackson).	

<i>Vicia hirsuta</i>	E 27. W 13, 20.
E: Near Ballinrobe (Mrs. Persse).	
W: Clare Island — one station.	
<i>Vicia sepium</i>	E 6, 10-12, 16-18, 23, 27, 31. W 1-2, 13, 15-17, 20-24, 29-31, 33, 39-40, 43, 45, 48, 50, 55, 61-62.
<i>Vicia sativa</i> subsp. <i>nigra</i>	E 16. W 4, 16-17, 43.
E: Ballinrobe (Mrs. Persse). Clonbur (Marshall).	
W: Tourmakeady (B.S.B.I. Field Card). . . .	
<i>Lathyrus japonicus</i>	W 27.
W: Keel Strand, Achill (<i>side</i> P. Carvill & R. Goodwillie).	
<i>Lathyrus montanus</i>	E 3, 6, 10, 23. W 1-2, 10, 13, 15-17, 19, 23, 27, 30, 32, 38.
E: Cloghmoyne (B.S.B.I. Field Card).	
W: Achill. Clare Island. Inishturk.	
<i>Lathyrus pratensis</i>	E 6, 10-11, 16, 18, 22-23, 27, 31. W 1, 4, 13, 15-17, 19-20, 22-24, 27-28, 30-32, 40, 43, 46-48, 50, 55-56, 62.
<i>Ononis repens</i>	E W
E: Ballinrobe (Mrs. Persse). Cong (Marshall & Shoolbred). Lisloughry, Cong (Miss M. F. Jackson).	
W: Ballina.	
<i>Medicago lupulina</i>	E 6, 10-11, 16, 18. W 16, 27, 56.
E: Ballaghaderreen.	
W: Ballina.	
<i>Trifolium repens</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 8, 10, 13, 15-17, 19-23, 26-33, 35-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Trifolium hybridum</i>	E 11, 16. W 16, 24.
E: Hollymount, 1958 (B.S.B.I. Field Card).	
W: Lough Conn.	
<i>Trifolium campestre</i>	E W 16, 22.
E: N. of Claremorris.	
W: Ballina, Killala. Inishturk.	
<i>Trifolium dubium</i>	E 6, 10-12, 16-18, 22-23, 27. W 1-2, 4, 10, 13, 15-17, 19-24, 27-32, 35-40, 43, 45-48, 50, 52-53, 55-56, 61-62.

<i>Trifolium micranthum</i>	W 21.
W: Wall between Mallaranny Hotel and the new chapel, Earl of Gainsborough — searched but could not find additional material (Praeger 1913).	
<i>Trifolium arvense</i>	W
W: Inishturk (More) — abundant on rocky bluff which overlooks Portcloon . . . I fancy it is indigenous — More marked it 'possibly introduced' (Praeger, 1907).	
<i>Trifolium pratense</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-23, 26-33, 35, 37-40, 43, 45-48, 50, 52-53, 55-56, 60-62.
<i>Trifolium medium</i>	E 16, 31. W 2, 16-17, 21, 40.
E: Carrowkeribly Lough. Near Foxford (More). Lough Mask.	
W: Crossmolina. Ballina. Killala. Rosserk. Lough Conn. Inishturk.	
<i>Lotus corniculatus</i>	E 3, 6, 10-11, 16-18, 22-23, 27, 31. W 1-2, 4, 8, 13, 15-17, 19-24, 26-33, 35-40, 43, 45-48, 50, 52-53, 55-56, 60-62.
<i>Lotus uliginosus</i>	E 16-17, 23. W 2, 4, 13, 17, 19-21, 26-30.
E: Balla, Miss Anderson, 1958 (B.S.B.I. Field Card).	
W: Achill. Mullet — about Cross Lough and Leam Lough. Clare Island — one station.	
<i>Anthyllis vulneraria</i>	E 3, 10-11, 17-18, 23. W 1, 8, 13, 16-17, 19-20, 22, 26-28, 33, 35, 43, 47, 50-51, 53, 60-62.
E: N. of Claremorris. Callow.	
W: Ballina. Mullet. Achill. Achill Beg. Clare Island. Inishturk. Iniskea. Subsp. <i>vulneraria</i> is recorded from E. & W. Mayo; subsp. <i>lapponica</i> from W. (<i>Atlas — Critical Supplement</i>).	
OXALIDACEAE	
<i>Oxalis europaea</i>	E
E: Portree House, D. McClintock (B.S.B.I., 3, 293).	
<i>Oxalis acetosella</i>	E 6, 10-11, 16, 18, 27, 31. W 1-2, 10, 13, 15-17, 20-23, 26-27, 29-30, 32-33, 38-40, 45, 47, 53, 60-62.
GERANIACEAE	
<i>Geranium sanguineum</i>	E 3.
E: Glen Corrib and Ballycurrin (Miss Jackson). Cloghmoynie.	
<i>Geranium pratense</i>	W 27.
W: Achill — abundantly naturalised in fields and on banks near Dugort.	

<i>Geranium phaeum</i>		W 16, 40.
W: Westport, 1956 (B.S.B.I. Field Card).		
<i>Geranium pyrenaicum</i>		E
	W 16.	
E: Ballinrobe (Mrs. Persse).		
W: Near Belmullet (Moore, <i>Cybele</i>) — not seen by Praeger. Wesport (B.S.B.I. Field Card).		
<i>Geranium molle</i>		E 6, 10, 16, 18, 22-23, 27.
	W 2, 4, 8, 13, 15-17, 19-20, 22, 24, 27-28, 30, 35, 43, 50, 56, 62.	
<i>Geranium pusillum</i>		E
E: Ballinrobe (Stanhope Kenny).		
<i>Geranium columbinum</i>		E
E: Lough Mask — unquestionably native (Marshall).		
<i>Geranium dissectum</i>		E 10-12, 16, 22-23, 27.
	W 4, 13, 16-17, 19-20, 22-24, 27-28, 30, 32, 35, 43, 47, 50, 55-56, 62.	
<i>Geranium lucidum</i>		E 6, 10-11.
	W 16-17, 21.	
E: Ballyhaunis. Kilmoeve.		
W: On a wall by the road a mile N. of Killavally (Perring).		
<i>Geranium robertianum</i>		E 6, 10-12, 16-18, 22-23, 27, 31.
	W 1-2, 4, 15-17, 20-24, 28, 30-33, 39-40, 45, 48, 52, 55-56, 62.	
<i>Erodium cicutarium</i>		W 1-2, 8, 15-16, 20, 27-28, 35-36, 43, 50.
W: Killala. Achill. mullet. Inishkea N. & S.		
<i>Erodium moschatum</i>		W 27.
W: Dooagh, Achill (Babington) — not seen by Praeger (1904).		

LINACEAE

<i>Linum catharticum</i>		E 3, 6, 10-12, 16-18, 23, 27, 31.
	W 1-2, 8, 13, 15-17, 19-20, 22-24, 27-28, 30-32, 35, 39-40, 43, 45-48, 50, 53, 55-56, 61-62.	
<i>Radiola linoides</i>		E
	W 1, 19-20, 26-29, 32, 36-37, 45, 52-53, 61.	
E: Shore of Lough Cullin (More). Glennaduff.		
W: Mallaranny (Marshall). Pontoon. Achill (Chandlee) — remarkably abundant on Achill and ranges from the extreme point of Achill Head to Inishbiggle; a very dense leafy form at Dooga Head (Praeger 1904). Mullet — a constant feature of the road edges. Clare Island. Inishturk. Inishkea N. & S.		

EUPHORBIACEAE

Euphorbia hyberna

W 7.

W: Inishturk (More). Inishturk has been chiefly known to botanists as providing one of the few west coast stations for this interesting plant. Here it was first found by W. McMillan, the discoverer of *Helianthemum guttatum* in Inishboffin, in 1872, and was subsequently seen by More and Barrington on their brief visit in 1875. The plant is confined to the harbour and the sheltered bushy slopes next to it, where it grows in abundance (Praeger).

Euphorbia helioscopia

E 16, 18, 27.

W 13, 16-17, 39, 47, 50, 56.

Euphorbia exigua

E

E: Roadside near Partry, Lough Carra.

Euphorbia peplus

E 11, 16.

W 13, 16.

E: Callow.

W: Ballina. Clare Island. Inishturk.

POLYGALACEAE

Polygala vulgaris

E 10-11, 16-18, 27.

W 1-2, 4, 8-9, 12-13, 16-17, 19-22, 24, 27, 30-31, 33, 35, 39-40, 43, 47-48, 50-52, 55-56, 61.

Polygala serpyllifolia

E 10-12, 16, 18, 23, 27.

W 1-2, 4, 13, 15, 17, 19-20, 23, 26-32, 38-40, 45, 47, 52-53, 55, 60-62.

ACERACEAE

Acer campestre

E

E: Kilmovée.

Acer pseudoplatanus

E 6, 10-12, 16-18, 23, 27.

W 1-2, 4, 15-17, 20-24, 27-30, 32, 39-40, 45-48, 50, 52, 55-56, 60-62.

HIPPOCASTANACEAE

Aesculus hippocastanum

E 10.

W 16-17.

BALSAMINACEAE

Impatiens glandulifera

E

W 24, 27-28.

E: BGX 94/23.

W: cf. Achill.

AQUIFOLIACEAE

<i>Ilex aquifolium</i>	E 6, 10-11, 16-17, 23, 27.
	W 1-2, 4, 8, 10, 13, 15-17, 20-24, 27, 29-33, 38-39,
	45, 48, 60.
E: Glenaduff. Kilmoevee.	
W: Pontoon. Lough Conn. Dooaghtry. Achill. Clare Island. Inishturk.	

CELASTRACEAE

<i>Euonymus europaeus</i>	E 3, 6, 10.
	W 40.
E: Lough Mask. Lough Carra.	
W: Lough Conn. Killala.	

RHAMNACEAE

<i>Rhamnus catharticus</i>	E
	W
E: N.W. of Claremorris. Lough Mask. Shore of Lough Corrib, a little N. of Morris Is. Lough Carra (Ball; Praeger).	
W: Lough Cullin (More). Lough Mask shore. Lusteen Islands, Lough Mask.	

<i>Frangula alnus</i>	E
	W
E: East shore of Lough Mask (Vowel, <i>Cybele</i> 2; Marshall & Schoolbred; Praeger). Derrymany Point, Lough Carra (Ball). Shore of Lough Corrib, a little N. of Morris Is. A single prostrate plant in a fissure on limestone pavement by Lough Mask near the bridge to Inishcoog (Halliday <i>et al.</i>).	
W: Rocky islets N. end of Lough Mask.	

TILIACEAE

<i>Tilia x vulgaris</i>	E 11.
	W 2, 23.

MALVACEAE

<i>Malva moschata</i>	E 3.
E: Ashford, Cong (Miss M. F. Jackson). Cong (Marshall & Shoolbred).	

<i>Malva sylvestris</i>	E
	W 21.
E: N. of Claremorris.	
W: Rosserk. Achill.	

<i>Lavatera arborea</i>	W 2, 20.
W: Tievummera, 1955 (B.S.B.I. Field Card). Achill Sound (Marshall).	

<i>Althaea officinalis</i>	W 9.
W: Old Head (Miss Grubb, <i>Cybele</i>). Clare Island (Doyle & Foss).	

GUTTIFERAE

Hypericum hircinum

W

W: Delphi — east side of Fin Lough and in ruined cottage garden (Perring).
Roadsides on north side of Corraun Peninsula!

Hypericum androsaemum

E	16-17, 23, 27.
W	1-2, 10, 13, 15-17, 20-23, 27-30, 32, 39-40, 48, 52, 55-56, 61.

Hypericum pulchrum

E	3, 6, 10-12, 16-18, 23, 27.
W	1-2, 10, 13, 15-17, 19-24, 26-33, 38-40, 46-48, 50, 53, 55, 60-62.

Hypericum elodes

E	10.
W	1-2, 4, 9-10, 13, 16-17, 19-21, 27-30, 32-33, 38-40, 45, 50. E: Partry Ho. area (B.S.B.I. Field Card). W: Mallaranny (Marshall). Pontoon. Derreen. Nephin. Achill — a submerged form at N. end of Keel Lough. Achill Beg! Mullet. Clare Island. Inishturk.

Hypericum humifusum

E	18, 27.
W	1-2, 13, 17, 20-22, 24, 31, 62. E: Lake N.W. of Claremorris. Clonbur (Marshall). W: Lough Conn. Mallaranny. Westport. Clare Island. Inishturk.

Hypericum tetrapherum

E	10-12, 16-18, 22-23, 27, 31.
W	2, 4, 13, 16-17, 19-23, 27, 29-33., 35, 39-40, 43, 45-48, 50, 55-56, 61-62. E: Ballaghaderreen. Foxford. W: Ballina. Lough Conn. Achill. Mullet. Clare Island. Inishturk.

Hypericum maculatum

E	3.
W	16, 40. E: About Cong (Marshall & Shoolbred). W: To the W. of Clonbur (Marshall & Shoolbred). E. shore of Lough Conn.

Hypericum perforatum

E	6, 10-11, 16, 27.
W	16. E: Foxford. Lough Mask. W: (B.S.B.I. Field Card — no locality).

Hypericum canadense

W	
W:	Glensaul, Tourmakeady, 20 August 1906, no collector's name (specimen in University College, Aberystwyth, <i>fide</i> Mr. E. H. Chater (Webb, <i>INJ</i> , 16, 209).) Near the extreme N.W. corner of Lough Mask one mile S. of Srah (Webb 1957). W. shore of Cloon River south of Srah to Partry road (Perring). The Gortmore station is in County Mayo but in vice-county 16 (West Galway).

VIOLACEAE

<i>Viola odorata</i>	<i>E</i> <i>W</i>
E: Claremorris. W: Derreen.	
<i>Viola reichenbachiana</i>	<i>E</i> <i>W</i> 15, 43.
E: Lough Carra. W: On limestone near Newport (Marshall). Ashford demesne near Cong (Marshall & Shoolbred).	
<i>Viola riviniana</i>	<i>E</i> 6, 10-11, 16, 18, 23, 27, 31. <i>W</i> 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 35, 38-40, 43, 46-48, 50, 52, 55-56, 62.
<i>Viola canina</i>	<i>E</i> 10, 16. <i>W</i> 4, 27, 32, 40, 56.
E: Turlough N.W. of Claremorris. Clonbur (Marshall). Lough Carra (<i>Cybele</i>). Lough Mask. W: Lough Conn. Lough Cullin (More). Inishturk.	
<i>Viola persicifolia</i>	<i>E</i>
E: Clonbur (Marshall). Limestone hollows at the S. end of Lough Mask, in considerable quantity (Marshall & Shoolbred), hybridising with <i>V. canina</i> .	
<i>Viola palustris</i>	<i>E</i> 10, 12, 16-17, 27. <i>W</i> 1-2, 4, 10, 13, 17, 19-24, 26-32, 37-39, 45-47, 50, 52-53, 60-62.
(<i>Viola tricolor</i> subsp. <i>tricolor</i> ?)	<i>E</i> <i>W</i>
E: Ballymore Lough. W: Lough Conn.	
<i>Viola tricolor</i> (incl. subsp. <i>curtisii</i>)	<i>E</i> 18 <i>W</i> 1-2, 16, 43, 56.
E: Ballymore Lough. W: Killala. Dooaghtry. Dunes near Binghamstown Castle, Mullet.	
<i>Viola arvensis</i>	<i>E</i> <i>W</i>
E: Foxford. W: Killala. Lough Conn. Achill. Clare Island.	

CISTACEAE

<i>Tuberaria guttata</i>	<i>W</i> 7.
W: Inishturk — one small colony, consisting of very fine plants; the station is a grassy rib of rock which crosses the main valley of the island, just below the straggling cottages, four of which constitute the village of Craggy.	

ELATINACEAE

Elatine hexandra

W

W: Loughnahaltora and the slightly brackish Roonah Lough on the coast.

LYTHRACEAE

Lythrum salicaria

E 10-11, 16-17, 22, 27.

W 1-2, 8, 12-13, 15-17, 19-24, 28-33, 35, 38-40,
43, 45-48, 50-53, 55-56, 60-62.

Lythrum portula

E 10, 16, 18.

W 13, 28-30.

E: Glenaduff. Clonbur (Marshall).

W: Pontoon. Lough Conn. Mullet. Clare Island.

ONAGRACEAE

Fuchsia magellanica

E 16-17, 23, 27.

W 1-2, 4, 15-17, 19-24, 27-30, 32-33, 38, 40, 43,
45, 47, 50-53, 55, 61-62.

Circaeaa lutetiana

E 6, 10-11, 16, 18, 27.

W 2, 4, 13, 15-17, 21-23, 30, 32, 40, 48, 55-56.

Epilobium angustifolium

E 23.

W 27, 56.

E:

W: Achill — native on the Slievemore rocks at 1,800ft.

Epilobium hirsutum

E 11, 16.

W 16, 21-23, 40, 48.

E: Ballaghaderreen.

W: Ballina.

Epilobium parviflorum

E 10-12, 16, 18, 23, 27.

W 1, 4, 13, 15-17, 20, 22-24, 27-28, 33, 39, 43, 46,
48, 50, 53, 55-56, 61-62.

Epilobium montanum

E 10-12, 16, 18, 22-23, 27, 31.

W 1-2, 4, 10, 13, 16-17, 20, 22-24, 30-33, 35, 38-40,
46-48, 50, 52, 55-56, 61-62.

Epilobium montanum x obscurum

W

W: Inishturk.

Epilobium obscurum

E 10-11, 23, 27.

W 2, 10, 13, 16, 19-21, 23, 26-29, 31-32, 36, 38-39,
45-47, 53, 55, 60-62.

<i>Epilobium palustre</i>	E 10-12, 16, 18, 23, 27. W 1-2, 4, 13, 15-17, 20, 22-24, 26-32, 35, 38-40, 43, 45-48, 50-53, 55-56, 61.
---------------------------	---

<i>Epilobium brunnescens</i>	W 1-2, 8, 20, 38-39. W: Edge of stream by Westport road a couple of miles above Aasleagh, Agatha Miller (Praeger 1939). S.E. side of Nephin Beg; well established N. of Clew Bay; E. side of Beltra Lough; Glendavoolagh stream in Nephin Beg hills (Perring). Clare Island (Doyle & Foss).
------------------------------	--

<i>Epilobium pedunculare</i>	W W: Ashleigh, I. H. Clarke; Lough Feeagh, F. Reid (DBN).
------------------------------	--

HALORAGACEAE

<i>Gunnera tinctoria</i>	W (E): A West Galway record referred in error to East Mayo (B.S.B.I., 3, 403). W: North side of Killary Harbour and on the shore and in gullies on the north side of Curraun, Sir F. W. Moore (Praeger 1939). Achill. Achill Beg! Stream in Bangor in Erris, McClintock (B.S.B.I., 3,403). Clare Island (Doyle & Foss).
--------------------------	---

<i>Myriophyllum verticillatum</i>	E E: Hollymount and Lough Carra (More). In a stream which enters Lough Carra S.E. of Moore Hall.
-----------------------------------	---

<i>Myriophyllum spicatum</i>	E 10. W 40. E: Lough Carra — especially the N. end. W: Crossmolina. Rathrooen Lough. Lough Conn. Achill. Mullet — Cross Lough and Newtown Lough. Inishkea N.
------------------------------	---

<i>Myriophyllum alternifolium</i>	E 10, 12, 17-18. W 2, 17, 23, 27-30, 39, 46-47. E: Ballymore Lough. N. of Claremorris. Clonbur (Marshall). Lough Carra — especially the N. end. W: Newport (Marshall). Lough Conn. Ballina. Achill. Clare Island. Inishturk.
-----------------------------------	---

HIPPURIDACEAE

<i>Hippuris vulgaris</i>	E 10-11, 17-18. W 1, 9, 27-28, 45, 50, 53, 55, 62.
--------------------------	---

ARALIACEAE

<i>Hedera helix</i>	E 3, 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 8, 10, 13, 15-17, 19-24, 26-33, 38-40, 43, 45, 48, 50, 55-56, 60, 62.
---------------------	--

UMBELLIFERAE

<i>Hydrocotyle vulgaris</i>	E 10-12, 16-18, 22-23, 27. W 1-2, 4, 8-10, 13, 16-17, 19-24, 27-33, 35-37, 39-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Sanicula europaea</i>	E 6, 10-11, 27. W 1-2, 8, 13, 15-16, 22-23, 28, 30, 40, 48, 55. E: N. of Claremorris. Kilmoeve. W: Lough Conn. Achill. Clare Island.
<i>Eryngium maritimum</i>	W 20, 27, 35, 43, 50, 52. W: Mullet and Inishkea S.
<i>Anthriscus sylvestris</i>	E 6, 10, 12, 16-17, 23. W 1, 15-17, 23-24, 39-40, 46-47, 53, 55, 61-62. E: Ballaghaderreen. W: Ballina. Achill. Inishturk.
<i>Anthriscus caucalis</i>	E
	E: Ballinrobe (Mrs. Persse). Wexford.
<i>Scandix pecten-veneris</i>	E
	E: N. of Claremorris. Ballinrobe (Mrs. Persse).
<i>Smyrnium olusatrum</i>	E 10. W
	E: Ballaghaderreen. W: Lough Conn. Achill.
<i>Conopodium majus</i>	E 6, 27, 31. W 1-2, 4, 10, 13, 16-17, 22-23, 29-30, 32, 39-40. E: Ballaghaderreen. W: Achill. Clare Island. Inishturk.
<i>Pimpinella major</i>	E W
	E: Plentiful at Cong (Wade; Miss C. H. Jackson; Marshall). Foxford — banks of the River Moy (More, <i>Cybele</i>). W: W. of Castlebar (Marshall).
<i>Pimpinella saxifraga</i>	E 6, 11, 18, 23.
	E: Ballyhaunis. Lake N.W. of Claremorris.
<i>Aegopodium podagraria</i>	E 6, 10, 12, 16-17, 23. W 16-17, 21, 23-24, 27, 30, 33, 40, 43, 47-48, 56. E: N. of Claremorris. Ballaghaderreen. W: Killala. Near Westport (Hart). Achill.
<i>Berula erecta</i>	E W 50.
	E: Ballinrobe (Mrs. Persse). Cong (Marshall & Shoolbred). W: Corragaun Lough, Dooaghtry. Mullet.

<i>Crithmum maritimum</i>	W 13, 21, 50.
W: Achill (Colgan; Praeger). Mullet. Clare Island. Inishturk. Inishkea N. & S.	
<i>Oenanthe lachenalii</i>	W 1, 8, 29, 43, 50.
W: Killala. Near Bundorragha on the Killary (Hart). Damp sandy waste inland to Corragaun Lough, Dooaghtry. Mullet — Portnafranka inlet (upper).	
<i>Oenanthe crocata</i>	E
W 1-2, 8, 10, 13, 16-17, 19-21, 23, 27-28, 30, 39, 43, 45, 52-53, 56, 61-62.	
E: Ballinrobe (Mrs. Persse). Clonbur (Marshall).	
W: Mallaranny (Marshall). Pontoon. Dooaghtry. Achill. Mullet. Clare Island. Inishturk.	
<i>Oenanthe aquatica</i>	E W
E: Lake N.W. of Claremorris. Ballaghaderreen.	
W: Ballina. Castlebar, and abundant thence eastwards as far as Balla (Marshall). West shore of Cloon River, south of Srah-Partry road (Perring).	
<i>Aethusa cynapium</i>	E 16. W 16, 32, 40.
<i>Conium maculatum</i>	E 23. W 13, 16-17, 22, 48, 55.
E: Foxford. N. of Claremorris.	
W: Ballina. Killala. Mullet.	
<i>Apium graveolens</i>	W 28.
W: Newport (Marshall). Rosserk Abbey. Near Altnapheebera, on rocky shore, south side of Corraun (Perring). Clare Island (Doyle & Foss).	
<i>Apium nodiflorum</i>	E 11-12, 16-18, 22-23, 27, 31. W 1, 8, 13, 16-17, 20-23, 26-30, 32-33, 35-36, 39-40, 43, 45, 47-48, 50, 52, 55-56, 61-62.
<i>Apium inundatum</i>	E 10. W 13, 17, 23, 27-28, 33.
E: Ballaghaderreen. Ballymore Lake.	
W: Achill. Mullet. Clare Island. Inishkea S.	
<i>Apium x moorei</i>	E W 33.
E: S. corner of Lough Cullin — E. side of river.	
W: S. corner of Lough Cullin — W. side of river.	
<i>Petroselinum crispum</i>	W
W: Moyne Abbey.	
<i>Carum carvi</i>	E W
E: Ballaghaderreen.	
W: Ballina. Killala.	

Carum verticillatum

W

W: Grassy west shore of Drumleen Lough, about 100 yds south of farm house (Perring). The only record between Kerry and Donegal.

Angelica sylvestris

E 6, 10-12, 16-18, 22-23, 27, 31.

W 1-2, 10, 13, 15-17, 19-20, 22-23, 26-33, 35, 37-40,
43, 45-48, 50, 52-53, 55-56, 60-62.

Pastinaca sativa

W 16.

W: Roadside and bank about Newport (Hart).

Heracleum sphondylium

E 6, 10-12, 16-18, 22-23, 27, 31.

W 1-2, 4, 10, 13, 15-17, 20-24, 27-32, 35-40, 43,
45-48, 50, 52-53, 55-56, 61-62.

Torilis japonica

E 6, 10-12, 16-18, 22-23, 27.

W 1, 4, 15-17, 22-24, 30-32, 40, 47-48, 55-56, 62.

Daucus carota

E 6, 10-12, 16-18, 22-23, 27, 31.

W 1-2, 8, 13, 15-17, 19-24, 27-28, 30-33, 35-36,
39-40, 43, 45, 47-48,
50-53, 55-56, 61-62.

PYROLACEAE

Pyrola minor

W

W: Sparingly on Black Hill near Louisburgh, 1945, W. A. Wallace (Praeger 1946).

Pyrola media

W

W: Near Pontoon. (See par. 374 *Botanist in Ireland*).

ERICACEAE

Erica tetralix

E 6, 10-12, 16, 18, 23, 27.

W 1-2, 4, 9-10, 12-13, 15-17, 19-24, 26-33, 36-40,
43, 45-48, 50-53, 55, 60-61.

Large form confused with *E. x stuartii*, Portacloy (Lamb 1964).

Erica cinerea

E 3, 10, 16, 18, 23, 27.

W 1-2, 4, 8, 10, 13, 16-17, 19-24, 26-33, 35-40, 43,
45-47, 50-53, 55, 60-62.

Erica erigena

W 2, 13, 19-23, 28, 40, 45.

W: Both sides of Lough Conn. Ballycroy Mt. (Moore). Killary Harbour; Mweelrea (Cybele 2). Borrishoole Lake and Corraun (Cybele). Mallaranny. Newport. Lough Furnace. Dooaghtry. Corraun (mapped by White, 1968). Mullet. Clare Island. Deep peat at Glenamoy (P. J. O'Hare). Achill Island — rare and chiefly in the east; by the stream behind valley Strand; sparingly from Doo Lough to Bull's Mouth (Ridge Point); by the streamlet which rises near Black Lough from its source to its mouth near Salia; half way along the northern margin of Annagh Lough (Praeger).

For full accurate maps of the entire Irish population see Foss, Doyle & Nelson (1987).

<i>Calluna vulgaris</i>	E 3, 6, 10-12, 16-18, 23, 27, 31. W 1-2, 4, 9, 13, 15-17, 19-24, 26-33, 35-40, 43, 45-48, 50-53, 55, 60-62.
<i>Rhododendron ponticum</i>	E 16. W 2, 4, 15-16, 20-21, 27-32, 37, 39, 45-47, 53, 55, 60-61.
E:	
W:	Achill — 'about Glendarary for the past thirty years' (Praeger 1939); the south shore and slopes above Sraheens Lough smothered with it!; isolated bushes above Annagh Lough!
<i>Daboecia cantabrica</i>	E 10. W 1-2, 4, 10, 12, 15-17.
E:	Between Lisloughry and Lackafinna (Miss Jackson). Martin's Island in Lough Mask below Ballinrobe (Mrs. Persse). Shangorman Island, Lough Mask. Half a mile eastwards of the steamboat quay, and thence occasionally to Cordroon beyond Ballymacgibbon Bay, where these (Silurian) rocks reach their eastern limit — an extension of Miss Jackson's <i>Cybele</i> station (Praeger 1909). Carboniferous sandstone half a mile west of Partry (Praeger 1906).
W:	Between Killary and Croaghpatrick (Mackay). Near Delphi in Murrisk (Ball). Old Head (Miss K. M. Lindsay, <i>Cybele</i>). Maumtrasna Mts.; Loughty Mt.; Mweelrea; (Hart). (Maumtrasna Mts. in v.c. 16). Dooaghtry. Lough Mask — west shore and islands in the north end. (Lusteen islands in the south end belong to v.c. 16). Knappagh — a white flowered form (Mrs. Barnes — Webb 1970). Curraun, H. D. B. Dillwyn — most northerly station in Europe (<i>Cybele</i>).
<i>Arctostaphylos uva-ursi</i>	W 20, 26.
W:	Benwee Head and Portacloy, Wynne (<i>Cybele</i>). Cor Slieve (Moore, <i>Cybele</i>). Nephin; Mweelrea; Nephin Beg; Curraun; Achill (Hart). Cushcamcarragh (Colgan). Mullet — cliffs to Erris Head. Corraun Plateau. Achill — in great abundance on the Meenaun range from 800ft. up; heaths below Lough Acormore; plentiful on signal tower hill.
<i>Pernettya mucronata</i>	W 20-21, 29.
<i>Andromeda polifolia</i>	E W 16.
W:	In a slightly flushed area close to a small lake in blanket bog, Bellacorick, 1983, P. Foss, E. Rushe, and G. Doyle (<i>I.N.J.</i> , 21, 343) — with <i>Sarracenia</i> and perhaps introduced. (Croaghpatrick area, 1958 (B.S.B.I. Field Card)).
(<i>Ledum palustre</i>) — Achill Head, in a fisherman's hat, c. 1828, C. Giesecke (Carrothers; Nelson). An error!	
<i>Vaccinium oxycoccus</i>	E W 47.
E:	Hollymount (More).
W:	Mallaranny (Marshall). Rathrocen Lough. Glenturk and Clare Island (Doyle & Foss).
<i>Vaccinium vitis-idaea</i>	W
W:	Nephin and Cor Slieve in Erris (<i>Cybele</i>). Mweelrea — in very small quantity in one place (Hart). Sheeffry (Colgan). Achill — near the summit of Slievemore.

Vaccinium myrtillus

E 23, 27.
W 1-2, 10, 13; 15-16, 19-20, 22-24, 26-27, 29-33,
38, 40, 45, 47, 53, 55, 60-62.

EMPETRACEAE

Empetrum nigrum

W 13, 19-21, 26-27, 30, 38, 40, 47, 51, 53, 60-62.

W: Nephin. Corraun Plateau. Achill. Achill Beg! Mullet — cliffs to Erris Head.
Clare Island. Inishturk.

PRIMULACEAE

Primula vulgaris

E 6, 10-11, 16-18, 22-23, 27, 31.
W 1-2, 8, 10, 13, 15-17, 19-20, 22-24, 26-33, 38-40,
43, 45-48, 52, 55-56, 62.

Primula veris

E 10-11, 16, 18.
W 15, 20.

E: Ballinrobe (Mrs. Persse). Clonbur (Marshall).

W: Secondary dunes at Corraun (Perring).

Primula veris x vulgaris

E

E: Slope above shore of Lough Carra near Moore Hall, 1980 (D. L. Kelly).

(*Hottonia palustris*)

W

W: In a watery ditch west of Lough Mask, road from Ballinrobe to Westport (Brown
Fasciculus) — "has not since been verified and was no doubt an error" (*Cybele*
2).

Lysimachia vulgaris

E

W 32, 40, 48.

E: Claremorris. Clonbur (Marshall).

W: Lough Conn. Lough Cullin. Pontoon. Mullet — headquarters about Cross
Lough and Leam Lough.

Lysimachia punctata

W

W: Roadside at Belclare, 3 miles west of Westport (Rohu).

Lysimachia nemorum

E 10-11, 16, 18, 23, 27.

W 1-2, 4, 8, 10, 12-13, 15-17, 20-24, 28-33, 38-40,
45, 47-48, 53, 55, 60-62.

Glaux maritima

W 1-2, 8, 13, 16, 20-22, 27-29, 36, 43, 51-52, 55-56, 61.

W: Killala. Achill. Achill Beg! Mullet. Clare Island. Inishturk. Inishkea N. & S.

Anagallis minima

W 28.

W: Erris (Moore). Roadside about two miles west of Mallaranny (Marshall). Achill
— with *Radiola* on steep slopes in Glenanaff! Mullet. Inishturk — often abundant
in damp roadsides and in fields that have gone out of cultivation. In Mullet
often rewarded a search among the *Radiola* that was so constant a feature of the
road edges (Praeger).

<i>Anagallis tenella</i>	E 3, 10-12, 16-18, 22-23, 27. W 1-2, 4, 8-10, 12-13, 15-17, 19-24, 26-33, 35-38, 40, 43, 45-48, 50-53, 55, 60-62.
<i>Anagallis arvensis</i>	E 6, 10-11, 16, 18. W 1, 13, 15-17, 20-22, 27-28, 35, 39-40, 43, 48, 50, 56, 62.
<i>Samolus valerandi</i>	E 10-11, 16. W 1, 8, 13, 16, 20-22, 26-27, 33, 35, 40, 43, 45, 48, 50, 55, 61-62. E: Ballymore Lake. Lake N.W. Claremorris. Ballaghaderreen. Lough Mask. W: Ballina. Lough Conn. Achill. Achill Beg! Mullet. Clare Island. Inishturk. Inishkea N. & S.

PLUMBAGINACEAE

<i>Armeria maritima</i>	W 1-2, 8, 13, 15-16, 19-22, 26-30, 35, 37, 40, 43, 50-52, 56, 60-62. W: Coast and the following mountains: Croaghpatrick, Nephin, Corraun, Croaghaun. A pubescent form recorded from Achill — Druce (Praeger 1939).
-------------------------	--

<i>Limonium humile</i>	W 16, 22. W: Westport Quay, remarkably luxuriant (<i>Botanist in Ireland</i>).
<i>Limonium binervosum</i>	W
W: Rocks by shore at Kildun (Perring).	

OLEACEAE

<i>Fraxinus excelsior</i>	E 6, 10-12, 16, 18, 22-23, 27, 31. W 1-2, 4, 10, 13, 15-17, 21-24, 28, 30-33, 38-40, 45, 48, 50, 52, 55-56, 62.
---------------------------	---

<i>Ligustrum vulgare</i>	E 10, 12, 16-18. W 4, 15-17, 20, 22-23, 27, 29-30, 33, 40, 46, 48, 50.
--------------------------	---

GENTIANACEAE

<i>Cicendia filiformis</i>	W
W: In damp sandy hollows near the western shore of Keel Lough (Moon).	

<i>Blackstonia perfoliata</i>	E 3, 10-11. E: Balla, Ballinrobe (Mrs. Persse). Clonbur. Lough Mask. Lough Carra. Half mile west of Partry.
-------------------------------	---

<i>Centaurium erythraea</i>	E 10-11, 16, 18, 23, 27. W 1-2, 8, 10, 13, 15-17, 19-22, 27-28, 32, 35, 40, 43, 46-48, 50-52, 55-56, 62. E: N. of Claremorris. W: var. <i>capitata</i> at Mallaranny (Marshall).
-----------------------------	--

Gentiana verna

E: Lough Carra near Moore Hall (Ball; More; Mrs. Persse). Cloghmoyne.

E

Gentianella campestris

E 10-11, 18.

W 13, 20, 35, 43, 47, 50-51.

E: Callow. Carrowkerribly Lake. Ballinrobe.

W: Newport. Pontoon. Westport. Lough Conn. Dunes west of Belmullet. Clare Island. Inishturk.

Gentianella amarella

E 10.

W 8, 43, 56, 62.

E: Turlough N.W. of Claremorris. Ballinrobe. S. of Lough Mask. Lough Carra (Ball).

W: Killala. Bartragh Island (Mackay). Dunes west of Belmullet.

MENYANTHACEAE

Menyanthes trifoliata

E 10-12, 16-18, 22-23, 27.

W 1-2, 9-10, 13, 16-17, 19-20, 23-24, 26-31, 36-40, 45-48, 50, 53, 55, 60-61.

RUBIACEAE

Sherardia arvensis

E 11, 16, 18, 23.

W 16, 22, 24, 31, 33.

E: Callow.

W: Killala. Lough Conn. Achill. Inishturk.

(Asperula cynanchica)

W

W: "This is common about Castlebar" (P. Browne — *Fasciculus*). The record was not included in *Cybele Hibernica* (2nd. ed.) which contained other records from the *Fasciculus*. The species is said to be common on Lough Corrib and might occur in East Mayo or about Castlebar!*Galium boreale*

E 10.

W 4, 17, 40.

E: Lough Mask (Kane). Lough Carra (Ball). Castlebar (Browne).

W: Lough Beltra (Colgan). Lough Conn. Lough Cullin. Pontoon. (Lusteen Is., in Lough Mask are in v.c. 16).

Galium odoratum

E

W 15-16, 22, 30.

E: S. of Claremorris. Kilmoevee.

W: Westport Demesne.

Galium palustre

E 10-12, 16, 18, 22-23, 27.

W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 36-40, 43, 45-48, 50, 52-53, 55, 60-62.

Galium verum

E 3, 6, 10-12, 16, 18, 23, 27, 31.

W 1-2, 13, 15-17, 20-21, 24, 27-28, 30-31, 33, 35-37, 39-40, 43, 47-48, 50-52, 55-56, 62.

Galium saxatile E 10, 16, 23, 27.
W 1-2, 4, 10, 13, 16-17, 19-24, 26-32, 36-40, 43,
45-47, 51-53, 55, 60-62.

Galium aparine E 10-12, 16, 18, 22, 27, 31.
W 1-2, 4, 13, 15-17, 19-23, 27-28, 30-33, 35, 39-40,
43, 45, 47-48, 50, 55-56, 62.

Rubia peregrina E 3.
W

E: South of Lough Mask (Marshall & Shoolbred). Lough Carra (Ball; Praeger).
Cloghmoyne.

W: Mweelrea (Hart; Colgan).

CONVOLVULACEAE

Calystegia soldanella W 27.
W: Keel, 1957 (B.S.B.I. Field Card). Ceathru an Uisce (Rohu).

Calystegia sepium E 6, 10-12, 17-18, 22, 27.
W 4, 13, 15-17, 22, 27-28, 40, 43, 47-48, 50,
55-56, 62.

Calystegia silvatica E 23.
W 17, 23, 40, 62.

E: Kilkelly, 1958 (B.S.B.I. Field Card).

W: East end of Errew Peninsula, Lough Conn (Perring).

Calystegia pulchra E 17.
E: Ballyfarnagh, 1958 (B.S.B.I. Field Card) (*C. dahurica*).

Convolvulus arvensis E 10, 16.
W 13, 16-17, 22, 35.
E: Ballinrobe (Mrs. Persse). Lisloughry (Miss Jackson). Field near Cong.
W: Knockbane. Clare Island. Inishkea N.

BORAGINACEAE

Lithospermum officinale W 40.
W: Frequent round Lough Conn and at Ballina.

Symphytum officinale W 21, 28.

Symphytum x uplandicum E 10, 12.
W 23, 40, 47-48.

Pentaglottis sempervirens W 21.
W: Mulrany, 1962, M. McCallum Webster. (B.S.B.I. Field Card).

Myosotis arvensis E 10-12, 16, 18, 23.
W 13, 16-17, 19-20, 22-24, 27-28, 31, 35-36, 39,
47-48, 50, 55, 62.

<i>Myosotis ramosissima</i>	E
E: Ballinrobe (Mrs. Persse).	
<i>Myosotis discolor</i>	E 23.
W 1, 13, 17, 20, 23, 28-29, 31, 39, 43, 52.	
E: N. of Claremorris. Ballaghaderreen. Foxford.	
W: Ballina. Rosserk. Pontoon. Achill. Clare Island.	
<i>Myosotis secunda</i>	E
W 1-2, 4, 10, 13, 17, 20-21, 23, 26-29, 37, 39, 45, 48, 52-53, 55, 61.	
E: Glenaduff.	
W: Nephin. Lough Conn. Pontoon. Achill. Mullet. Clare Island. Inishturk.	
<i>Myosotis laxa</i>	E 10-12, 16-18, 23, 27.
W 1, 13, 15, 17, 19-20, 23-24, 26-31, 33, 36, 39-40, 43, 45-48, 52-53, 56, 61-62.	
<i>Myosotis palustris (M. scorpioides)</i>	E 10-11, 16, 18, 22-23, 27.
W 16, 19-20, 22-23, 40, 47-48, 50.	

VERBENACEAE

<i>Verbena officinalis</i>	E
E: Cong (Marshall & Shoolbred).	

CALLITRICHACEAE

<i>Callitricha hermaphroditica</i>	E
W 22.	
E: Cong (Babington, <i>Cybele</i>). E. of Foxford (More, <i>Cybele</i>).	
W: Newport, 1958 (B.S.B.I. Field Card) — not in <i>Atlas</i> .	
<i>Callitricha stagnalis</i>	E 12.
W 1-2, 13, 17, 19-20, 22-23, 26-31, 36, 38-39, 43, 46-47, 50, 52-53, 55-56, 60-62.	
<i>Callitricha obtusangula</i>	E
W 33.	
E: N. of Claremorris.	
W: At Castlebar and in streams between Westport and Newport (Marshall).	

<i>Callitricha intermedia</i>	E ?
W 1-2, 16-17, 29, 38-40, 47.	
E: (BGX 94/22).	
W: Mallaranny (Marshall). Borrishoole and in the mullet (Babington, <i>Cybele</i>). Lake on Mweelrea (D. McArdle, <i>Cybele</i>). Mullet.	

<i>Callitricha brutia</i>	W
W: Clare Island. Mullet (Babington).	

LABIATAE

<i>Ajuga reptans</i>	E 6, 10-11, 23, 27.
	W 2, 4, 13, 16-17, 22, 30, 32, 39-40, 55.
<i>Teucrium scorodonia</i>	E 3, 6, 10-11, 27, 31.
	W 1-2, 13, 15-17, 20, 23, 29-30, 32-33, 39, 61.
<i>Scutellaria galericulata</i>	E W 23.
E: S. of Lough Mask (Marshall & Shoolbred). Shore of Lough Corrib, a little north of Morris Is.	
W: Birreen — Kilhale (B.S.B.I. Field Card).	
<i>Scutellaria minor</i>	E W
E: Near Foxford (More — Praeger 1901). Shore of Lough Corrib, a little north of Morris Is.	
W: Pontoon. Near Foxford (More — Praeger 1901). Achill — Keel Lough! (Lusteen Is., Lough Mask are in v.c. 16).	
<i>Galeopsis speciosa</i>	E 27. W
E: Callow. Near Foxford (More, <i>Cybele</i>). Swinford (B.S.B.I. Field Card, 1958).	
W: Pontoon.	
<i>Galeopsis tetrahit</i>	E 11-12, 16, 18, 23, 27.
	W 1-2, 4, 13, 17, 20, 23, 27-32, 39-40, 46-48, 52-53, 55-56, 62.
E: Foxford. N. of Claremorris.	
W: Ballina. Killala. Achill. Mullet. Clare Island. Inishturk.	
<i>Lamium purpureum</i>	E 10, 12, 16, 23.
	W 16-17, 20, 22-23, 27-28, 33, 40, 50, 56, 61.
E: Ballaghaderreen.	
W: Killala. Pontoon. Achill — var <i>decipiens</i> at McDowell's Hotel, Dugort, W. Watson (Praeger 1939). Mullet. Clare Island. Inishturk. Inishkea N. & S.	
<i>Lamium hybridum</i>	E 18.
	W 2, 13, 28-29.
E: N. of Ballyhaunis, 1958 (B.S. B.I. Field Card).	
W: Achill — Dooagh and Bull's Mouth. Clare Island. Inishturk. Inishkea N. & S.	
<i>Lamium mollucellifolium</i>	E W
E: E. of Foxford.	
W: Ballina. Mallaranny — oat field (Marshall). Achill — frequent in the E. half. Mullet. Clare Island. Inishturk. Inishkea N. & S.	
<i>Lamium amplexicaule</i>	E
E: Foxford (More, <i>Cybele</i>).	
<i>Ballota nigra</i> subsp. <i>foetida</i>	E
E: Ballinrobe (Mrs. Persse).	

<i>Stachys sylvatica</i>	E 11, 16, 18. W 4, 10, 13, 16-17, 22-24, 30, 33, 40, 55.
<i>Stachys palustris</i>	E 10-12, 16-18, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-20, 22-24, 27-29, 31, 35, 38, 40, 45-47, 50, 53, 56, 61-62.
<i>Nepeta cataria</i>	E W
E: Cong (Wade 1802; Miss Jackson, <i>Cybele</i>). W: Between Newport and Castlebar (Ball). South-west side of Lough Conn.	
<i>Glechoma hederacea</i>	E 10, 16, 18. W 17, 21, 23, 33, 48, 55.
E: N. of Claremorris. Foxford. W: common.	
<i>Prunella vulgaris</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 8, 10, 13, 15-17, 19-24, 26-33, 35-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Calamintha ascendens</i>	E
E: Cong (Wade 1802; Marshall; Miss Jackson, <i>Cybele</i> 2).	
<i>Origanum vulgare</i>	E W 17.
E: Common round Cong (Marshall & Shoolbred; Miss Jackson, <i>Cybele</i> 2). W: Ballina.	
<i>Thymus praecox</i>	W 6, 10-11, 23, 31. W 1-2, 8, 10, 13, 16-17, 19-22, 26-28, 30, 35, 40, 43, 50-52, 56, 61-62.
<i>Lycopus europaeus</i>	E W
E: Lough Cullin. W: Pontoon. Lough Conn.	
<i>Mentha arvensis</i>	E 16. W 16, 27.
E: Callow. W: Ballina. Achill. Inishturk.	
<i>Mentha aquatica</i>	E 10-12, 16-18, 22-23, 27, 31. W 1, 4, 10, 13, 15-17, 19-24, 27-28, 30-31, 33, 35, 39-40, 43, 45-48, 50-51, 53, 55-56, 61-62.
<i>Mentha aquatica x arvensis</i>	E
E: By the Moy (More, <i>Cybele</i>). W: Lough Conn, S. of Derreen.	

<i>Mentha aquatica</i> x <i>spicata</i> (<i>M. x piperita</i>)	E
E: Carrowkerribly Lough.	W
W: Near Newport. Achill.	
<i>Mentha suaveolens</i>	E
E: Ballinrobe (Mrs. Persse).	W 27, 28.
W: Foot of Nephin near a cottage (Hart; More). Ballinderg Bridge, W. of Nephin (Hart).	
<i>Mentha longifolia</i>	W
W: Lough Tierna, W. of Newport, 1980, M.Scannell (DBN).	
<i>Mentha spicata</i>	W 40.
W: Clare Island (Doyle & Foss).	

SOLANACEAE

<i>Lycium barbarum</i>	W
W: BGX — 94/26; 94/27.	
<i>Atropa belladonna</i>	E
E: BGX 94/23 (pre 1930).	W
W: Westport Demesne, c. 1980, !	
<i>Hyoscyamus niger</i>	E
E: Ballinrobe (Mrs. Persse).	W
W: Inishkea — flourishes about the ancient inscribed cross which stands above the harbour on the south island.	
<i>Solanum nigrum</i>	E
E: Lough Mask near Ballinrobe (Mrs. Persse).	
<i>Solanum dulcamara</i>	E 10-11. W 16, 21.
E: Lough Mask — shore and islands (de V Kane; Praeger). Between Clonbur and Cong (Marshall & Shoolbred).	
W: Rocky islands at N. end of Lough Mask. Westport Demesne!	

BUDDLEJACEAE

<i>Buddleja davidii</i>	E
E:	W 33.
W: Roadsides around Pontoon, 1967-'83, D. L. Kelly.	

SCROPHULARIACEAE

<i>Mimulus guttatus</i>	E
W	W 27.
E: BGX 94/56; 94/66.	
W: Near Glendavoolagh Lodge N. of Birreencorragh on gravelly river bed (Perring) Achill — stream near N. end of Keel Lough, a form with brown spotted corolla (possibly the hybrid, <i>M. lutea</i> x <i>guttatus</i> !).	
<i>Verbascum thapsus</i>	E 10.
W	W 16.
E: Clonbur (Marshall).	
W: Moyne Abbey (Dickie).	
<i>Scrophularia nodosa</i>	E 12, 16, 18, 22-23, 27.
W	W 4, 13, 16-17, 21-22, 30, 32-33, 40.
<i>Scrophularia auriculata</i>	E 10, 12, 16, 27.
W	W 15-17, 22-23, 40, 47-48, 56.
E: Claremorris. Ballinrobe (Mrs. Persse). Cong.	
W: Newport (Marshall). Bundorragh at foot of Mweelrea (Hart). Ballina. Killala. Lough Conn.	
<i>Antirrhinum majus</i>	W 16.
<i>Chaenorrhinum minus</i>	E.
E: Claremorris.	W
W: Ballina. Railway line one mile W. of Westport (Perring).	
<i>Cymbalaria muralis</i>	E 11, 16.
W	W 2, 4, 16, 22-23, 50, 55-56.
E: S. of Claremorris.	
W: Old walls, Castlebar (Marshall).	
<i>Digitalis purpurea</i>	E 10, 16, 22-23, 27, 31.
W	W 1-2, 4, 10, 13, 16-17, 19-24, 26-27, 29-33, 37-40, 45, 47, 52-53, 55, 60-62.
<i>Erinus alpinus</i>	E
E: Cong Abbey, 1984, G. O. & K. G. Mountford.	
<i>Veronica serpyllifolia</i>	E 10-11, 17-18, 22-23, 27.
W	W 1-2, 4, 10, 13, 16-17, 19-23, 28-33, 35-36, 38-40, 45, 47-48, 52-53, 60-62.
<i>Veronica officinalis</i>	E 10-11, 27.
W	W 1-2, 4, 10, 13, 15-17, 19-23, 27, 30-32, 38-40, 45, 47.
E: N. of Claremorris.	
<i>Veronica chamaedrys</i>	E 6, 10-12, 16, 18, 22-23, 27, 31.
W	W 1-2, 4, 10, 13, 15-17, 20-23, 27-33, 40, 45-48, 52, 55-56, 61-62.

<i>Veronica montana</i>	E
E: Kilmoevee. S. of Claremorris. Lough Carra.	W 17.
W: Derreen. Pontoon.	
<i>Veronica scutellata</i>	E 12.
E: N. of Claremorris.	W 1-2, 13, 17, 30, 38-40, 50.
W: Ballina. Clare Island. In most Atlas squares (Perring).	
<i>Veronica beccabunga</i>	E 10-11, 16-18, 23, 27, 31.
W 2, 13, 15-17, 19-24, 27-28, 30-33, 35, 39, 43,	45-46, 48, 50, 52, 55-56, 61-62.
<i>Veronica anagallis-aquatica</i>	E 10-11, 17-18, 22-23.
W 1, 15-16, 22, 27-28, 35-36, 39, 43, 45, 48, 55, 62.	
<i>Veronica catenata</i>	E 16.
E: W: Castlebar, Newport and near Mullananny (Marshall).	W 28, 33, 53.
<i>Veronica arvensis</i>	E 10-11, 16-18, 22-23, 27.
W 1-2, 4, 13, 16-17, 19-20, 23-24, 27-28, 31-33, 39,	47-48, 55, 62.
<i>Veronica peregrina</i>	W
W: Garden at Westport House, Mrs. Gough (Praeger 1939).	
<i>Veronica agrestis</i>	E 6.
E: Lake N.W. of Claremorris.	W 13, 22, 47.
W: Mullananny (Marshall). Ballina. Rathroeen Lough. Achill. Clare Island. Inish-turk.	
<i>Veronica polita</i>	E
E: Near Claremorris.	W
W: Near Newport (Colgan). Killala. Clare Island. Inishturk.	
<i>Veronica persica</i>	E 11, 16.
E: Callow.	W 2, 13, 16, 20, 27-28, 30, 45, 56.
W: Ballina. Mullet. Clare Island.	
<i>Veronica filiformis</i>	E 6.
E: Portree House, Lough Carra; Ballinock Churchyard (McClintock, <i>B.S.B.I.</i> , 4, 395).	W 21, 27.
W: Westport (Praeger, <i>B.S.B.I.</i> , 2, 214). Bangor (McClintock, <i>B.S.B.I.</i> , 4, 395).	
Mullananny (McCallum Webster, <i>B.S.B.I.</i> , 6, 118).	

*Veronica hederifolia*E 10.
W

E: N. of Claremorris.

W: At the quay, Westport.

Melampyrum pratense

E

W 1, 8, 12, 20, 23, 26-27, 29, 31-32, 39-40, 47, 53.

E: Glenaduff. Turlough N.W. of Claremorris.

W: Rathrooern Lough. Rosserk. Lough Conn. Achill — var *montana* on Slievemore and Croaghaun, var *hians* from Sraheens Lough (Marshall). var *hians* also from Castlebar, Murrevagh Lough Near Mallaranny (Marshall).*Euphrasia arctica* subsp. *borealis*

E 10-12, 16, 18, 23, 27.

W 1-2, 8, 10, 13, 15-17, 19-21, 23-24, 27-32, 37-40,
45-48, 52-53, 55, 60-62.

E: N. of Claremorris.

W: Ballina. Malraranny (Marshall). Achill. Rosserk. Derreen. Crossmolina.

Euphrasia tetraquetra

W 19-21, 26-27, 52, 61-62.

W: Clare Island.

Euphrasia nemorosa

E 10.

W 10, 28.

E: S. end of Lough Carra (B.S.B.I. Field Card.).

W: Pontoon.

Euphrasia frigida

W 27.

W: Achill.

Euphrasia micrantha

E 10, 23, 27.

W 1-2, 13, 17, 19-21, 26-27, 29-31, 40, 45, 47,
52-53, 60.

E: Keel Bridge, 1956 (B.S.B.I. Field Card.).

W: (Reported in *The Botanist in Ireland* as *gracilis*).*Euphrasia scotica*

E 10-11.

W 2, 17, 55, 62.

E: East of Foxford.

W: Mallaranny (Marshall). Ballina. Rathrooern Lough. Lough Conn. Achill — Lough Nakeeroge West; Lough Acorrymore; Slievemore; Dugort.

Euphrasia salisburgensis

E 3.

E: South of Lough Mask (Marshall). On the rocks right up to the houses of the village (of Cong). Clonbur northwards, nearly to Ballinrobe, but not about Lough Carra. Cloghmoyne.

Odontites verna

E 6, 10-12, 16-18, 27.

W 1, 8, 13, 15-17, 20, 22, 24, 27, 29, 31-32, 35, 39-40,
45-48, 50-51, 55-56, 62.*Pedicularis palustris*

E 11, 16, 18, 23, 27, 31.

W 1-2, 8-9, 13, 16-17, 20, 23-24, 29-30, 32-33, 39-40,
45-48, 53, 55, 60, 62.

Pedicularis sylvatica E 3, 10-11, 16, 18, 22-23, 27.
W 1-2, 4, 10, 13, 15-17, 19-23, 26-33, 35-40, 43,
46-48, 50, 52-53, 60-62.
subsp. *hibernica* occurs in W. Mayo (Webb, 1953)

Rhinanthus minor E 6, 10-12, 16-18, 22-23, 27.
W 1-2, 4, 8, 10, 13, 15-17, 19-23, 27-33, 35, 38-40,
43, 45-47, 50-53, 55-56, 62.

OROBANCHACEAE

Orobanche alba W
W: Clare Island.

Orobanche hederae E
E: Cong Abbey (More). Lough Carra.

LENTIBULARIACEAE

Pinguicula lusitanica E
W 1-2, 9, 12, 16-17, 19-21, 26-30, 33, 38-39, 45,
60, 62.
E: Callow Lough. Carrowkerribly Lough.
W: Ballina. Nephin. Pontoon. Achill. Mullet. Clare Island. Inishturk — West end.

Pinguicula vulgaris E 10-12, 16-18, 23, 27, 31.
W 1-2, 4, 8-10, 12-13, 16-17, 19-24, 26-30, 32-33, 38-40,
46-48, 50, 53, 55, 60, 62.

Utricularia minor E 10-12, 16-18, 23.
W 13, 17, 20, 23-24, 27-31, 38, 40, 46-47, 53.

Utricularia intermedia E 10, 18.
W 1-2, 7, 9, 13, 20, 27, 40-42, 47, 50.

Utricularia vulgaris E 10, 12, 17-18.
W 1, 20.
W: North of Claremorris. Ballinrobe (Mrs. Persse). Cong.
W: Ballina. Rathroeen Lough. Near Kinnadoohy, in a pool near the sea (Perring).

PLANTAGINACEAE

Plantago major E 6, 10-12, 16-18, 22-23, 27.
W 1-2, 4, 8, 10, 13, 15-17, 19-24, 26-33, 35-36,
38-40, 43, 45-48, 50, 52-53,
55-56, 60-62.

Plantago coronopus (E 10, 16.) No doubt errors.
W 1-2, 8, 13, 15-16, 19-22, 24, 26-30, 35-37, 43,
50-52, 56, 60-62.

<i>Plantago maritima</i>	E 10-11, 23, 31.
W 1-2, 8, 13, 15-16, 19-23, 26-29, 32, 35, 37, 39-40, 43, 47-48, 50-53, 55-56, 60-62.	
E: Turlough N.W. of Claremorris. Ballymore Lake. Carrowkerribly Lake. Callow. Lough Mask shore S. of Carrowaneeragh. Lough Carra (More, <i>Cybele</i>).	
W: Common on the coast! and inland at Lough Conn, Lough Cullin and Beltra Lough.	
<i>Plantago media</i>	E
E: Lisloughry; Mill pond near Cong (Miss Jackson). Hollymount (<i>Cybele</i>).	
<i>Plantago lanceolata</i>	E 6, 10-12, 16-18, 22-23, 27, 31.
W 1-2, 4, 8, 10, 13, 15-17, 19-24, 26-33, 35-40, 43, 45-48, 50-53, 55-56, 60-62.	
<i>Littorella uniflora</i>	E 10, 31.
W 2, 4, 13, 17, 19-20, 22-23, 26, 28, 30, 32-33, 39-40, 45, 47-48, 53, 60.	
E: North of Claremorris. Ballymore Lough. Lough Carra.	
W: Lough Conn. Rathroen Lough. Achill. Mullet — Ardmore L. and Cross L. Clare Island. Inishturk. Inishkea N. & S.	
CAPRIFOLIACEAE	
<i>Sambucus ebulus</i>	E
W	
E: Claremorris. Ballinrobe (Mrs. Persse).	
W: Borrishoole (G. P. Farran).	
<i>Sambucus nigra</i>	E 6, 10-12, 16-18, 22-23, 27.
W 4, 10, 15-17, 20-23, 27-28, 30, 39-40, 45, 47-48, 50, 55-56, 62.	
<i>Viburnum opulus</i>	E 10-11, 16.
W 1, 30, 32.	
E: Turlough N.W. of Claremorris. Kilmoeve. Lough Carra.	
W: East side of Lough Conn.	
<i>Symporicarpus rivularis</i>	E 23..
W 31.	
<i>Lonicera periclymenum</i>	E 6, 10-11, 16-17, 23, 27.
W 1-2, 4, 10, 13, 15-17, 19-23, 26-27, 29-33, 37-40, 45-46, 50, 55, 60-61.	
VALERIANACEAE	
<i>Valerianella locusta</i>	
Recorded for E & W in <i>The Botanist in Ireland</i> but records not traced.	
<i>Valerianella rimosa</i>	E
E: Foxford (More, <i>Cybele</i>).	

<i>Valeriana officinalis</i>	E 16, 23, 27. W 1-2, 10, 13, 16-17, 22-23, 29-32, 37, 39-40, 45-48, 52, 55, 61-62.
------------------------------	--

<i>Centranthus ruber</i>	W 16, 22, 30.
--------------------------	---------------

DIPSACACEAE

<i>Succisa pratensis</i>	E 3, 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 8, 13, 15-17, 19-24, 26-33, 36, 38, 40, 45-48, 51-53, 55-56, 60-62.
--------------------------	---

<i>Knautia arvensis</i>	E 10, 16, 18. W 17, 47, 56.
-------------------------	--------------------------------

E: North of Claremorris.
W: Ballina. Castlebar (Marshall).

CAMPANULACEAE

<i>Campanula rapunculoides</i>	W
W: In an old sloping pasture at Rossbeg, which had apparently never been broken up (Praeger 1903).	

<i>Campanula rotundifolia</i>	E 3, 6, 10, 16, 31. W 1-2, 8, 13, 15-16, 20, 22-23, 28, 30, 35, 40, 43, 48, 50, 55-56.
-------------------------------	--

<i>Wahlenbergia hederacea</i>	W 38.
W: River shingle by the Owenduff River at Lagduff Lodge, Rake, 1926 (Praeger, 1934). Grassy river shingle by Altaconey River, Nephin Beg (Perring). Owenduff River just East of Srahduggan!	
The Mayo plants are more than a hundred miles from the nearest known stations in Dublin and Kerry.	

<i>Jasione montana</i>	E
W 1-2, 13, 17, 19-21, 23-24, 26-30, 35-39, 43, 45, 47, 50-53, 60-62.	
E: Clonbur (Marshall).	
W: Pontoon. Achill. Achill Beg! Mullet. Inishturk. Inishkea S. A form with spirally twisted pedicels is recorded from Achill (Parnell 1982).	

<i>Lobelia dortmanna</i>	E 10. W 2, 17, 19-20, 22, 27-28, 31, 36-40, 45, 47, 51, 53, 60.
--------------------------	---

E: Ballymore Lake. Lough Corrib. Lough Mask. Near Foxford (More, <i>Cybele</i>). W: Lough Conn. Lough Cullin. Frequent in the lakes westward from Newport (Marshall). Achill — "Frequent at low level; Lough Gall, Sraheens Lough, Mweelin Lough, Black Lough, N. end of Keel Lough, Bunafreva Lough East, and in a lakelet west of it, Annagh Lough" (Praeger 1904). Mullet — Ardmore Lough. Inishturk — Lough Namucka and Lough Aleen.	
--	--

COMPOSITAE

<i>Eupatorium canabinum</i>	E 10. W 1, 13, 35, 43.
E: Lough Carra. W: Mullet. Clare Island.	
<i>Solidago virgaurea</i>	E 10-11, 16, 18, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-23, 26-32, 38, 40, 45, 47, 52-53, 60.
<i>Bellis perennis</i>	E 3, 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 8, 10, 13, 16-17, 19-24, 26-33, 35-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Aster tripolium</i>	W 1, 13, 16, 20-22, 28-30, 43, 50, 55-56.
<i>Erigeron acer</i>	E
E: Near Cong cross; between Cong cross and Kilmaine (Miss Jackson). South shore of Lough Mask, Miss Sayers (Praeger 1939).	
<i>Filago vulgaris</i>	E W
E: North of Claremorris. Ballyhaunis. Carrowkerribly Lake. Foxford. W: Pontoon. Lough Conn. Clare Island.	
<i>Logfia minima</i>	W
W: Sandy bays, west shore of Lough Mask.	
<i>Omalotheca sylvatica</i>	E W
E: Foxford (More). Carrowkerribly Lough. Cong. W: Carrick Kennedy (Colgan). Lough Conn (More). Pontoon. Achill. Clare Island.	
<i>Gnaphalium uliginosum</i>	E
W 1, 4, 13, 16, 20-21, 23-24, 28-29, 32, 38, 43, 45-46, 52-53.	
E: Foxford. Carrowkerribly Lake. W: Common. All islands except Inishkea N.	
<i>Antennaria dioica</i>	E 3, 10-11, 17-18, 23, 27. W 2, 8, 13, 20-21, 26-40, 47-48, 55.
<i>Inula helenium</i>	E W
E: Near Headford (Linton). Milford (Miss M. F. Jackson). Rough field at Carrownacon, Lough Carra. W: Moyne Abbey. Newport (G. P. Farran).	
<i>Pulicaria dysenterica</i>	E 11. W 13, 15-16, 22.
E: North of Claremorris. W: Pontoon. Mullet. Clare Island.	

<i>Bidens tripartitus</i>	E W 13, 19.
E: Cong (Marshall & Shoolbred).	
W: Pontoon. Mallaranny (Marshall). Achill. Mullet, especially about Cross Lough and Leam Lough. Clare Island.	
<i>Bidens cernuus</i>	E W 1, 27-28, 40.
E: North of Claremorris. Ballaghaderreen.	
W: Lough Conn. Ballina. Achill. Mullet — Portnafranka inlet. Dooaghtry — var <i>radiata</i> .	
<i>Anthemis cotula</i>	E W
E: Roadside near Partry, Lough Carra.	
W: Ballina.	
<i>Achillea ptarmica</i>	E 10, 16, 23, 27. W 1-2, 13, 15-17, 19-20, 23-24, 29-33, 38-40, 43, 45-46, 48, 50, 53, 56, 60-61.
E: Carrowkerribly Lough. Callow. Foxford.	
W: Common. Islands except Inishkea N.	
<i>Achillea millefolium</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 35-36, 39-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Chamaemelum nobile</i>	E W 45.
E: Ballymore Lake. "Narrow Lake" (Marshall & Shoolbred).	
W: Lough Conn. Lough Cullin. Birreencorragh. Delphi. Sandy west shore of Lough Mask. Achill — about Cashel. Mullet — sandy road edges in the north.	
<i>Matricaria maritima/porforata</i> agg.	E W 1-2, 13, 15-16, 19-22, 27-29, 35-36, 40, 43, 50-51, 56, 62.
E: Ballaghaderreen.	
W: Ballina. Achill. Mullet. Clare Island. Inishturk. Iniskhe N. & S.	
<i>Matricaria maritima</i>	W
W: Achill Beg! Clare Island.	
<i>Matricaria perforata</i>	W
W: Louisburgh, Rohu (DBN).	
<i>Chamomilla recutita</i>	W
W: Ballina. Roadsides and waste ground at Westport, Newport and Mallaranny (Marshall).	
<i>Chamomilla suaveolens (Matricaria matricarioides)</i>	E 6, 10-12, 16-18, 22-23, 27. W 1-2, 4, 10, 13, 15-17, 19-23, 27-32, 35-36, 38-40, 43, 45-48, 50-51, 53, 55-56, 62.

E: Foxford — road and railway. Turlough N.W. of Claremorris. Every road and lane right round Lough Conn.

W: Newport and Westport (Colgan). Foxford. Ballina. Achill. Clare Island — greatly increased between 1903 & 1911. Inishturk — has completely taken possession of the village of Garranty, where it occupies the “roads” to the exclusion of other weeds (Praeger 1907).

Chrysanthemum segetum E 17-18, 23.
W 2, 13, 16, 19-20, 24, 27-28, 40, 45, 47, 56, 62.

E: North of Claremorris. Ballaghaderreen.

W: Ballina. Pontoon. Lough Conn. Nephin. Achill. Mullet. Clare Island. Inishturk.

Tanacetum vulgare E 16, 22.
W 2, 19, 40, 62.

E: Swinford. In a rough field, Ballintober, Lough Carra.

W: Achill. Mullet.

Tanacetum parthenium E
W

E: BGX 94/54.

W: BGX 84/99.

Leucanthemum vulgare E 6, 10-12, 16-18, 22-23, 27, 31.
W 1-2, 4, 8, 10, 13, 15-17, 19-24, 27-32, 35-37,
39-40, 43, 45-48, 50, 52-53,
55-56, 60-62.

Artemisia vulgaris E 11, 16, 23, 27.
W 16, 19, 22-23, 27-29, 31-32, 35, 39-40, 45, 47-48,
53, 55-56, 62.

Artemisia maritima W
W: “This grows on one of ye islands West of Westport” (Browne 1788).

Tussilago farfara E 6, 10-12, 16-18, 22, 27, 31.
W 1, 4, 8, 13, 15-17, 19-20, 22-24, 27, 29-32, 35,
39-40, 43, 45-48, 50, 52-53,
55-56, 61-62.

Petasites hybridus E 16, 18.
W 16-17, 23, 30, 40, 53, 55, 62.

E: Ballymore Lake. North of Claremorris. Ballaghaderreen.

W: Ballina. East side of Lough Conn.

Petasites fragrans E 11.
W 55.

E: South of Claremorris.

W: Ballina.

Senecio jacobaea E 6, 10-12, 16-18, 22-23, 27, 31.
W 1-2, 4, 10, 13, 16-17, 19-24, 26-33, 35-40, 43,
45-48, 50, 52-53, 55-56, 60-62.

<i>var discoidea</i>	W
W: Achill — about Old Dugort and Valley, with the type. Mullet — as abundant as the type, accompanied by every intermediate stage.	
<i>Senecio aquaticus</i>	E 6, 11-12, 16-18, 22-23, 27, 31. W 1-2, 10, 13, 15-17, 19-24, 27-33, 35-39, 43, 45-48, 50-53, 55-56, 60-62.
<i>Senecio sylvaticus</i>	E 23. W 13, 20, 29-30, 36, 45, 53, 61.
E: Ballaghaderreen. W: Lough Conn. Achill. Mullet. Clare Island.	
(<i>Senecio viscosus</i>)	(W.)
(W): Mullet (Babington 1837) — not seen by Praeger (1905) who believed the record was based on <i>S. sylvaticus</i> !	
<i>Senecio vulgaris</i>	E 6, 10-12, 16-18, 22-23, 27. W 1-2, 4, 13, 15-17, 19-24, 27-33, 35, 39-40, 43, 45, 47-48, 50, 53, 55-56, 61-62.
<i>Carlina vulgaris</i>	E 3, 10-11. W 1-2, 8, 56.
E: Callow. Near Cong (Miss Jackson). Turlough N.W. of Claremorris. Lough Mask. Lough Carra. Half mile W. of Partry. W: East side of Lough Conn. West of Castlebar (Marshall). Dooaghtry. Achill. Inishturk.	
<i>Arctium minus</i>	E 6, 10-12, 16, 18. W 1-2, 4, 10, 15-17, 19-24, 27-33, 36, 38-40, 43, 45, 47-48, 50, 55-56, 62.
<i>Saussurea alpina</i>	W 13.
W: Sheefry (Colgan). Lough Brawn. Croaghpatrick (Hart). Corraun — Lough Cullydoo! Clare Island — half dozen colonies along the 1,200ft. path on Croaghmore.	
<i>Carduus nutans</i>	W
W: Clare Island (Hon. Emily Lawless, <i>Cybele</i>).	
<i>Carduus tenuiflorus</i>	E 16. W 16.
E: Ballaghaderreen. W: Railway ballast, east of Mallaranny (Marshall).	
<i>Cirsium vulgare</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 10, 13, 15-17, 19-24, 26-33, 35-37, 39-40, 43, 45-48, 50, 52-53, 55-56, 60-62.
<i>Cirsium dissectum</i>	E 10-12, 16-18, 23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-20.
E: Foxford. Ballaghaderreen. W: Ballina. Lough Conn. Achill. Achill Beg! Mullet. Clare Island. Inishturk. Inishkea S.	

<i>Cirsium palustre</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-24, 27, 29-33, 35, 37-40, 43, 45-48, 52, 55, 61-62.
<i>Cirsium arvense</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 10, 13, 15-17, 20-24, 27, 29-32, 36, 39-40, 43, 45-48, 50, 52-53, 55-56, 60-62.
<i>Centaurea scabiosa</i>	E 10. E: Ballyhaunis. Cong (Miss M. F. Jackson).
<i>Centaurea nigra</i>	E 3, 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-24, 27-33, 35-36, 38-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Cichorium intybus</i>	E W E: Ballinrobe (Mrs. Persse). Mount Falcon. Lackafinna, Cong (Miss M. F. Jackson). W: Cloghans (Miss A. C. Lewis, <i>ITB; Ir. Nat.</i> , 8, 228). Pontoon. Inishkea S.
<i>Hypochoeris radicata</i>	E 3, 6, 10-12, 17-18, 23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-23, 16-33, 35-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Leontodon autumnalis</i>	E 6, 10-12, 16-18, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-23, 26-33, 35, 37-38, 40, 45-48, 52-53, 55, 61-62.
<i>Leontodon hispidus</i>	E 3, 10, 16. W 2, 17, 24, 39. E: Manulla. Cong. Near Hollymount (More). Lough Carra — shores and islands. W: Abundant in a single field half a mile north of Killacorraun (Perring).
<i>Leontodon taraxacoides</i>	E 10-11, 17-18, 23. W 1-2, 4, 8, 13, 15-17, 19-20, 22-23, 27-30, 35-37, 43, 47-48, 50, 60-61.
<i>Tragopogon pratensis</i>	E W 16-17. E: Hollymount (More). W: Westport and West of Castlebar (Marshall).
<i>Sonchus asper</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 10, 13, 15-17, 19-23, 27-32, 35, 37, 39-40, 43, 45-48, 50, 52-53, 55-56, 61-62.
<i>Sonchus oleraceus</i>	E 10-12, 16-18, 23, 27. W 1-2, 4, 13, 15-17, 20-24, 27-28, 30, 35, 40, 45, 47-48, 50, 55-56, 62.
<i>Sonchus arvensis</i>	E 6, 10-12, 16-18, 23, 27. W 1, 13, 15-16, 19-22, 27-28, 35, 38, 40, 43, 56, 62.

<i>Mycelis muralis</i>	E W
E: BGX 94/34. Cong — walls of town, 1984, J. O. & K. C. Montford.	
W: Roadside, Carrowniskey, south of Louisburg (Rohu).	
<i>Taraxacum brachyglossum</i>	E
E: Cloghmoyné !; Lough Carra, 1977, Lady Anne Brewis (DBN).	
<i>Taraxacum degelii</i>	W
W: (Richards 1972).	
<i>Taraxacum lacistophyllum</i>	E
E: Lough Mask — Dringeen, 1977, Lady Anne Brewis (DBN).	
<i>Taraxacum palustre</i>	E
E: Lough Mask — Dringeen, 1977, Lady Anne Brewis; S.E. shore, E. Booth (DBN).	
<i>Taraxacum webbii</i>	E
E: Lough Carra, 1977, Lady Anne Brewis (DBN).	
<i>Taraxacum lainzii</i>	W
W: (fide A. J. Richards, 1982).	
<i>Taraxacum landmarkii</i>	E
E: Lough Mask — Dringeen, 1977, Lady Anne Brewis (DBN).	
<i>Taraxacum nordstedtii</i>	E W
E: Lough Mask — Dringeen, 1977, Lady Anne Brewis (DBN).	
W: (Richards 1972).	
<i>Taraxacum unguilobum</i>	E W
E: Lough Carra — Cloonee, 1977, Lady Anne Brewis (DBN).	
W: (Richards 1972).	
<i>Taraxacum copidophyllum</i>	E
E: Lough Carra — Cloonee, 1977, Lady Anne Brewis (DBN).	
<i>Lapsana communis</i>	E 11-12, 16-18, 22-23, 27. W 4, 13, 16-17, 20-23, 28, 30-32, 40, 46-48, 50, 55, 62.
<i>Crepis paludosa</i>	E 16, 23. W 1-2, 16-17, 23, 29-30, 32, 38-39, 46-47, 55, 61.
E: North of Claremorris. Hollywood and Foxford (More). Glenaduff. Kilmoeve. Lough Carra at Derrinrush.	
W: Lough Cullin. Pontoon. Lough Beltra. Croaghpatrick. Marshy pastures at Castlebar, Westport and Mallaranny (Marshall).	
<i>Crepis biennis</i>	E
E: Abundant in hedgerow by Lough Carra at Moore Hall (Perring).	

<i>Crepis capillaris</i>	E 6, 10-12, 16-18, 22-23, 27. W 1-2, 10, 13, 15-17, 19-23, 26-33, 35-36, 39-40, 47-48, 50, 52-53, 55, 61-62.
<i>Crepis vesicaria (C. taraxacifolia)</i>	E 6, 10, 16. W 16, 24, 30.
W: Quarry road, Lisloughry (Miss Jackson). W: North of Burren, 1958 (B.S.B.I. Field Card).	
<i>Hieracium pilosella agg.</i>	E 6, 10-12, 16-18, 23, 27, 31. W 1-2, 4, 8, 13, 15-17, 20-24, 27-33, 39-40, 46-48, 55-56, 62.
<i>Hieracium angustisquamum</i>	W
W: S.W. shore of Lough Conn, 1900, Praeger (DBN)	
<i>Hieracium anglicum</i>	E W
E: On a low range of rocks that fronts the lake near Knocknagool, Lough Mask. W: Nephin (Hart). Westport and Croaghpatrick (Hart). Mweelrea (Hart). Lough Bawn. Achill — Slievemore (Hart); inaccessible ledge on Slievemore (Praeger). Clare Island — Croaghmore cliffs and on low sea cliffs at Doontrasna.	
<i>Hieracium hebridense</i>	W
W: Wall at the falls at Westport, 1935, F. R. Browning (DBN).	
<i>Hieracium iricum</i>	E W
E: Shangorman Is., Lough Mask. West shore of Lough Carra. W: Rosserk. Lough Conn. Doo Lough (Hart). Mount Gable near Clonbur (Marshall & Shoolbred; <i>Cybele</i>).	
<i>Hieracium maritimum</i>	W
W: Rocks at Pontoon, 1932, Praeger (DBN).	
<i>Hieracium umbellatum</i> s.s.	W
W: Lough Conn. Lough Cullin. Achill Island — Annagh Lough. (Lough Mask — Lusteen Is. are in v.c. 16).	

MONOCOTYLEDONES

ALISMATACEAE

<i>Baldellia ranunculoides</i>	E 12, 18. W 1, 13, 17, 22, 32-33, 40, 43, 48, 55.
E: North of Claremorris. W: Ballina. Mullet. Clare Island. Inishkea N. & S.	
<i>Alisma plantago-aquatica</i>	E 10, 16. W 1, 13, 17, 22-23, 30, 32-33, 45.
E: Ballaghaderreen. W: Ballina. Clare Island.	

*Alisma lanceolatum*E
W

E: River Moy near Swinford, 1933, Praeger (DBN).

W: Marquis of Sligo's demesne, 1865, Barrington; River Moy at Ballina, 1933 Praeger; Lough Conn shore, north of Pontoon, 1933, Praeger (DBN).

HYDROCHARITACEAE

*Elodea canadensis*E 11.
W.

E: Kilmoevee. Lough Corrib and Lough Mask (Marshall & Shoolbred).

W: BGX 94/13.

JUNCAGINACEAE

Triglochin maritima

W 1, 8, 13, 16, 20-22, 28-29, 43, 47, 50-51, 55-56, 61.

Triglochin palustris

E 10-12, 16-18, 22-23.

W 1-2, 8, 13, 15-17, 20, 23-24, 26-30, 33, 35, 39-40,
43, 45-48, 50, 53, 55-56, 60-62.

POTAMOGETONACEAE

Potamogeton natans

E 10-11, 18, 23, 27.

W 1-2, 13, 16-17, 20, 22-23, 27-28, 30-33, 39-40,
43, 46, 50, 55, 62.*Potamogeton polygonifolius*

E 10-12, 16, 18, 27.

W 2, 4, 10, 13, 16-17, 19-20, 22-24, 26-33, 35, 37-40,
43, 45-48, 50-51, 53, 55, 60-62.*Potamogeton coloratus*

E

E: Ballaghaderreen.

W

W: Ballina.

Potamogeton lucens

E 10.

W 17, 40.

E: Claremorris. Callow Lake. In the stream which drains Lough Carra.

W: West of Castlebar (Marshall). East side of Lough Conn. Sandy north end of
Lough Mask.*Potamogeton gramineus*

E

W 22, 47.

E: Cong and south end of Lough Mask (Marshall & Shoolbred). Lough Carra —
in a stream which enters the lake at Moore Hall.

W: West of Castlebar (Marshall).

<i>Potamogeton gramineus x lucens</i> (<i>P. x zizii</i>)	E
W	
E: About Cong (Marshall & Shoolbred).	
W: Westport (Marshall).	
<i>Potamogeton gramineus x perfoliatus</i> (<i>P. x nitens</i>)	E
	W 27.
E: In the stream which drains Lough Carra and in a starved condition in the lake.	
W: Lough Conn, south of Derreen. Achill — Keel Lough and Sruhillbeg Lough (More.).	
<i>Potamogeton alpinus</i>	W
W: Slow stream running into Castlebar Lake; Rossow River between Wesport and Newport; Ditch draining into Derryloughan Lake near Newport (Marshall).	
<i>Potamogeton praelongus</i>	E
W	
E: S.E. corner of Lough Mask (Marshall & Shoolbred). Lakes east of Foxford (More).	
W: Lough Cullin (More). West and north of Clonbur (Marshall & Shoolbred). Mullet — Cross Lough and Newtown Lough.	
<i>Potamogeton perfoliatus</i>	E 11.
W 1, 27-28, 40, 47.	
E: Ballymore Lake. Lough Carra.	
W: Balina. East side of Lough Conn. Achill.	
<i>Potamogeton friesii</i>	E
E: Claremorris Lake (Marshall).	
<i>Potamogeton pusillus</i>	E 27.
W 22.	
E: (North of Claremorris).	
W: (Ballina. East side of Lough Conn. Achill. Mullet. Clare Island).	
<i>Potamogeton obtusifolius</i>	E 11.
W.	
E: Hollymount, 1958 (B.S.B.I. Field Card).	
W: Rathroeen Lough.	
<i>Potamogeton berchtoldii</i>	E 11, 17-18, 23.
W 1, 13, 17, 55.	
E:	
W: Achill — Keel Lough, 1904, Praeger (DBN).	
<i>Potamogeton berchtoldii x natans</i> (<i>P. x variifolius</i>)	W
W: Glenamoy River below Glenamoy Bridge, McClintock (<i>Watsonia</i> , 6, 1967),	
<i>Potamogeton crispus</i>	E
W	
E: Callow.	
W: Ballina. East side of Lough Conn.	

<i>Potamogeton filiformis</i>	E W	
E: Lough Cullin (More). Lough Carra.		
W: Lough Cullin near Pontoon and at outlet (<i>Cybele</i>). Sandy north end of Lough Mask. Owenbrin River, Lough Mask. S.E. corner of Beltra Lough. Achill — Keel Lough and Trawmore; Sruhillbeg Lough. Mullet — Cross Lough.		
<i>Potamogeton pectinatus</i>	W 1, 28.	
W: Achill — Doo Lough, Lough Nambrack and one of the Dooninver Loughs. Mullet — Cross Lough and Portnafranka Inlet Upper. Inishkea N. & S.		
<i>Groenlandia densa</i>	W	
W: River Moy above Ballina (Praeger 1934).		
<i>Ruppia maritima</i>	W	
W: In a brackish pond near Newport (Hart).		
<i>Zostera marina</i>	W 20, 28.	
W: Killala. Achill. Mullet.		
<i>Zostera angustifolia</i>	W	
W: Near Killala (Praeger, <i>Gleanings</i>).		
ZANNICHELLIACEAE		
<i>Zannichellia palustris</i>	E W 1.	
E: Cong (Marshall & Shoolbred).		
W: Mud flats of the Moy below Ballina. Brackish Lough, Tobergortnaun, west of Mweelrea (Perring).		
NAJADACEAE		
<i>Najas flexilis</i>	W	
W: One specimen in river at north end of Fin Lough, Delphi, 1937 (Mrs. Gough). "No more seen when searched for by Mrs. Gough and myself later in the same year. Its home may possibly be in Doo Lough, a mile up the river, whence it may have floated down" (Praeger 1939).		
LILIACEAE		
<i>Narthecium ossifragum</i>	E 10-12, 16-18, 23, 27. W 1-2, 4, 9-10, 13, 16-17, 19-24, 26-33, 35-40, 45-48, 50-53, 55, 60-62.	
<i>Hyacinthoides non-scriptus</i>	E W 2, 13, 15-16, 23, 29, 33, 40.	
E: Kilmovée.		
W: Derreen. Achill. Clare Island.		

Allium schoenoprasum

E: On limestone crags south of Lough Mask (Marshall) — extending to within 100yds of Co. Galway (*J. Bot.*, 37, 327). Resound on limestone pavement at Dringeen on the S.E. side of Lough Mask — Marshall's station — 1941, Mrs. Teacher (Praeger 1946).

Allium ursinum

E
W 2.

E: Ballinrobe (Mrs. Persse).
W: Derreen. Crampaun River (Hart).

Allium babingtonii

W

W: Between Croaghpatrick and the sea (More). Inishturk — twice seen on borders of fields near the harbour.

Allium vineale

E

E: Cong church (Miss Jackson, *Cybele*).

IRIDACEAE

Iris foetidissima

E

W 16.

E: Ballinrobe (Mrs. Persse). By river at Dalgan near Shrude (Miss Jackson, *Cybele*).
W: A good many plants by the roadside at Murrisk, close to the foot of Croagh Patrick (F. M. More; *I.Nat.*, 13, 42). Occasional in wild ground near cultivation, on the drive from Westport through Louisbourg (*I.Nat.*, 12, 269).

Iris pseudacorus

E 6, 10-12, 16-18, 22-23, 27, 31.
W 1-2, 4, 10, 13, 15-17, 20-23, 27-33, 35-36, 38-40,
43, 45-48, 50-53, 55-56, 60-62.

Tritonia aurea x pottsii (*T. x crocosmiflora*)

E 10, 12, 16-17, 31.
W 1-2, 4, 15-17, 20, 22-24, 27-30, 32-33, 35, 37, 40,
43, 45, 47, 50-53, 55, 60-62.

JUNCACEAE

Juncus maritimus

W 1-2, 13, 16, 20, 22, 29, 43, 50-51, 56.

W: Killala. Achill. Mullet. Clare Island. Inishturk.

Juncus inflexus

E 11, 16-17, 27.
W 16-17, 23-24, 48, 55-56.

E: South of Claremorris.
W: Ballina.

Juncus effusus

E 6, 10-12, 16-18, 22-23, 27, 31.
W 1-2, 4, 9-10, 13, 15-17, 19-24, 26-33, 35-40, 43,
45-48, 50-53, 55-56, 60-62.

Juncus conglomeratus

E 11, 16, 18, 23, 27.
W 1-2, 15-17, 19-21, 23, 26-27, 29-30, 32, 38-40,
43, 48, 52-53, 55-56, 60-62.

<i>Juncus squarrosum</i>		E 10, 12, 16-18, 23, 27.
	W 1-2, 4, 13, 15-17, 19-20, 22-24, 26-32, 35, 38-40, 45-47, 51-53, 55, 60-62.	
<i>Juncus gerardii</i>	W 1, 13, 15-16, 20-22, 28-30, 37, 43, 50-52, 55-56.	
<i>(Juncus tenuis)</i>		
W: (By the road linking Lough Mask and Lough Nafooye, near the top of the saddle on the west side, J. H. Rogerson, 1966) (<i>B.S.B.I.</i> , 7, 198; the record is from West Galway, H16 (<i>Watsonia</i> , 8, 167).		
<i>Juncus foliosus</i>		W
W: Achill — Lough Nambrack!		
<i>Juncus bufonius</i>		E 10-12, 16-18, 23.
	W 1-2, 4, 10, 13, 15-17, 19-24, 26-32, 35-39, 43, 45-48, 50, 52-53, 55-56, 60-62.	
<i>Juncus ranarius</i>		W
W: Lough Conn at Pontoon Bridge, 1972, Scannell (DBN).		
<i>Juncus subnodulosus</i>		E 10, 16, 18, 23.
	W 48, 53, 55, 62.	
E: North of Claremorris. Ballyhaunis. Carrowkerribly Lake. Moyview (More). Lough Carra.		
W: Between Lough Belta and Newport (Colgan). Lough Conn. Ballina. Belmullet (More). Mullet — sandy marshes by roadside between Belmullet and Binghamstown — no doubt A. G. More's station. Swamp above Burrishoole Bridge, Lough Furnace (Marshall). Clare Island.		
<i>Juncus bulbosus</i>		E 11-12, 16-17, 23, 27.
	W 1-2, 13, 15-17, 19-24, 26-33, 35, 38-39, 45-47, 51, 53, 55, 60-62.	
<i>Juncus acutiflorus</i>		E 6, 10, 16-17, 23.
	W 10, 15-17, 19-20, 23, 27-32, 38-40, 45-48, 51-53, 55, 60-62.	
<i>Juncus articulatus</i>		E 11-12, 16-18, 22-23, 31.
	W 1-2, 4, 9-10, 15-17, 19-24, 26-33, 35-40, 43, 45-48, 50-53, 55-56, 60-62.	
<i>Luzula campestris</i>		E 10-11, 23, 31.
	W 1-2, 10, 15-17, 19-23, 26-30, 33, 35, 39-40, 43, 47, 50-51, 60, 62.	
<i>Luzula multiflora</i>		E 10-12, 16-18, 23, 27.
	W 1-2, 10, 13, 15-17, 20-21, 24, 26-31, 33, 38, 43, 45-48, 52-53, 55, 60-62.	

Luzula sylvatica

E 23.

W 1-2, 15-16, 19-20, 22-23, 26-27, 29-30, 32-33,
38, 40, 53, 60-61.
E: Kilmoevee.
W: Nephin. S.W. Lough Conn. Achill. Clare Island. Inishturk.

Luzula pilosa

E

E: Kilmoevee. Barnalyra Wood!

ERIOCAULACEAE

Eriocaulon aquaticum

W 2, 9, 17, 19-21, 28-29, 36-37, 53.
W: Newport (Marshall). Between Newport and Mt. Nephin (Mackay 1806). Lakes
between Deel Bridge and Corslieve (Hart). North side of Lough Mask (Vowell,
Cybele). Lough Coolin near Clonbur. Loughnadirkbeg (Marshall & Shoolbred).
Corraun (White 1968). Achill — Sraheens Lough; Lough Gall and the three
lekelets by the road 1½ miles sough of it; Mweelin Lough. Mullet — Ardmore
Lough. Not on the islands.

GRAMINEAE

Festuca altissima

W

W: Lough Cullin — Drummin Wood, and Lough Conn (More).

Festuca gigantea

E
W

E: South of Claremorris.
W: Dereen.

Festuca pratensis

E 6, 10, 16.
W 17, 23, 33, 40.

E: Turlough N.W. of Claremorris. Lough Carra.
W: Killala.

Festuca arundinacea

E 11, 16.
W 15-17, 19, 30, 33, 40, 48, 53, 55.

E: Record in I.T.B. not traced. Hollymount, 1958 (B.S.B.I. Field Card). Balla,
1958, Miss Anderson (B.S.B.I. Field Card).
W: Rosserk.

Festuca rubra

E 6, 10-12, 16, 18, 22-23.
W 1-2, 10, 13, 15-17, 19-21, 23, 26-33, 38-40,
45-48, 52, 55, 61-62.

Festuca ovina

E 6, 10, 16, 23.
W 2, 10, 13, 15-17, 19-21, 24, 26-28, 30, 32, 35-36,
40, 43, 45, 47, 50-53, 56, 60-61.

<i>Festuca vivipara</i>	E 23, 27. W 1-2, 10, 15-17, 19-20, 22-24, 26-31, 38-39, 45, 47, 53.
E: Kilkelly, 1958 (B.S.B.I. Field Card). Swinford, 1958 (B.S.B.I. Field Card).	
W: Inishturk — at sea level. Mullet — on dry heath near sea level, south end.	
<i>Lolium perenne</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 15-17, 19-24, 26-33, 35-36, 38-40, 43, 45-48, 50-51, 53, 55-56, 60-62.
<i>Lolium multiflorum</i>	E W
E: BGX 94/47. W: 16. BGX 94/06; 84/29.	
<i>Lolium temulentum</i>	E W
E: Roadside near Partry, Lough Carra. W: Inishturk.	
<i>Vulpia bromoides</i>	E 16, 27. W 1-2, 4, 10, 13, 16-17, 19-21, 23-24, 26-30, 38-39, 47, 53, 61-62.
E: Ballaghaderreen. W: Ballina. Achill. Mullet. Clare Island. Inishturk.	
<i>Vulpia myuros</i>	E W
E: Near Hollymount (More). W: In the town of Westport on walls (Praeger, <i>I.Nat.</i> , 12, 269).	
<i>Desmazeria marina</i>	W 1, 13, 16, 20-21, 27-28, 50, 52. W: Mallaranny (Marshall). Achill. Mullet. Clare Island. Inishturk. Inishkea, N. & S.
<i>Desmazeria rigida</i>	E 10-11, 17, 23. W 1, 16, 22, 36, 43.
E: Clonbur and Cong (Marshall & Shoolbred). W: Ballina. Bare sandy area near Tonakeera Point, west of Mweelrea (Perring).	
<i>Poa annua</i>	E 6, 10-12, 16-18, 22-23, 27. W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 35, 37-40, 43, 45-48, 50-53, 55-56, 60-62.
<i>Poa trivialis</i>	E 10-12, 16-18, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-24, 26-32, 36, 39-40, 45-48, 53, 55, 61.
<i>Poa subcaerulea</i>	E W
E: BGX 94/24. W: "Widespread" (Perring).	1-2, 15, 17, 20-23, 29.

<i>Poa pratensis</i>	E 6, 10-12, 16-18, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-21, 23, 27-31, 33, 36, 39-40, 45-48, 52, 55-56, 61-62.
<i>Poa compressa</i>	W W: Railway at Ballina. Parapet of Erriff Bridge N.W. of Maamtrasna (Perring).
<i>Puccinellia maritima</i>	W 1, 16, 20-22, 28-29, 37, 52. W: Killala. Achill. Mullet. Inishturk. Inishkea. Clare Island (Doyle & Foss).
<i>Dactylis glomerata</i>	E 6, 10-12, 16-18, 22-23, 27, 31. W 1-2, 4, 13, 15-17, 19-24, 26-30, 32-33, 35, 39-40, 43, 45-48, 50, 55-56, 60-62.
<i>Cynosurus cristatus</i>	E 6, 10-12, 16, 18, 22-23, 27, 31. W 1-2, 4, 8, 10, 13, 15-17, 19-24, 26-33, 35-40, 43, 45-48, 50-53, 55-56, 60, 62.
<i>Catabrosa aquatica</i>	E 11-12. W 1, 23, 62. E: North of Claremorris. Ballaghaderreen. W: Ballina. Rosserk. Achill. Mullet — var <i>litoralis</i> on dunes W. of Belmullet.
<i>Briza media</i>	E 3, 6, 10-12, 16-18, 23, 27. W 1-2, 15-17, 22-24, 31, 33, 39-40, 47-48, 50, 55-56. E: Ballaghaderreen. W: Ballina. Achill record not seen by Praeger.
<i>Sesleria albicans</i>	E 3, 6, 10-11. W E: South of Lough Mask (Marshall & Shoolbred). On a low range of rocks that fronts the lake near Knocknagool (Praeger 1909). Lough Carra (More). One one side of a narrow shallow valley on green limestone bluffs, half mile west of Partry (Praeger 1906). W: West side of creek at Ballina (Moore, <i>Cybele</i>). Killala.
<i>Melica uniflora</i>	E W E: (I.T.B. record not traced). W: Pontoon (Praeger 1934). West shore of Cloon River, south of Srah to Partry road (Perring).
<i>Glyceria maxima</i>	W 22. W: Achill — One patch in a swamp on west margin of Lough Nambrack. "While the range of this grass in Ireland is such as to render its occurrence here as a native highly improbable, no hint of introduction was gained by a study of the plant's surroundings" (Praeger 1904). Newport, 1958 (B.S.B.I. Field Card).
<i>Glyceria declinata</i>	E W 2, 17, 20, 23, 48, 52-53, 62. E: BGX 94/34; 94/55. W: East of Westport (B.S.B.I. Field Card).

<i>Glyceria fluitans</i>	E 10, 12, 16-18, 22-23, 27. W 1-2, 10, 13, 16-17, 20, 23, 27-33, 39-40, 43, 45-48, 52-53, 55-56, 60-61.
<i>Glyceria plicata</i>	E. W 19, 31.
E: Near Hollymount (More). W: Newport (Marshall). Ballina. Marsh one mile west of Westport; marsh south of Glenisland; marsh by stream leading to Deel River at Killacorraun (Perring).	
<i>Bromus sterilis</i>	E 6, 10. E: S. of Ballinrobe (B.S.B.I. Field Card). N. of Lough Mask (B.S.B.I. Field Card).
<i>Bromus ramosus</i>	E 16. W 16.
E: South of Claremorris. W: Record in Bot. in Ireland not traced. Carraholly — Barley Hill, north of Westport, 1958 (B.S.B.I. Field Card).	
<i>Bromus erectus</i>	E E: (fide A. Farragher).
<i>Bromus commutatus</i>	W W: Railway at Newport (Marshall). Clare Island.
<i>Bromus racemosus</i>	W W: Pastures near shore at Bolinglauna (Perring).
<i>Bromus hordeaceus</i>	E 6, 11, 16-18, 23, 27. W 1-2, 13, 15-17, 19-23, 26-31, 33, 35, 39, 43, 45, 47, 52-53, 55, 61-62.
<i>Bromus x pseudothominii</i>	E E: Permanent pasture at north end of Lough Carra (Perring). W 1-2, 13, 15-17, 19-23, 26-31, 33, 35, 39, 43, 45, 47, 52-53, 55, 61-62. W: BGX 84/84, 94/04, 94/15.
<i>Bromus lepidus</i>	E 11. W 33, 47, 62.
E: Kilmoevee. W: Ballina. Clare Island. Inishturk.	
<i>Elymus repens</i>	E 10-12, 16-17, 27. W 4, 13, 16, 21, 23, 28, 55, 62.
<i>Elymus farctus</i>	W 13, 16, 20-21, 27-28, 35, 52. W: Achill. Mullet — on cottage roofs. Clare Island. Inishkea N. & S.
<i>Elymus farctus x repens</i>	W W: On sea sand near Keel, Achill (Druce, I.N.J., 2, 164).

*Avena strigosa*E
W

E: BGX 94/34 — prc 1930.

W: BGX 94/08.

*Avenula pubescens*E 3, 16.
W 1, 8, 17, 39.

E: North of Claremorris.

W: Near Tonakeera Point, west of Mweelrea — common in south-east Mayo but rare off the limestone; east of Killavalley in rough pasture; a few plants in meadow by steam leading to Deel River at Killacorraun (Perring).

*Arrhenatherum elatius*E 6, 10-12, 16-18, 22-23, 27.
W 1-2, 4, 15-17, 19-24, 27-32, 36, 38-40, 43, 45,
47-48, 50, 52-53, 55-56, 61-62.*Koeleria macrantha*E 3, 10-11, 16.
W 1, 8, 13, 16, 19-21, 27, 60-61.

E: Claremorris. Callow. South of Lough Mask (Marshall & Shoolbred).

*Trisetum flavescens*E 10-11.
W 16-17.

E: North of Claremorris.

W: In somewhat calcareous grassland one mile S.W. of Westport (Perring).

*Deschampsia caespitosa*6, 10-11, 16, 23.
W 2, 10, 13, 16-17, 22-23, 29, 39, 46-48, 55, 60-61.

E: Kilmoeve.

W: Ballina. Achill. Inishturk — var *brevifolia*, a few specimens in a wet marsh at the west end of the island; It grows in small tufts, 6-7 ins high, with a comparatively small panicle of a golden-brown colour, rising about 30ins (Prager 1907).*Deschampsia alpina*

W

W: Mweelrea and Ben Gorm (Hart).

*Deschampsia flexuosa*E 10, 16.
W 1-2, 13, 19-20, 23, 26-30, 38-40, 53, 60.

E: Glenaduff. Callow.

W: Nephin. Achill. Inishturk.

*Aira praecox*E 6, 10-11, 16, 23, 27.
W 1-2, 4, 10, 13, 16-17, 19-21, 23-24, 23-24, 26-33,
37-39, 43, 45-47, 52-53, 60-62.*Aira caryophyllea*E 11, 16, 18, 23, 27.
W 1-2, 10, 13, 16-17, 19-21, 23-24, 26-32, 36, 38-40,
43, 45-48, 52-53, 55, 60-62.*Anthoxanthum odoratum*E 6, 10-12, 16-18, 22-23, 27, 31.
W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 35, 37-40,
43, 45-48, 50, 52-53, 55, 60-62.

<i>Holcus lanatus</i>	E 6, 10-12, 17-18, 22-23, 27. W 1-2, 4, 10, 13, 15-17, 19-23, 26-33, 35-40, 43, 45-48, 50, 52-53, 55-56, 60-61.
<i>Holcus mollis</i>	E 16. W 9, 16, 24, 37, 43, 47-48.
E: Carrowkerribly Lake. W: Killala. Hedgerow about a mile south-west of Westport with <i>Stellaria holostea</i> (Perring). Achill. Mullet. Inishturk. Inishkea S.	
<i>Agrostis canina</i>	E 3, 6, 10, 12, 16-18, 23, 27. W 1-2, 10, 16-17, 19-20, 22-23, 26-29, 31-32, 35, 37-40, 46-48, 53, 55, 60, 62.
E: Ballymore Lake. W: Killala. Mullet. Inishturk.	
<i>Agrostis tenuis</i>	E 6, 10-12, 16-18, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-23, 26-29, 31-33, 36-37, 39, 43, 45-48, 50, 52-53, 55, 60-62.
<i>Agrostis stolonifera</i>	E 6, 10-12, 16-18, 23, 27. W 1-2, 4, 13, 15-17, 19-20, 22-23, 26-32, 37, 39-40, 45-48, 50, 52-53, 55-56, 60-62.
(<i>Agrostis nigra</i> : The Lough Carra record is based on <i>A. stolonifera</i> var <i>coarctata</i>)	
<i>Ammophila arenaria</i>	W 1-2, 15-16, 20, 28, 35, 43, 50, 56, 62. W: Achill — Dooega Head in boggy soil on the verge of the cliffs, 70-150ft. above the sea — no sand anywhere near (Praeger 1904) Achill Beg! Mullet. Inishkea N. & S. Clare Island (Doyle & Foss).
<i>Calamagrostis epigejos</i>	E E: Cloghmoyne — in chinks of limestone pavement, sparingly (Praeger 1934).
<i>Phleum pratense</i>	E 11-12, 16-18, 23, 27. W 1, 4, 16-17, 22, 24, 33, 45-46, 48, 55-56, 61.
<i>Phleum arenarium</i>	W 56. W: Mallaranny (Marshall). Mullet.
<i>Alopecurus pratensis</i>	E 6, 10. W 16-17, 20-21, 30. E: Ballaghaderreen. W: Marsh one mile west of Westport; near Halfway House between Westport and Castlebar on damp railway bank (Perring).
<i>Alopecurus geniculatus</i>	E 16. W 1, 4, 13, 16-17, 19-21, 23-24, 27-31, 33, 45, 52-53, 56, 61. E: Turlough N.W. of Claremorris. Ballaghaderreen. W: Rosserk. Achill. Mullet. Clare Island. Inishkea S.

<i>Phalaris arundinacea</i>	E 10-11, 16, 23. W 13, 16, 22-23, 30, 33, 35, 47, 56.
E: Ballaghaderreen.	
W: Ballina. Achill (one station). Clare Island (one station).	
<i>Millium effusum</i>	E W
E: South of Claremorris.	
W: Drumman Wood, Lough Cullin; Lough Conn (More).	
<i>Phragmites australis</i>	E 10-11, 16-18, 23, 27. W 1-2, 8-10, 13, 15-17, 19-23, 27-28, 30-33, 35, 39-40, 43, 45, 47-48, 50, 52, 56, 61.
<i>Danthonia decumbens</i>	E 10-12, 17-18, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-23, 26-33, 36-40, 45-48, 51-53, 55, 60-62.
<i>Molinia caerulea</i>	E 3, 10-12, 16-18, 23, 27. W 1-2, 4, 9-10, 13, 15-17, 19-24, 26-32, 35-40, 43, 45-48, 50-53, 55, 60-62.
<i>Spartina x townsendii</i>	W 16.
W: Extensive plantings during 1929-32 by the Marquis of Sligo — growing well (Praeger 1932).	

ARACEAE

<i>Acorus calamus</i>	W
W: BGX 84/88.	
<i>Arum maculatum</i>	
W: Kilmoeve.	E 6, 10, 16, 31. W 16-17, 33, 40.
W: Derreen.	

LEMNACEAE

<i>Lemna trisulca</i>	E 11. W 27.
E: Claremorris Lake (Marshall). Lough Carra.	
W: Slow stream running into the S.E. end of Castlebar Lake (Marshall).	

<i>Lemna minor</i>	E 11, 17-18, 23. W 13, 16, 19-20, 23, 27-29, 35, 43, 50, 55-56.
--------------------	--

SPARGANIACEAE

<i>Sparganium erectum</i> agg.	E 11, 16-18, 23. W 1, 13, 16-17, 22-23, 27-28, 32, 39, 46, 48, 55, 62.
E: Kilmoeve.	
W: Ballina. Achill. Mullet. Clare Island.	

Sparganium erectum subsp. *microcarpum*

E: Frequent at Clonbur (Marshall & Shoolbred; *Gleanings*).

W: Glenamoy, 1969, L. Burns.

Sparganium emersum

E 10.

W 32-33, 40.

E: Ballymore Lake.

W: Lough Conn. West of Castlebar (Marshall). Achill. Mullet.

Sparganium angustifolium

E

W 13, 19-20, 27-28, 45.

E: S.E. corner of Lough Mask (Marshall & Shoolbred).

W: East shore of Lough Conn. Between Newport and Mallaranny and at the base of Croaghpatrick (Hart). Derreen. Lough Bawn. Achill. Clare Island. Inishturk — frequent in the western lakelets and pools.

Sparganium minimum

E 11, 17.

W 13, 17, 20, 26, 29, 38, 46, 48, 55.

E: Ballinrobe (Mrs. Persse).

W: Ballina. Lough Conn. Rathrooen Lough. Nambrackagh Lake on Buckoogh and Lough Lugaloughaun on Mweelrea (Hart). West of Castlebar (Marshall). Clare Island. Inishturk. (Not on Achill or Inishkea?).

TYPHACEAE

Typha latifolia

E 11, 16, 18.

W 1-2, 8-9, 16-17, 21-22, 27-28, 30, 45, 48, 50.

E: Ballaghaderreen.

W: Ballina. Achill. Mullet.

CYPERACEAE

Scirpus maritimus

W 1, 13, 22, 29, 43, 50, 56.

W: Killala. Mullet — Portnafranka inlet. Clare Island. Inishkea N.

Scirpus lacustris

E 10-12, 16-18, 23, 27.

W 2, 9, 13, 16-17, 20, 23, 27, 30-33, 45-47, 53, 55, 60.

E: Ballaghaderreen. Lough Carra.

W: Ballina. Lough Conn. Achill. Mullet. Clare Island. Inishturk.

Scirpus tabernaemontani

W 1, 8, 43, 50-51.

W: Killala. Dooaghtry. Mullet. Inishkea N.

Scirpus setaceus

E 18, 23, 27.

W 1-2, 4, 13, 16-17, 20, 22-23, 27-31, 38, 46-47, 50.

E: Ballaghaderreen.

W: Achill. Mullet. Clare Island. Inishturk.

<i>Scirpus cernuus</i>	W 1, 13, 15-16, 19-21, 27-29, 32, 37-38, 45, 50, 55, 61-62.
W: Mallaranny (Marshall). Achill. Mullet. Clare Island. Inishturk. Inishkea N. & S., var <i>pygmaeus</i> : Murrevagh L., Mallaranny, Furnace L. (Marshall).	
<i>Scirpus fuitans</i>	E W 1-2, 27, 29, 31-33, 35, 45-47, 53, 55, 61.
E: Callow.	
W: Ballina. Pontoon. Achill. Mullet. Clare Island. Inishturk.	
<i>Scirpus caespitosus</i>	E 10-12, 16, 18, 23, 27. W 1-2, 9, 13, 16-17, 19-23, 26-31, 33, 36-38, 43, 46-47, 51-53, 55, 60-26.
<i>Blysmus rufus</i>	W 1, 8.
W: Shore west of Killala (Moore). Rosserk Abbey. Dooaghtry. Saltmarsh near Tonakeera Point (Perring). Mullet — Portnafranka inlet, upper.	
<i>Eriophorum angustifolium</i>	E 10-12, 16, 18, 23, 27, 31. W 1-2, 4, 8-10, 12-13, 15-17, 19-24, 26-33, 36-40, 43, 45-48, 50-53, 55, 60-62.
<i>Eriophorum latifolium</i>	W
W: In a small fen two miles N.W. of Killala (Webb 1959).	
<i>Eriophorum vaginatum</i>	E 10, 12, 16, 27. W 1-2, 13, 17, 19-21, 23-24, 26-29, 31, 33, 36, 38-40, 46-47, 52-53, 60-61.
<i>Eleocharis quinqueflora</i>	E 11, 18. W 20, 27, 33, 35, 48, 52, 62.
E: Claremorris. Lough Carra.	
W: Mallaranny (Marshall). Ballina. Killala. Rathroen Lough. East side of Lough Conn. Dooaghtry. Achill. Mullet.	
<i>Eleocharis palustris</i>	E 10, 16-18, 27. W 1-2, 8-10, 13, 15-17, 19-21, 23, 26-30, 32, 35, 39-40, 43, 46-48, 50, 53, 55, 61-62.
<i>Eleocharis uniglumis</i>	E W 1, 8, 55.
E: West of Keel Bridge, 1971, M. Scannell (DBN).	
W: Saltmarsh near Newport (Marshall). Brackish marsh near Tonakeera Point, west of Mweelrea (Perring).	
<i>Eleocharis multicaulis</i>	E 27. W 1-2, 10, 13, 16-17, 19-21, 23, 26-33, 36-40, 45, 47, 50, 52-53, 55, 60-62.
<i>Cladium mariscus</i>	E 10, 27. W 9, 22-23, 32, 40, 47.
E: Callow. Ballymore Lough. Lough Carra.	
W: Lough Conn. Rathroen Lough.	

<i>Rhynchospora alba</i>	E 11-12, 16-18.
	W 1-2, 9-10, 16, 19-21, 24, 26-27, 29-33, 36-40, 45-47, 53, 60.
E: Turlough N.W. of Claremorris. Ballymore Lake.	
W: (Common).	
<i>Rhynchospora fusca</i>	E W 4.
E: Claremorris. Ballinrobe & Hollymount (More).	
W: Nephin. Peat bogs west of Castlebar (Marshall). Foxford (<i>Cybele</i>). S.W. shore of Lough Conn.	
<i>Schoenus nigricans</i>	E 10-11, 16-18, 23, 31. W 1-2, 4, 9-10, 13, 16, 19-23, 26-33, 35-40, 45-48, 50-53, 55-56, 60-62.
<i>Carex paniculata</i>	E W 9, 13, 23, 27, 37, 39, 46-47, 61.
E: North of Claremorris. Ballaghaderreen.	
W: Achill. Mullet. Clare Island. Inishturk.	
<i>Carex diandra</i>	E 11, 23. W 1, 16, 23, 47, 55.
E: Claremorris — between lake and railway station (Marshall). Near Hollymount (More). Bog near Clonhugh railway station, W. T. Dyer (Praeger).	
W: Mallaranny — Murrevagh Lough and three distinct localities near Castlebar (Marshall). Lake one mile south of Newport (Hart). Dooaghtry.	
<i>Carex otrubae</i>	E W 1-2, 13, 15-16, 20-23, 27, 30, 40, 43, 50, 55-56.
E: (Recorded in <i>Botanist in Ireland</i> but record not traced).	
W: Killala. In a brackish marsh near Newport (Hart). Mullet. Clare Island. Inishturk.	
<i>Carex arenaria</i>	W 1-2, 13, 15-16, 20-22, 26-28, 35, 43, 50, 52, 56, 62.
W: Killala. Achill. Mullet. Clare Island. Inishkea N.	
<i>Carex disticha</i>	E 11. W 33, 48, 55-56.
E: Ballaghaderreen.	
W: Lough Cullin, 1962 (B.S.B.I. Field Card).	
<i>Carex remota</i>	E W 15-17, 19, 22-23, 30, 48, 55.
E: South of Claremorris.	
W: Old Head (B.S.B.I. Field Card).	
<i>Carex ovalis</i>	E 10, 12, 17, 23, 27. W 1-2, 4, 8, 13, 15, 17, 19-21, 23, 28-31, 33, 38-39, 43, 45, 47, 52-53, 61.
<i>Carex echinata</i>	E 10-12, 16-17, 23, 27. W 1-2, 4, 10, 13, 15-17, 19-24, 26-33, 36, 38-40, 43, 45-48, 50, 52-53, 55, 60-62.

<i>Carex dioica</i>	E W 47.
E: Glanaduff. Near Claremorris. W: Mallaranny (Marshall). Rathrooenn Lough. Sandy flat, Dooaghtry. Clare Island, Inishturk.	
<i>Carex curta</i>	W
W: Louisburgh, 1909, Knowles (DBN).	
<i>Carex hirta</i>	E 17. W 16, 48.
E: North of Claremorris. W: Ballina.	
<i>Carex lasiocarpa</i>	E. W 22.
E: Near Cong (Marshall & Shoolbred). Hollymount (<i>Cybele</i>). Lough Carra. W: In very wet bog at foot of Nephin, between Crumpaun and the road; at southern end of Birreencorragh and by the Erriff at the base of Ben Gorm (Hart). Achill — in a swamp east of the north end of Keel Lough.	
<i>Carex riparia</i>	W
W: Killala.	
<i>Carex pseudocyperus</i>	E 10.
E: Near Keel Bridge, 1956 (B.S.B.I. Field Card). Wet calcareous fen in bay of Lough Carra near Partry House; island in Lough Carra (Kelly 1985).	
<i>Carex rostrata</i>	E 10-12, 16-18, 22-23, 27. W 9-10, 13, 16-17, 20-23, 27, 29-31, 33, 38-40, 46-48, 53, 55, 61.
<i>Carex acutiformis</i>	
W: Marsh near the sea one mile south of Kinnadoohy (Perring).	
<i>Carex vesicaria</i>	E. W 38.
E: Kilmovee. River below Hollymount (More). Ballaghaderreen. W: River Moy near Foxford (More). S.W. shore of Lough Conn. West shore of Cloon River, south of Srah to Pantry road; small lough S.E. of Nephin Beg (Perring).	
<i>Carex pendula</i>	
E: Ashford (Marshall). Cong Abbey (J. O. & K. G. Montford). W: Drumman Wood near Foxford (Praeger 1934).	
<i>Carex sylvatica</i>	E 11. W 2, 8, 13, 15-16, 21.
E: South of Claremorris. Glenaduff. W: East side of Lough Conn. Clare Island (one station).	
<i>Carex strigosa</i>	W
W: Shangorman Islands in Lough Mask (Praeger 1929).	

<i>Carex flacca</i>	E 3, 10-11, 16-18, 22-23, 27. W 1-2, 13, 15-17, 19-24, 26-28, 32-33, 35, 39-40, 43, 45-48, 50, 53, 55, 61-62.
<i>Carex panicea</i>	E 10-12, 16-18, 23, 27. W 1-2, 4, 10, 13, 15, 17, 19-23, 26-33, 36-40, 43, 45-47, 51-53, 55, 60-62.
<i>Carex laevigata</i>	E 10, 23. W 15, 23, 29.
E: Near Foxford (More). W: Near Burrishoole Bridge, Newport (Marshall). Drumman Wood, Lough Cullin (More). Woodland at Old Head; woodland north of Glenisland, one mile south-east of Lough Beltra at foot of Birreen (Perring).	
<i>Carex binervis</i>	E 10-11, 18, 23, 27. W 1-2, 4, 10, 13, 17, 19-23, 26-33, 37-39, 45, 47, 51-53, 55, 60-62.
<i>Carex distans</i>	E 10. W 1, 13, 15-16, 21, 29, 35, 51.
E: Killala. Abundant below Burrishoole Bridge, Newport (Marshall). Achill. Mullet. Clare Island. Inishturk. Inishkea N.	
<i>Carex extensa</i>	W 1, 13, 20-21, 29, 56.
W: Mallaranny (Marshall). Achill. Mullet. Clare Island. Inishturk. Inishkea N. & S.	
<i>Carex hostiana</i>	E 10-11, 18, 23, 27. W 1, 8, 13, 17, 23, 26, 28-29, 33, 40, 55, 61-62.
<i>Carex lepidocarpa</i>	E 10-11, 17-18, 23, 27. W 17, 27, 30, 33, 39-40, 43, 45, 47-48, 50, 55, 62.
<i>Carex demissa</i>	E 10-12, 16-18, 23, 27. W 2, 4, 10, 13, 15-17, 19-24, 26-33, 36-38, 40, 43, 45-48, 50, 52-53, 55-56, 60-62.
<i>Carex serotina</i>	E 10. W 40, 45, 47, 56.
E: Keel Bridge area (B.S.B.I. Field Card). W: Shore of Lough Conn, near Errew (B.S.B.I. Field Card). subsp. <i>pulchella</i>	
W: Inishkea North, pasture, 1905, Praeger (DBN).	W
<i>Carex pallescens</i>	E W 30.
E: Near Foxford (More). W: Delphi; Mweelrea; Doo Lough (Hart). Hazel scrub by Lough Feeagh, north of Newport; west side of Cloon River (Perring).	

<i>Carex caryophyllea</i>	E 23. W 1, 13, 17, 39-40.
E: (Botanist in Ireland record not localised). Kilkelly, 1958 (B.S.B.I. Field Card).	
W: Achill. Mullet. Clare Island. Inishturk.	
<i>Carex pilulifera</i>	E 10. W 1-2, 13, 16-17, 20, 23, 29, 38, 40.
E: Glenaduff.	
W: Nephin. Achill. Mullet. Clare Island. Inishturk.	
<i>Carex limosa</i>	E W 27, 29, 47.
E: Hollymount (More).	
W: Near Bangor in Erris (Moore). In a very wet bog at the foot of Nephin between Crumpaun River and the road; southern side of Birreencorragh by some small lakes (Hart). Near Castlebar (Marshall). West side of Lough Mask (Vowell). Rathroen Lough. Achill — bog below Sraheens Lough (Marshall); lakelet S.E. of Lough Gall and abundant at north end of Keel Lough. Clare Island. Inishturk — plentiful in the wet marsh around Lough Coolaknick, with very stunted <i>C. paniculata</i> .	
<i>Carex bigelowii</i>	W 20, 26-27.
W: Nephin (Dickie). Mweelrea; Corslieve etc. except Croaghpatrick (Hart). Sheefry; Cushcamcarragh; Nephin Beg (Colgan). Curraun Plateau. Achill — Slievemore, 1,800-2,200ft; abundant on the Croaghua range to 1,200ft.	
<i>Carex elata</i>	E 10, 16. W 39.
E: Near Clonbur (Marshall & Shoolbred). Lough Carra.	
W: Newport (Marshall). Growing in swamp beside Lough Clevala between Newport and Crossmolina (Perring).	
<i>Carex nigra</i>	E 10-12, 16-18, 23, 27. W 1-2, 4, 10, 13, 15, 17, 19-21, 23, 26-33, 37, 39-40, 43, 46-48, 53, 55, 60-62.
<i>Carex pulicaris</i>	E 10-12, 17-18, 22-23. W 1-2, 13, 15, 17, 20-21, 23, 27-33, 38-39, 43, 47-48, 50, 55, 62.

ORCHIDACEAE

<i>Epipactis palustris</i>	E 10, 18. W 8, 50, 55.
E: Ballinrobe (Mrs. Persse). Lough Carra (More).	
W: South-west end of Castlebar Lake (Marshall). Killala. Ballina. Sandy flat, Dooaghtry. Mullet.	

<i>Epipactis helleborine</i>	E. W 1.
E: Near Liskillen, Ballinrobe (D. D. Persse). Derrinrush Wood, Lough Carra. W: Derreen.	
(<i>Epipactis atrorubens</i> Sparingly in a rocky valley on the Clonbur side of Cong, just within Co. Galway (Marshall & Shoolbred).)	
<i>Cephalanthera longifolia</i>	W
W: Close to the bridge at Pontoon (W. de V Kane). Clare Island — a few small plants on a boulder clay slope facing N.E., 50ft above sea level, between Portlea and Ooghcorragaun (D. J. Scourfield — Praeger 1911). Dooaghtry — sandy fields beside the road where this runs to the sea shore; blown sand over thin peat (Hudson); all over the rocky ridge just west of where the road from Louisburgh runs down on the sands (Stelfox) — possibly a relict of neolithic woodland (Praeger <i>loc. cit.</i>)	
<i>Neottia nidus-avis</i>	E
E: Derrinrush Wood, Lough Carra. (In the wilderness, Ashford, Cong, 1895, Miss M. F. Jackson — <i>Cybele</i> — just in Co. Galway).	
<i>Listera ovata</i>	E 3, 6, 10-11, 17-18, 23, 27. W 8, 13, 15, 17, 23, 27, 40, 48.
<i>Listera cordata</i>	E. 10. W 26-27, 38, 53, 60.
E: Half mile east of Partry on carboniferous sandstone, with <i>Daboecia</i> at about 100ft, altitude (Praeger 1906). W: Very plentiful on the hill near Mallaranny, between 1,000-12,000ft (Marshall). Corslieve (Moore). Achill — Slievemore and Croaghaun. Clare Island.	
<i>Spiranthes spiralis</i>	E 10. W.
E: Lough Carra — shore near Moore Hall (Hall). Houndswood (Miss Jackson). W: In good quantity (100-200 spikes) in a grass sward on the eastern side of a sand dune system near Killadoon — discovered many years ago by Lady Harmon (Cabot).	
<i>Platanthera bifolia</i>	E 10, 23. W 8, 17, 23, 28-30, 39-40, 55, 61.
E: Claremorris. Lough Carra. W: Mallaranny (Marshall). Ballina.	
<i>Platanthera chlorantha</i>	E 10. W 1, 17, 23, 30, 39-40, 46.
E: Claremorris. Ballymore Lake. Callow. Lough Carra. W: Mallaranny (Marshall). Achill. Clare Island. Inishturk.	
<i>Gymnadenia conopsea</i>	E 3, 10-11, 16-18, 23, 27. W 8, 17, 40, 48, 55, 62.
E: North of Claremorris. Callow. Lough Carra. W: Newport (Colgan). Ballina. Killala. Rosserk. Rathroeen Lough. Sandy flat, Dooaghtry. Mullet — low hills that terminate the Mullet on the Southward — a stunted grassy heath.	

<i>Pseudorchis albida</i>	E W
E: Ballinrobe (Mrs. Persse). Near Foxford (More).	
W: Mweelrea (Hart).	
<i>Coeloglossum viride</i>	E 23. W 8.
E: Ballyhaunis. North of Claremorris. Ballymore Lough. Lough Cullin. Lough Carra.	
W: Ballina. Rosserk. Achill. Mullet — on the low hills that terminate the Mullet on the southward — a stunted grassy heath.	
<i>Dactylorhiza incarnata</i>	E 10-12, 23. W 1, 8, 13, 17, 20, 27-29, 43, 47.
subsp. <i>coccinea</i>	W
W: BGX 94/22; 84/84.	
subsp. <i>pulchella</i>	W
W: BGX 94/05.	
subsp. <i>cruenta</i>	E
E: Around the shores of lakes overlying the limestone plains of E. Mayo and N.E. Galway (Heslop Harrison). Lough Carra at Keel Bridge (DBN). Lough Carra — plentiful near Keel Bridge at the S. end of the lake, extending up the West shore, north of Partry and occurring on some of the islands; also plentiful at Cloonee and on the East shore north of Cloonee. Lough Mask — abundant at Aghinish and occasional on the lake shore further north. Lough Corrib — occasional on the N.E. shore near Castletown (Heslop Harrison, <i>Watsonia</i> , 1,372).	
<i>Dactylorhiza majalis</i>	W 1, 16-17, 21, 23, 27-30, 39, 61.
W: Clare Island (<i>purpurella</i>).	
<i>Dactylorhiza traunsteineri</i>	
E: Amongst <i>Schoenus nigricans</i> tussocks west of Keel Bridge, Scannell (DBN).	
<i>Dactylorhiza maculata</i>	E 3, 6, 10-12, 17-18, 22-23, 27. W 1-2, 4, 10, 13, 16-17, 19-22, 26-32, 36-40, 43, 46-48, 50, 52-53, 55, 50-62.
<i>Dactylorhiza fuchsii</i>	E 3, 10-12, 16-18, 27. W 1-2, 4, 8, 15-17, 20-21, 23-24, 30, 39-40, 46-48, 52-53, 55, 62.
<i>Neotinea maculata</i>	E.
E: By Lough Corrib near Cong (Moore). A short distance to the N.W. of Cong. Lough Mask shore south of Carrowaneragh — a desolate area of slabs and blocks of limestone. Lough Carra — half mile south of Deradda; half mile west of Bonniamillish Island; half mile N.W. of Church Island. Cloghmoyne.	
(W) Mount Gable — growing off the limestone (Marshall) (West Galway).	
<i>Orchis morio</i>	E W
E: North of Claremorris. Lough Carra.	
W: Near Rosserk Abbey.	

<i>Orchis mascula</i>	E 3, 6, 10. W 13, 17, 33, 39.
E: North of Claremorris. Ballaghaderreen. Lough Carra.	
W: Rosserk. Clare Island. Inishturk.	
<i>Anacamptis pyramidalis</i>	E W 28.
E: Claremorris. Ballinrobe (Mrs. Persse). Lough Carra.	
W: West of Castlebar (Marshall).	
<i>Ophrys insectifera</i>	E 10.
E: Lake view, Lough Carra (Miss Jackson, Mrs. Persse). Lough Carra at Derrinrush and below Moore Hall.	
<i>Ophrys apifera</i>	E 10. W
E: North-west of Claremorris. Ballaghaderreen. Near Glen Corrib (Miss Jackson). Lough Carra — Derrinrush and below Moore Hall.	
W: Scarce on limestone west of Castlebar (Marshall).	
<i>Hammarbya paludosa</i>	W
W: Mineral flush at Bellacorick!	

ADDENDA (omitted from Gramineae)

<i>Brachypodium sylvaticum</i>	E 3, 6, 10, 16. W 1-2, 4, 8, 13, 15-17, 20, 22, 40, 48, 55, 60.
<i>Nardus stricta</i>	E 10, 16, 18, 23, 27. W 1-2, 4, 10, 13, 17, 19-24, 26-33, 36-40, 45-47, 50-53, 60-62.

ACKNOWLEDGEMENTS

I am indebted to the Botanical Society of the British Isles and the officers of the Biological Records Centres at Monks Wood, Dublin and Belfast, for access to field cards and details of individual records. My thanks are due also to Ms. B. Shine for patient assistance with the handling of *Atlas* records, to Ms. G. Pasley for additional help, to Dr. E. C. Nelson for assistance with the Patrick Browne records, to C. O Cribín for locating several place-names and to the following who helped in various ways, Dr. C. Preston, Ms. E. Ni Lamhna, P. Hackney, A. Brady, Ms. M. Scannell, Dr. G. J. Doyle and P. J. Foss, and finally to T. A. Barry and P. J. O'Hare for stimulating my interest in County Mayo, and to D. Doogue for provoking preparation of this check-list.

TOPOGRAPHICAL INDEX

- Aasleagh L8964
Achill F70
Achill Beg L7293
Aghinish M1567
Aille Caves M08
Altnaconey R. F9606
Altnapheebera L7892
Annagh L. (L. Nakeeroge)
F5907
Ardmore L. F6829

Balla M2584
Ballaghaderreen M6194
Ballina G2418
Ballinderg
(Bellanaderg)
Ballinock
(Ballyknock)
Ballinrobe M1964
Ballintober M1478
Ballycroy F8010
Ballyfarnagh M3682
Ballyhaunis M5079
Ballymagibbon Bay M1853
Ballymore L. G2812
Bangor F8623
Barley Hill L9886
Bartragh G22 & G23
Belclare
(Oughaval)
Bellacorick F9620
Belmullet F7032
Beltra L. M1798
Bengorm F9201
Benwee Head F8144

Binghamstown F6324
Birreen M1897
Birreencorragh G0204
Black Hill
Black Lough F6900
Bolinglanna L7492
Bonniamillish M1674
Borrishoole (= Burrishoole)
Buckoogh F9901
Bull's Mouth F7306
Bunafreeva L. W. F5707
Bunafreeva L. E. F5808
Bundorragha L8463
Burrisheole Bridge L9696
Bush Is. M17

Callow G3203
Carraholly (Caraholly) L9485
Carrick Kennedy
(Carrickaneady)
Carrowaneeragh M1568
Carrowkerribly L. G2611
Carrownacon M1976
Carrownisky L7677
Castlebar M1490
Castlemagarrett M3372
Ceathru an Uisce L7677
Church Is. M1575
Churchfield M0765
Clare Is. L6985
Claremorris M3474
Clew Bay L9090
Cloghans
Clonbur M1055) (v.c. H16)
Clonhugh

Cloonee	M1969	Fin L.	L8455
Cloon R.	M1372	Foxford	G2603
Cloghmoyne	M2250	Furnought Hill	G0223
Cong	M1455		
Cor Slieve	F9112	Garranty	L6174
Cordoon	M1952	Glen Corrib (Shrule)	
Corragaun L.		Glenamoy	F8933
Corranabinnia	F9003	Glenaduff	G3109
Corraun Plateau	L7595	Glenanaff	F6500
Craggy	L6174	Glencullin Mt.	?L8168
Croagh Patrick	L9080	Glendavoolagh	G0 107
Croaghaun	F5505	Glenisland	M1795
Croaghmore	L6686		
Crossmolina	G1317	Headford (Galway)	M2647
Cross L.	F6429	Hollymount	M2568
Crumpaun R.	G0705	Houndswood (Cong)	
Cushcamcarragh (Corranabinnia)			
Deel Bridge	G0015	Inishbiggle	F7407
Deel R.	G0814	Inishcoog	M1361
Delphi	L8466	Inishkea	F5521
Deradda	M1669	Inishturk	L6074
Derreen			
Derrinrush	M1772	Keel Bridge	M1668
Derryloughan L.	L9894	Keel L.	F6405
Doo L.	L8368	Kildun	F7905
Dooagh	F6004	Kilhale (Islandeady)	
Dooaghtry	L76	Kilkelly	M4491
Dooega Head	L6499	Killacorraun	G0813
Dooleeg	G01	Killadoon	L7474
Dooniver L.	F7207	Killala	G2029
Doontrasna	L6 8	Killary	L8462
Dringeen	M1257	Killavalley	M1079
Drumleen L.	G0509	Kilmaine	M2559
Drumman Wood	(Drummin) G2304	Kilmovree	M5593
Dugort (Doogort)	F6708	Kinnadoohy	L7472
Duvillaun	F5716	Knappagh (Aghagower)	
Errew Peninsula	G1711	Knockbane	
Erriff Bridge	L9568	Knocknagool	M1571
Erris Head	F7041		
		Lackafinna	M15
		Lagduff L.	F8214
		Leam L.	F6426
		Leckanny	(Leckanvy)

- Liskillen M2068
 Lisloughry M1554
 L. Acorrymore F5705
 L. Aleen L5974
 L. Beltra M0798
 L. Brawn L8670
 L. Carra M1871
 L. Clevala G0611
 L. Coolaknick L6075
 L. Conn G1810
 L. Coolin (H16) M0655
 L. Corrib M1752
 L. Cullin G1303
 L. Cullydoo L7797
 L. Feagh F9600
 L. Furnace L9696
 L. Gall L7008
 L. Mask M1065
 L. Nambrack F7009
 L. Namucka L5974
 L. Pollogowly L9 9
 L. Tierna L8996
 Loughnadirkbeg (H16) L9965
 Loughty Mt. L86, L87
 Louisburgh L8080
 Lugacolliwee L9071
 Lugaloughaun L8971
 Lusteen Is (H16) M0661
 Mallaranny L8296
 Manulla M2288
 Martins Is.
 Meenaun (Menaun) F6501
 Moore Hall M1974
 Morris Is. M1751
 Mount Falcon G2412
 Mount Gable (Clonbur)
 Moyne Abbey G2228
 Moyview (Moywillin)
 Mullet Peninsula F63
 Murrevagh L. L8495
 Murrisk L9182
 Mweelin L. F6801
 Mweelrea L7866
 Nambrackagh L. (? L. Nambrack)
 Neale M15
 Nephin G1007
 Nephin Beg F9310
 Newport L9398
 Newtown L. F6222
 Old Head L8282
 Ooghcorragaun L7087
 Owenbrin R. (H16) M0265
 Owenduff R. F81, F80
 Partry M1572
 Pontoon G2003
 Portacloy F8343
 Portlea L7086
 Portnafranka F6434
 Rathroeen L. G2323
 Roonah L. L7576
 Rossbeg (Oughaval)
 Rosserk G2425
 Salia F7002
 Scardaun Mt. (Corslieve) F9112
 Shangorman Is. M1364
 Sheeffry L9169
 Slievemore F6408
 Srah M1172
 Sraheens L. F7022
 Srahduccaun F8607
 Sruhillbeg L. F6504
 Swinford M3799
 Tobergortnaun L7470
 Tonakeera Pt. L7368
 Trawmore F6404
 Valley F7009
 Valley strand F7009
 Westport L9984

INDEX OF GENERA

- Acaena 52
Acer 59
Achillea 84
Acorus 101
Adiantum 30
Aegopodium 65
Aesculus 59
Aethusa 66
Agrimonia 52
Agrostemma 42
Agrostis 100
Aira 99
Ajuga 74
Alchemilla 53
Alisma 89
Alliaria 46
Allium 93
Alnus 36
Alopecurus 100
Althaea 60
Ammophila 100
Anacamptis 110
Anagallis 69
Andromeda 68
Anemone 43
Angelica 67
Antennaria 83
Anthemis 84
Anthoxanthum 99
Anthriscus 65
Anthyllis 57
Antirrhinum 77
Aphanes 54
Apium 66
Aquilegia 44
Arabidopsis 46
Arabis 46
Arctium 86
Arctostaphylos 68
Arenaria 40
Armeria 70
Arrhenatherum 99
Artemisia 85
Arum 101
Asperula 71
Asplenium 31
Aster 83
Athyrium 32
Atriplex 39
Atropa 76
Avena 99
Avenula 99
Baldellia 89
Ballota 74
Barbarea 46
Bellis 83
Berula 65
Beta 39
Betula 35
Bidens 84
Blackstonia 70
Blechnum 33
Blysmus 103
Botrychium 29
Brachypodium 98, 110
Brassica 48
Briza 97
Bromus 98
Buddleja 76
Cakile 48
Calamagrostis 100
Calamintha 75
Callitricha 73
Calluna 68
Caltha 43
Calystegia 72
Camelina 47
Campanula 82
Capsella 47
Cardamine 46
Cardaria 47
Carduus 86
Carex 104
Carlina 86
Carum 66
Catabrosa 97
Centaurea 87
Centaurium 70
Centranthus 82
Cephalanthera 108
Cerastium 41
Ceratophyllum 43
Ceterach 31
Chaenorhinum 77
Chamaemelum 84
Chamomilla 84
Chelidonium 45
Chenopodium 39
Chrysanthemum 85
Chrysosplenium 50
Cicendia 70
Cichorium 87
Circaeа 63
Cirsium 86

Cladium	103	Erodium	58	Humulus	37
Clematis	43	Erophila	47	Huperzia	28
Cochlearia	47	Eryngium	65	Hyacinthoides	92
Coeloglossum	109	Euonymus	60	Hydrocotyle	65
Conium	66	Eupatorium	83	Hymenophyllum	30
Conopodium	65	Euphorbia	59	Hyoscyamus	76
Convolvulus	72	Euphrasia	79	Hypericum	61
Coronopus	47	Fagopyrum	38	Hypochoeris	87
Corylus	36	Fagus	36	Ilex	60
Cotoneaster	54	Fallopia	38	Impatiens	59
Crataegus	55	Festuca	95	Inula	83
Crepis	88	Filago	83	Iris	93
Crithmum	66	Filipendula	51	Isoetes	28
Cymbalaria	77	Fragaria	53	Jasione	82
Cynosurus	97	Frangula	60	Juncus	93
Cystopteris	32	Fraxinus	70	Juniperus	33
Cytisus	55	Fuchsia	63	Knautia	82
Daboechia	68	Fumaria	45	Koeleria	99
Dactylis	87	Galeopsis	74	Lamium	74
Dactylorhiza	109	Galium	71	Lapsana	88
Danthonia	101	Gentiana	71	Lathyrus	56
Daucus	67	Gentianella	71	Lavatera	60
Deschampsia	99	Geranium	57	Ledum	68
Desmazeria	96	Geum	53	Lemna	101
Digitalis	77	Glaux	69	Leontodon	87
Diphasiastrum	28	Glechoma	75	Lepidium	47
Draba	47	Glyceria	97	Leucanthemum	85
Drosera	48	Gnaphalium	83	Ligustrum	70
Dryopteris	32	Groenlandia	92	Limonium	70
Elatine	63	Gunnera	64	Linum	58
Eleocharis	103	Gymnadenia	108	Listera	108
Elodea	90	Gymnocarpium	32	Lithospermum	72
Elymus	98	Hammarbya	110	Littorella	81
Empetrum	69	Hedera	64	Lobelia	82
Epilobium	63	Heracleum	67	Logfia	83
Epipactis	107	Hesperis	46	Lolium	96
Equisetum	29	Hieracium	89	Lonicera	81
Erica	67	Hippuris	64	Lotus	57
Erigeron	83	Holcus	100	Luzula	94
Erinus	77	Honkenya	40	Lychnis	42
Eriocaulon	95	Hottonia	69		
Eriophorum	103				

Lycium	76	Origanum	75	Radiola	58
Lycopodiella	28	Orobanche	80	Ranunculus	43
Lycopodium	28	Osmunda	30	Raphanus	48
Lycopus	75	Oxalis	57	Reseda	48
Lysimachia	69	Oxyria	38	Reynoutria	38
Lythrum	63	Papaver	45	Rhamnus	60
Malus	54	Parietaria	37	Rhinanthus	80
Malva	60	Parnassia	50	Rhodiola	49
Matricaria	84	Pastinaca	67	Rhododendron	68
Medicago	56	Pedicularis	79	Rhynchospora	104
Melampyrum	79	Pentaglottis	72	Ribes	51
Melica	97	Pernettya	68	Rorippa	46
Mentha	75	Petasites	85	Rosa	52
Menyanthes	71	Petroselinum	66	Rubia	72
Milium	101	Phalaris	101	Rubus	51
Mimulus	77	Phegopteris	31	Rumex	38
Minuartia	40	Phleum	100	Ruppia	92
Moehringia	40	Phragmites	101	Sagina	41
Molinia	101	Phyllitis	31	Salicornia	39
Montia	40	Pilularia	33	Salix	34
Mycelis	88	Pimpinella	65	Salsola	39
Myosotis	72	Pinguicula	80	Sambucus	81
Myrica	35	Pinus	33	Samolus	70
Myriophyllum	64	Plantago	80	Sanguisorba	52
Najas	92	Platanthera	108	Sanicula	65
Nardus	101, 110	Poa	96	Saponaria	42
Narthecium	92	Polygala	59	Sarracenia	48
Nasturtium	46	Polygonum	37	Saussurea	86
Neotinea	109	Polypodium	30	Saxifraga	49
Neottia	108	Polystichum	32	Scandix	65
Nepeta	75	Populus	35	Schoenus	104
Nuphar	42	Potamogeton	90	Scirpus	102
Nymphaea	42	Potentilla	53	Scleranthus	41
Odontites	79	Primula	69	Scrophularia	77
Oenanthe	66	Prunella	75	Scutellaria	74
Omalotheca	83	Prunus	55	Sedum	49
Ononis	56	Pseudorchis	109	Selaginella	28
Ophioglossum	29	Pteridium	30	Senecio	85
Ophrys	110	Puccinellia	97	Sesleria	97
Orchis	109	Pulicaria	83	Sherardia	71
Oreopteris	31	Pyrola	67	Silene	42
		Quercus	36	Sinapis	48
				Sisymbrium	45

Smyrnium	65	Taxus	34	Vaccinium	68
Solanum	76	Teucrium	74	Valeriana	82
Soleirolia	37	Thalictrum	44	Valerianella	81
Solidago	83	Thelypteris	30	Verbascum	77
Sonchus	87	Thymus	75	Verbena	73
Sorbus	54	Tilia	60	Veronica	77
Sparganium	101	Torilis	67	Viburnum	81
Spartina	101	Tragopogon	87	Vicia	55
Spergula	41	Trifolium	56	Viola	62
Spergularia	41	Triglochin	90	Vulpia	96
Spiranthes	108	Trisetum	99		
Stachys	75	Tritonia	93	Wahlenbergia	82
Stellaria	40	Tuberaria	62		
Suaeda	39	Tussilago	85	Zannichellia	92
Succisa	82	Typha	102	Zostera	92
Subularia	47				
Symporicarpos	81	Ulex	55		
Symphytum	72	Ulmus	36		
Tanacetum	85	Umbilicus	49		
Taraxacum	88	Urtica	37		
		Utricularia	80		